




Percent of Tests Exceeding




Percent of Tests Exceeding




Percent of Tests Exceeding




Percent of Tests Exceeding




Percent of Tests Exceeding



Percent of Tests Exceeding



Percent of Tests Exceeding



REQUESTOR L. Gibson

ROAD I-20

FWD FILE # _____

LANE/DIRECTION EB MM 7/8

COUNTY Lexington

OPERATORS ES, RJ

DATE 8/16/14

DISTANCE	CORE #	DEPTH	BASE	COMMENTS
<u>I-20 EB Outside Trench Lane</u>				
0.00	1	13.9	SC	@ Mile Marker 49
0.80	2	13.4	SC	Just Before Blue Sign Exit 51/6
1.50	3	15.3	S.C.	@ Exit 51 Sign
2.47	4	13.5	S.C.	@ I20 East shield
3.20	5	14.0	S.C.	
4.00	6	12.9	SC	MM 53
4.80	7	14.4	SC	
5.74	8	9.5	SC	Beam concrete
	$\frac{8}{8} \text{UB} - 1.3914$	13.914 - Avg	$\frac{1}{2} \text{Avg} - 6.9571$	
<u>I-20 WB Shoulder</u>				
0.00	1	7.0	SC	@ MM 60
1.40	2	7.8	SC	@ Blue Exit Food SB
2.80	3	8.0	SC	
4.15	4	6.5	SC	@ Exit 55 (near Blue Sign)
5.54	5	6.0	SC	@ MM 50 Sign
7.00	6	9.0	SC	
8.40	7	8.5	SC	
9.70	8	9.8	SC	
10.70	9	9.0	SC	@ MM 49
	$\frac{9}{9} \text{UB} - 0.79556$	7.9556 - Avg	$\frac{1}{2} \text{Avg} - 3.9778$	
<u>I-20 EB Shoulder</u>				
0.00	1	8.5	SC	@ MM 49
1.40	2	9.2	SC	
2.80	3	8.0	SC	
	$\frac{3}{3} \text{UB} - 0.85667$	8.5667 - Avg	$\frac{1}{2} \text{Avg} - 4.2833$	
Weather				
8-5-84				
8-4-82				
8-3-79				
8-2-74				
8-1-77				
Avg - 79.2				

Base = 10" Earth Base