



South Carolina
Department of Transportation

NOTICE TO PROPOSERS

Bridge Package 16
Design-Build – Contract ID 3962240
Pickens County

March 20, 2023

NOTICE TO PROPOSERS - Enclosed is **Addendum 1** to the Request for Proposals (RFP) for the Bridge Package 16 design-build project. The information provided in this notice and the addendum shall be made part of the contract documents.

The **yellow** highlights identify the revisions associated with Addendum 1.

This addendum is being issued in order to provide clarification and additional information for the project. The following sections of the RFP contain revisions:

- Request for Proposals Instructions
 - Title sheet
 - Appendix A.4 CPM schedule revision
- Agreement
 - Contract time revised.
 - LD rates revised.
- Exhibit 4a – Roadway Design Criteria
 - SCDOT is pursuing a Design Exception for the US123 over Twelve Mile Creek site to allow for the use of comfort criteria for design of the vertical curve at this site. The minimum K value allowed for use, even with comfort criteria, will be $K = 70$. Once the design exception has been approved, it will be provided to all teams.
- Exhibit 4b – Structures Design Criteria
 - 2.1.22 Substructures: language removed.
 - 2.1.24 Slope Protection and Bridge End Grading: language removed.
- Exhibit 4e – Hydraulic Design Criteria
 - 2.2.1.8 Abutments: additional language added.



NOTICE OF RECEIPT
Bridge Package 16
Design-Build – Contract ID 3962240
Pickens County

Addendum 1

The information in this addendum shall be made part of the contract documents. PROPOSERS are instructed to incorporate the information into the previously provided RFP documents.

PROPOSERS are required to sign this document and enclose it with their Technical Proposal. Receipt of this signed document by The South Carolina Department of Transportation serves as confirmation that the PROPOSER has received and incorporated this Addendum into the contract documents.

Confirmation Statement:

I, the PROPOSER confirm that I have received this addendum package and have incorporated the information provided in the addendum into the contract documents.

PROPOSER's Signature

Date

Printed Name

For: _____
Design-Build Team Name

