



August 24, 2023

David Rogers
SCDOT Construction Office P.O Box 191
Columbia, SC 29202

RE: Carolina Crossroads - Phase 3 C&G Plans, Multi-County
NPDES Coverage Number: SCR16Z083

Dear David Rogers:

The Department of Health and Environmental Control (Department or DHEC) has approved the Stormwater Pollution Prevention Plan (SWPPP) for the referenced project on **August 24, 2023**. Based on your submission of the Notice of Intent (NOI) and in accordance with the NPDES General Permit for Stormwater Discharges from South Carolina Department of Transportation Construction Activities SCR160000 (DOTCGP), this project has been granted coverage under the DOTCGP. This project's general permit coverage number is **SCR16Z083**. The total disturbed area for this site is **273.0 acres**.

- Please note that this approval does not include the addition of any impervious areas.
- Please note that this approval does not allow for the installation or relocation of any major utilities such as water, wastewater or gas lines that would require additional design plans and site work beyond the clearing and grubbing of the site.

You are responsible for ensuring your contractor(s) complies with the approved SWPPP and the minimum requirements of the DOTCGP. Also, you are responsible for overall compliance with the Storm Water Management and Sediment Reduction Act of 1983 (1983 Act), SC Pollution Control Act, and the Federal Clean Water Act (CWA). Failure to comply with the approved SWPPP or applicable statutes and regulations may result in enforcement actions.

You must notify this DHEC EQC Regional Office prior to starting any land-disturbing activity. The address and telephone number of the EQC office are as follows:

Inspections of this site must be performed by qualified personnel as described in Section 3.13.E of the DOTCGP.

You should be aware that this approval is only applicable for the SWPPP that was submitted for this project. Any additional construction or land disturbing activity beyond the scope of the approved plans is not authorized. Any future work for this project not shown on the stamped, approved plans will require that you submit another site plan for review and approval. All major modifications require review and approval by the Department. Minor modifications to the approved SWPPP may be made by the SWPPP preparer and do not require review and approval by the Department; these changes should be signed and dated by the SWPPP preparer. If you have a question about whether a modification is major or minor, contact the Stormwater Permitting Section at (803) 898-4300.

A copy of the stamped, approved SWPPP (including a copy the DOTCGP, inspection records, rainfall data, etc.), NOI, and DOTCGP coverage letter from DHEC must be made available at the SCDOT Resident Construction Engineer's Office from the date of commencement of construction activities to the date of final stabilization.

The Department may conduct periodic inspections of your site. Any violations found during these inspections may result in enforcement action.

This NPDES coverage should be terminated by the permittee when one of the conditions listed in Section 5.1 of the DOTCGP has been met. You must submit a Notice of Termination (NOT) to cancel your NPDES coverage under the DOTCGP.

You are responsible for obtaining any other federal, state, or local permit that may be required for this project. In particular, any permits through the U.S. Army Corps of Engineers for the placement of fill material in Waters of the United States.

If you have any questions or cannot access the referenced websites, please call me at 803-898-4005.

Sincerely,

A handwritten signature in blue ink, appearing to read "Sloan E. Jackson", is written over a horizontal line.

Sloan E. Jackson
Stormwater Permitting Section

cc: Edward J. Owens, Jr.

South Carolina Board of Health and Environmental Control

Guide to Board Review

Pursuant to S.C. Code Ann. § 44-1-60

The decision of the South Carolina Department of Health and Environmental Control (Department) becomes the final agency decision fifteen (15) calendar days after notice of the decision has been mailed to the applicant, permittee, licensee and affected persons who have requested in writing to be notified, unless a written request for final review accompanied by a filing fee in the amount of \$100 is filed with Department by the applicant, permittee, licensee or affected person.

Applicants, permittees, licensees, and affected parties are encouraged to engage in mediation or settlement discussions during the final review process.

If the Board declines in writing to schedule a final review conference, the Department's decision becomes the final agency decision and an applicant, permittee, licensee, or affected person may request a contested case hearing before the Administrative Law Court within thirty (30) calendar days after notice is mailed that the Board declined to hold a final review conference. In matters pertaining to decisions under the South Carolina Mining Act, appeals should be made to the South Carolina Mining Council.

I. Filing of Request for Final Review

1. A written Request for Final Review (RFR) and the required filing fee of one hundred dollars (\$100) must be received by Clerk of the Board within fifteen (15) calendar days after notice of the staff decision has been mailed to the applicant, permittee, licensee, or affected persons. If the 15th day occurs on a weekend or State holiday, the RFR must be received by the Clerk on the next working day. RFRs will not be accepted after 5:00 p.m.
2. RFRs shall be in writing and should include, at a minimum, the following information:
 - The grounds for amending, modifying, or rescinding the staff decision;
 - a statement of any significant issues or factors the Board should consider in deciding how to handle the matter;
 - the relief requested;
 - a copy of the decision for which review is requested; and
 - mailing address, email address, if applicable, and phone number(s) at which the requestor can be contacted.
3. RFRs should be filed in person or by mail at the following address:

South Carolina Board of Health and Environmental Control
Attention: Clerk of the Board
2600 Bull Street
Columbia, South Carolina 29201

Alternatively, RFR's may be filed with the Clerk by facsimile (803-898-3393) or by electronic mail (boardclerk@dhec.sc.gov).
4. The filing fee may be paid by cash, check or credit card and must be received by the 15th day.
5. If there is any perceived discrepancy in compliance with this RFR filing procedure, the Clerk should consult with the Chairman or, if the Chairman is unavailable, the Vice-Chairman. The Chairman or the Vice-Chairman will determine whether the RFR is timely and properly filed and direct the Clerk to (1) process the RFR for consideration by the Board or (2) return the RFR and filing fee to the requestor with a cover letter explaining why the RFR was not timely or properly filed. Processing an RFR for consideration by the Board shall not be interpreted as a waiver of any claim or defense by the agency in subsequent proceedings concerning the RFR

6. If the RFR will be processed for Board consideration, the Clerk will send an Acknowledgement of RFR to the Requestor and the applicant, permittee, or licensee, if other than the Requestor. All personal and financial identifying information will be redacted from the RFR and accompanying documentation before the RFR is released to the Board, Department staff or the public.
7. If an RFR pertains to an emergency order, the Clerk will, upon receipt, immediately provide a copy of the RFR to all Board members. The Chairman, or in his or her absence, the Vice-Chairman shall be based on the circumstances, decide whether to refer the RFR to the RFR Committee for expedited review or to decline in writing to schedule a Final Review Conference. If the Chairman or Vice-Chairman determines review by the RFR Committee is appropriate, the Clerk will forward a copy of the RFR to Department staff and Office of General Counsel. A Department response and RFR Committee review will be provided on an expedited schedule defined by the Chairman or Vice-Chairman.
8. The Clerk will email the RFR to staff and Office of General Counsel and request a Department Response within eight (8) working days. Upon receipt of the Department Response, the Clerk will forward the RFR and Department Response to all Board members for review, and all Board members will confirm receipt of the RFR to the Clerk by email. If a Board member does not confirm receipt of the RFR within a twenty-four (24) hour period, the Clerk will contact the Board member and confirm receipt. If a Board member believes the RFR should be considered by the RFR Committee, he or she will respond to the Clerk's email within forty-eight (48) hours and will request further review. If no Board member requests further review of the RFR within the forty-eight (48) hour period, the Clerk will send a letter by certified mail to the Requestor, with copy by regular mail to the applicant, permittee, or licensee, if not the Requestor, stating the Board will not hold a Final Review Conference. Contested case guidance will be included within the letter.

NOTE: If the time periods described above end on a weekend or State holiday, the time is automatically extended to 5:00 p.m. on the next business day.

9. If the RFR is to be considered by the RFR Committee, the Clerk will notify the Presiding Member of the RFR Committee and the Chairman that further review is requested by the Board. RFR Committee meetings are open to the public and will be public noticed at least 24 hours in advance.
10. Following RFR Committee or Board consideration of the RFR, if it is determined no Conference will be held, the Clerk will send a letter by certified mail to the Requestor, with copy by regular mail to the applicant, permittee, or licensee, if not the Requestor, stating the Board will not hold a Conference. Contested case guidance will be included within the letter.

II. Final Review Conference Scheduling

1. If a Conference will be held, the Clerk will send a letter by certified mail to the Requestor, with copy by regular mail to the applicant, permittee, or licensee, if not the Requestor, informing the Requestor of the determination.
2. The Clerk will request Department staff provide the Administrative Record.
3. The Clerk will send Notice of Final Review Conference to the parties at least ten (10) days before the Conference. The Conference will be publicly noticed and should:
 - include the place, date and time of the Conference;
 - state the presentation times allowed in the Conference;
 - state evidence may be presented at the Conference;
 - if the conference will be held by committee, include a copy of the Chairman's order appointing the committee; and
 - inform the Requestor of his or her right to request a transcript of the proceedings of the Conference prepared at Requestor's expense.
4. If a party requests a transcript of the proceedings of the Conference and agrees to pay all related costs in writing, including costs for the transcript, the Clerk will schedule a court reporter for the Conference.

III. Final Review Conference and Decision

1. The order of presentation in the Conference will, subject to the presiding officer's discretion, be as follows:

- Department staff will provide an overview of the staff decision and the applicable law to include [10 minutes]:
 - Type of decision (permit, enforcement, etc.) and description of the program.
 - Parties
 - Description of facility/site
 - Applicable statutes and regulations
 - Decision and materials relied upon in the administrative record to support the staff decision.
 - Requestor(s) will state the reasons for protesting the staff decision and may provide evidence to support amending, modifying, or rescinding the staff decision. [15 minutes] *NOTE: The burden of proof is on the Requestor(s)*
 - Rebuttal by Department staff [15 minutes]
 - Rebuttal by Requestor(s) [10 minutes]
- Note: Times noted in brackets are for information only and are superseded by times stated in the Notice of Final Review Conference or by the presiding officer.
2. Parties may present evidence during the conference; however, the rules of evidence do not apply.
 3. At any time during the conference, the officers conducting the Conference may request additional information and may question the Requestor, the staff, and anyone else providing information at the Conference.
 4. The presiding officer, in his or her sole discretion, may allow additional time for presentations and may impose time limits on the Conference.
 5. All Conferences are open to the public.
 6. The officers may deliberate in closed session.
 7. The officers may announce the decision at the conclusion of the Conference or it may be reserved for consideration.
 8. The Clerk will mail the written final agency decision (FAD) to parties within 30 days after the Conference. The written decision must explain the basis for the decision and inform the parties of their right to request a contested case hearing before the Administrative Law Court or in matters pertaining to decisions under the South Carolina Mining Act, to request a hearing before the South Carolina Mining Council.. The FAD will be sent by certified mail, return receipt requested.
 9. Communications may also be sent by electronic mail, in addition to the forms stated herein, when electronic mail addresses are provided to the Clerk.

The above information is provided as a courtesy; parties are responsible for complying with all applicable legal requirements.

August 21, 2023

RECEIVED

AUG 22 2023

STORMWATER & DAMS
PERMITTING DIVISION

Stormwater, Dams & Agricultural Permitting Section
S.C. DHEC
Bureau of Water – Stormwater Permitting Section
2600 Bull Street
Columbia, South Carolina 29201-1708

Re: SCDOT Project ID P039720
I-20/I-26/I-126 Corridor Improvements – Phase 3 C&G Plans
Richland/Lexington Counties
NPDES General Permit Number SCR160000 Certification Letter

Dear Sir or Madam:

Please find enclosed the Stormwater Notice of Intent (NOI) and three sets of construction plans for the above-referenced project for your review and approval.

This letter certifies that a Storm Water Pollution Prevention Plan (SWPPP) has been prepared for the subject construction project. The SWPPP has been prepared and will be implemented in accordance with the requirements of the South Carolina Department of Health and Environmental Control NPDES permit numbered SCR 160000, in accordance with the South Carolina Standards for Stormwater Management and Sediment Reduction Regulations (R. 72-405 through R.72-455), and in accordance with applicable State and local plans. The subject construction project also meets all applicable review requirements of SCDOT's Municipal Separate Storm Sewer System (MS4) permit numbered SCS040001.

If you have any questions concerning this project, please contact me at (803) 737-6030.

Sincerely,



David Rogers, P.E.
CCR Construction Manager

DLR:de
Enclosures
ec: Thad Brunson, OV-Project Engineer
Theresa Jackson, Administrative Coordinator Office of Construction
File: MegaProj/DLR



SCDOT NOTICE OF INTENT (NOI)
For Stormwater Discharges from SCDOT Activities
Covered Under South Carolina NPDES Construction
General Permit SCR160000
(Maintain As Part of On-Site SWPPP)

RECEIVED

AUG 22 2023

STORMWATER & DAMS
PERMITTING DIVISION

For Official DHEC Use Only

DHEC File Number: _____

Permit Number: **SCR16** _____

Submittal Package Complete: _____

Public Notice Start Date (OCRM only): _____

For official SCDOT use only

SCDOT File Number: _____

Submission of this Notice of Intent constitutes notice that the SCDOT intends to be authorized as a Primary Permittee under NPDES General Permit SCR160000.

For Official Use Only

SOUTH CAROLINA
DEPT OF HEALTH AND ENVIRONMENTAL CONTROL
ENVIRONMENTAL QUALITY CONTROL
STORMWATER PERMITTING SECTION
APPROVED - FOR CONSTRUCTION ONLY

DHEC PERMIT #: **SCR16 20 83**

FILE #: _____

DATE ISSUED: **8/24/23**

BY: *glenn* *glenn*

Submission Date: 03/31/2023 Proposed Start Date: 10/01/2023 Proposed Completion Date: 08/01/2025

Project/Site Name: Carolina Crossroads - Phase 3 C&G Plans County: Richland / Lexington

(Modification or Change of Information Only): Prior Approved NPDES Permit or File Number: _____

Do you want this project to be considered for the Expedited Review Program (ERP)? ☐ Yes ☒ No (see Instructions)

I. Notice of Intent (NOI) Application Type(s)

- Project (Application/Review) Type(s) (Select ALL that apply): ☒ New Project (Initial Notification) ☐ Ongoing Project:
☐ Permitted ☐ Un-Permitted ☐ Late Notification ☐ Major Modification: (attach modifications)
☐ Ocean and Coastal Resource Management (OCRM) Review
☐ Change of Information/Other (Specify): _____

II. Owner and Operator Information

A. **Project Owner: South Carolina Department of Transportation** **SCDOT EIN: 57-6000954**
Phone: 803-737-6030 Fax: 803-737-2389 Email Address: rogersDL@scdot.org
Mailing Address: SCDOT Const. Office, P.O. Box 191 City: Columbia State: SC Zip: 29202

B. **Project Operator: South Carolina Department of Transportation Resident Engineer**
Name: David Rogers Phone: 803-737-6030 Email Address: rogersDL@scdot.org
Mailing Address: 317 Zimacrest Drive City: Columbia State: SC Zip: 29210

III. Site Information

A. **Type of Activity (check one):** ☐ Industrial ☐ Linear ☒ Site Preparation (No new impervious) ☐ Other: _____
B. **Site Location** (nearest intersection, etc.): I-20 / I-26 Interchange, I-26, I-20, St. Andrews Road, Bush River Road, & Sideroads
City/Town: Columbia, SC (See Project Location Map for Project Areas)

Disturbed Area (Nearest tenth of an acre): 273.0 Project Area (Nearest tenth of an acre): 276.0
Beginning Latitude: 34 ° 03 ' 03 " N Beginning Longitude: 81 ° 07 ' 28 " W
Ending Latitude: 34 ° 01 ' 16 " N Ending Longitude: 81 ° 06 ' 17 " W
(Source): ☐ GPS ☒ Website: Google Earth

- C. Is the proposed site located on Indian Land? ☐ Yes ☒ No (If yes, name the reservation: _____)
- D. Are there State and Federal Environmental Permits or Approvals (other than USACOE 404 permit and 401 certification) applied for or obtained for this site? ☒ Yes ☐ No
If "Yes", list all obtained: NEPA Documentation

IV. Stormwater Pollution Prevention Plan (SWPPP) Information

- A. General SWPPP Information: Is the SWPPP prepared in accordance with the SCDOT CGP? ☒ Yes ☐ No
- B. SWPPP Preparer: Edward J. Owens Jr. S.C. Registration #: 24246
- C. Company /Firm: HDR Engineering Inc. of the Carolinas S.C. COA #: 0318
Mailing Address: 1201 Main Street, Suite 800 City: Columbia State: SC Zip: 29201
Phone: 803-730-8912 Fax: N/A Email: ed.owens@hdrinc.com

V. Water Body Information:

A. Receiving Waterbody(s) (RWB) Information: List the nearest and next nearest receiving waterbodies to which the sites stormwater discharges will drain. If stormwater discharges drain to multiple waterbodies, then list all such waterbodies. (Attach additional sheet(s) as needed)

1. Name of Receiving Waterbodies (RWB)	2. Distance to RWB (feet)	3. Classification of RWB
a. Nearest: <u>Senn Br. / Tribs to Stoop Creek / Saluda River</u>	<u>0</u> feet	<u>FW / TPGT</u>
b. Next Nearest: <u>Stoop Creek / Saluda River</u>	<u>0</u> feet	<u>FW / TPGT</u>
c. Other Waterbodies: _____	_____ feet	_____

B. Waters of the U.S. / State Information: Attach additional sheet(s) as needed

No land disturbance will be performed in wetland / stream areas during this phase of the project.

Waters of the U.S./ State	1. On the Site?	2. Delineated/ Identified?	3. Impacts?	4. Amount of impacts
a. Jurisdictional wetlands	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	_____ Ac
b. Non-jurisdictional wetlands	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	_____ Ac
c. Other Water(s): <u>Jurisdictional Stream</u>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	_____ LF
d. Coastal Zone ONLY: Direct Critical Area	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	_____ Ac
e. If yes for impacts, describe each impact and activity, and list all permits (e.g. USACOE Nationwide Permit, DHEC General Permit) and Certifications (e.g. CHZ certification number) that have been applied for or obtained: <u>USACE SAC 2015-01080</u> USACE SAC 2015-01080 is permit for full CCR Project.				

C. S.C. Navigable Waterways (SCNW) Information: Attach additional sheet(s) as needed.

1. Are S. C. Navigable Waters (SCNW) on the site: ☒ Yes ☐ No
- a. If no, do not complete this question. Proceed to Section D (Impaired Waterbodies).
- b. If yes, provide the name of S.C. Navigable Waters (SCNW) on the site: Saluda River
2. If yes for C.1, will construction activities cross over or occur in, under, or thru the SCNW? ☒ Yes ☐ No
- If yes, describe SCNW activities (e.g., road crossing, sub-aqueous utility line, temp./perm. structures, etc.) and proceed to Section C.3: Bridge Construction. (Bridge Construction will not occur in this phase of the project.)

3. Identify permits providing coverage of SCNW activities proposed for your site. If NONE, list "none".

Permits/Certifications	Permit or Certification No.	Corresponding Covered SCNW Activities
a. DHEC General/ Other DHEC Permit		
b. USACOE 404 Permit or 401 Cert.	SAC 2015-01080	Bridge Construction
c. SCNW Permit if applied for: Date: _____ if issued: Date: _____		<input type="checkbox"/> All Activities or <input type="checkbox"/> Some Activities (Describe): _____
d. If a SCNW Permit has <u>NOT</u> been applied for provide an additional plan sheet that shows plan and profile views (drawn to scale) of the SCNW and associated activities. Include a description of all proposed activities on this plan.		

D. Impaired Waterbodies Information: Attach additional sheet(s) as needed.

D1. 303(d) Listed Impaired Waterbodies

a. Name the nearest DHEC Water Quality Monitoring Station(s) (WQMS) that receives stormwater from your construction site and/or thru an MS4, as well as the Name of the Corresponding Waterbody?

Nearest DHEC WQMS(s): WQMS S-507, CRK08, CRK02, S-298

Corresponding Waterbody: Stoop Creek (S-507 & CRK08) Saluda River (CRK02 & S-298)

b. Is this WQMS(s) listed on most current 303(d) List? ☒ Yes ☐ No

Name of impaired WQMS: S-507, CRK08, S-298

c. If yes for "b", list the impairment(s): BIO (S-507) & ECOLI (CRK08, S-298)

d. Will any pollutants contributing to the impairment be present in the site's construction stormwater discharges? ☒ Yes ☐ No

e. If yes for "d" above, will the use of the BMPs proposed for your project ensure that the site's discharges will NOT contribute to or cause further WQS violations for the impairment(s) listed in "c"? ☒ Yes ☐ No

(NOTE: If no for "e", this site is NOT eligible for coverage under the SCDOT CGP)

D2. TMDL Impaired Waterbodies

a. Name of Nearest DHEC Water Quality Monitoring Stations (WQMS(s)) that receives stormwater from your construction site and/or through an MS4?: WQMS S-507, CRK08, CRK02, S-298

b. Has a TMDL(s) been developed for this WQMS(s)? ☐ Yes ☒ No

If Yes, Identify the TMDL: _____

c. If yes for "b", list the impairment(s): _____

d. If yes for "b", has the standard been "ATTAINED" or "FULLY SUPPORTED" for the impairment(s)? ☐ Yes ☐ No

e. If no for "d" (Not Attained), Determine whether or not the stormwater discharge from the Project may contain pollutants that contribute to a sediment or a sediment-related impairment. ☐ Yes ☐ No

List the Pollutants: _____

f. If yes for "e" above, Have you carefully evaluated selected BMPs and their performance to minimize pollutants in the stormwater discharge to not cause or contribute to a violation of water quality standards? ☐ Yes ☐ No

(NOTE: If no for "f", this site is NOT eligible for coverage under the CGP).

VI. Signatures and Certifications: DO NOT SIGN IN BLACK INK! SIGN IN BLUE INK.

- A. "One copy of the SWPPP, all required specifications and supporting calculations, forms, and reports are herewith submitted and made a part of this application. I have placed my signature and seal on the design documents submitted signifying that I accept responsibility for the design of the system. Further, I certify to the best of my knowledge and belief that the design is consistent with the requirements of Title 48, Chapter 14 of the Code of Laws of SC, 1976 as amended, pursuant to Regulation 72-400 et seq., and in accordance with the terms and conditions of SCR160000." (This should be person identified in Section IV.)

Check one: ☒ Engineer ☐ Tier B Surveyor ☐ Landscape Architect

Edward J. Owens Jr.

Printed name of SWPPP Preparer

Edward J. Owens Jr.
Signature of SWPPP Preparer

24246

S.C. Registration #

- B. "I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I also hereby certify that all land-disturbing construction and associated activity pertaining to this site shall be accomplished pursuant to and in keeping with the terms and conditions of the approved plans and SCR160000. I also certify that a responsible person will be assigned to the project for day-to-day control. I hereby grant authorization to S.C. Department of Health and Environmental Control (DHEC) and/or the local implementing agency the right of access to the site at all times for the purpose of on-site inspections during the course of construction and to perform maintenance inspections following the completion of the land-disturbing activity. (See Section 122.22 of S.C. Reg. 61-9 for signatory authority information.) Having understood the above information, I am signing this certification as Project Owner to the aforementioned NPDES general permit."

David Rogers
Printed Name of Project Owner

David Rogers
Signature of Project Owner

CCR Construction Manager
Title/Position

8/21/23
Date Signed

NPDES SCDOT CGP Fee Schedule

DO NOT MAIL CASH. DHEC will notify the Project Owner if the submitted check or credit card payment cannot be processed. The review clock will start when acceptable payment is received.

1. Will this project ultimately disturb 1 acre or more state wide, or ½ acre or more if located within ½ mile of a RWB in one of the eight coastal counties (Beaufort, Berkeley, Charleston, Colleton, Dorchester, Georgetown, Horry, and Jasper counties)? ☒ Yes ☐ No

If yes, enter \$125 in right-hand column and proceed to item 2.

If no, coverage under SCR160000 is not required.

\$ 125 . 00

Note: For projects greater than 2 acres SCDHEC may require additional review fees at \$100/disturbed acre, but not to exceed \$2000.

4. Payment Method:

- ☐ **Payment by Check:**

Attach a signed and dated check payable to S.C.DHEC to the front of the Fee Schedule.

Please note that all checks must be less than 30 days old and must be for the entire required fees.

- ☐ **Payment by Credit Card:** (Check here if you wish to pay via credit card using the on-line payment system).

The Department will contact you to provide instructions and the invoice number necessary for online payment.

Please provide an email address where the invoice number may be sent:

Email Address: _____

- ☒ **Payment by Credit Card:** (Check here if this is an auto-draft to the SCDOT debit card account.)

I.D.T. Required

For official use only:

Invoice Number: _____