




3.0" Radius, 1.0" Border, White on Green;

"EXIT" E Mod; "82" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T	8	2	
9.4	9.5	10.7	4.1	19.9	15.1	11.9	9.4



OH-1-82; 9.0" Radius, 2.0" Border, White on Green;

"Bud Arthur" E Mod; "Bridge Rd" E Mod; "1" E Mod; "MILE" E Mod;

Table of distances between letter and object lefts.

B	u	d	A	r	t	h	u	r	
15.8	18.4	15.3	30.4	20.3	9.9	13.2	16.5	16.5	7.9

B	r	i	d	g	e	R	d	
26.8	18.5	11.6	8.0	15.3	30.4	16.9	10.4	26.8

1	M	I	L	E	
64.9	16.9	11.8	4.6	9.5	7.4



3.0" Radius, 1.0" Border, White on Green;

"EXIT" E Mod; "80" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T	8	0	
9.2	9.4	10.8	4.0	20.0	15.0	12.4	9.2



OH-2-80; 9.0" Radius, 2.0" Border, White on Green;

"Gossett Rd" E Mod; "1" E Mod; "MILE" E Mod;

Table of distances between letter and object lefts.

G	o	s	s	e	t	t	R	d	
14.7	17.0	13.8	13.5	13.7	13.8	11.4	28.1	16.9	10.4
14.7									
I	M	I	L	E					
58.9	16.9	11.8	4.6	9.5	7.4	58.9			




3.0" Radius, 1.0" Border, White on Green;

"EXIT" E Mod; "82" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T	B	2	
9.4	9.5	10.7	4.1	19.9	15.1	11.9	9.4



OH-3-82; 9.0" Radius, 2.0" Border, White on Green;

"Bud Arthur" E Mod; "Bridge Rd" E Mod; Arrow 160 - 35.0" 45°;

Table of distances between letter and object lefts.

	B	u	d	A	r	t	h	u	r	↗	
15.0	18.5	15.3	30.4	20.2	9.9	13.2	16.5	16.6	23.9	27.5	15.0
	B	r	i	d	g	e	R	d			
26.1	18.4	11.7	7.9	15.3	15.3	30.4	16.9	10.4	69.6		




3.00" Radius, 1.00" Border, White on Green;

"EXIT" E Mod; "83" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T	8	3	
9.39	9.49	10.74	4.06	19.93	15.04	11.96	9.39



OH-4-83; 12.00" Radius, 2.00" Border, White on Green;

"Cowpens" E Mod; THREE QUARTERS; "MILE" E Mod;


Table of distances between letter and object lefts.

47.00	"	56.00	47.00					
22.05	C	o	w	p	e	n	s	22.05
40.12	3/4	M	I	L	E	40.12		



3.0" Radius, 1.0" Border, White on Green;  
 "EXIT" E Mod, "83" E Mod;  
 Table of distances between letter and object lefts.

	E	X	I	T	8	3	
9.4	9.5	10.7	4.1	19.9	15.1	11.9	9.4



OH-6-83 & OH-7-83; 9.0" Radius, 2.0" Border, White on Green;  
 "Cowpens" E Mod; Arrow 160 - 35.0" 45°;  
 Table of distances between letter and object lefts.

	110	Arrow	
40.7	93.0	27.5	12.8

C	o	w	p	e	n	s	
15.8	17.0	13.9	20.5	13.9	15.4	14.9	10.3




3.0" Radius, 1.0" Border, White on Green;

"EXIT" E Mod; "83" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T	8	3	
9.4	9.5	10.7	4.1	19.9	15.1	11.9	9.4



OH-8-83; 12.0" Radius, 2.0" Border, White on Green;

"Cowpens" E Mod; "1" E Mod; "MILE" E Mod;


Table of distances between letter and object lefts.

41.0	∞	41.0												
16.0	C	17.0	14.0	W	20.5	P	13.8	E	15.5	N	14.9	S	10.3	16.0
43.9	I	16.9	M	11.8	I	4.6	L	9.5	E	7.4	43.9			



3.0" Radius, 1.0" Border, White on Green;  
 "EXIT" E Mod; "87" E Mod;  
 Table of distances between letter and object lefts.

	E	X	I	T	8	7	
9.4	9.5	10.7	4.1	19.9	15.1	11.9	9.4



OH-9-87 & OH-12-87; 9.0" Radius, 2.0" Border, White on Green;  
 "Green River Rd" E Mod; "1" E Mod; "MILE" E Mod;  
 Table of distances between letter and object lefts.

	G	r	e	e	n	R	i	v	e	r	R	d	
14.2	18.0	10.2	14.1	15.5	30.4	18.1	7.5	15.2	15.5	27.9	16.8	10.4	14.2
	I	M	I	L	E								
88.9	16.9	11.8	4.6	9.5	7.4	88.9							



3.0" Radius, 1.0" Border, White on Green;

"EXIT" E Mod; "87" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T	8	7	
9.4	9.5	10.7	4.1	19.9	15.1	11.9	9.4




OH-10-87 & OH-11-87; 6.0" Radius, 2.0" Border, White on Green;

"Green River Rd" E Mod 85% spacing; Arrow 160 - 35.0" 45°;

Table of distances between letter and object lefts.

	G	r	e	e	n	R	i	v	e	r	R	d	↗	
15.8	17.2	9.9	13.6	14.6	30.4	17.4	6.8	14.8	14.6	27.9	16.3	24.4	27.5	12.8






3.0" Radius, 1.0" Border, White on Green;

"EXIT" E Mod; "90" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T	9	0	
	9.2	9.4	10.8	4.0	20.0	15.0	12.4




OH-13-90 & OH-18-90; 12.0" Radius, 2.0" Border, White on Green;

"Gaffney" E Mod; "1" E Mod; "MILE" E Mod;

Table of distances between letter and object lefts.

	ms							
35.0	56.0	35.0						
15.2	G	a	f	f	n	e	y	
	17.0	15.0	9.9	11.5	15.3	13.8	13.1	15.2
37.9	1	M	I	L	E			
	16.9	11.8	4.6	9.5	7.4	37.9		




3.0" Radius, 1.0" Border, White on Green;

"EXIT" E Mod; "90" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T	9	0	
9.2	9.4	10.8	4.0	20.0	15.0	12.4	9.2



OH-14-90 & OH-15-90; 9.0" Radius, 2.0" Border, White on Green;


"Gaffney" E Mod; Arrow 160 - 35.0" 45°;

Table of distances between letter and object lefts.


	105	↗	
34.7	87.8	27.5	12.0

G	a	f	f	n	e	y	
15.0	17.0	14.9	9.9	11.5	15.3	13.8	51.5



	<b>E</b>	<b>X</b>	<b>I</b>	<b>T</b>	<b>9</b>	<b>2</b>	
9.4	9.5	10.7	4.1	19.9	15.1	11.9	9.4



OH-16-92; 12.0" Radius, 2.0" Border, White on Green;

"TO" E Mod; "Gaffney" E Mod; "Boiling Springs NC" E Mod 90% spacing; "1" E Mod; "MILE" E Mod;

Table of distances between letter and object lefts.

68.1	48.0	9.5	20.3	56.0	68.1
------	------	-----	------	------	------

87.2	<b>G</b>	<b>a</b>	<b>f</b>	<b>f</b>	<b>n</b>	<b>e</b>	<b>y</b>	87.2
------	----------	----------	----------	----------	----------	----------	----------	------

13.2	B	o	i	l	l	n	g	S	p	r	l	n	g	s	N	C	13.2
------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	------

	<b>I</b>	<b>M</b>	<b>I</b>	<b>L</b>	<b>E</b>	
109.9	16.9	11.8	4.6	9.5	7.4	109.9




3.0" Radius, 1.0" Border, White on Green;

"EXIT" E Mod; "92" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T	9	2	
9.4	9.5	10.7	4.1	19.9	15.1	11.9	9.4




OH-17-92 & OH-23-92; 12.0" Radius, 2.0" Border, White on Green;

"Spartanburg" E Mod 90% spacing; "Comm. College" E Mod 90% spacing; "Cherokee Campus" E Mod 90% spacing;


"NEXT RIGHT" E Mod;

Table of distances between letter and object lefts.

53.6	S	p	a	r	t	a	n	b	u	r	g				
36.4	C	o	m	m	.	C	o	i	i	e	g	e			
16.7	C	h	e	r	o	k	e	e	C	a	m	p	u	s	
82.5	N	E	X	T	R	I	G	H	T						



	<b>E</b>	<b>X</b>	<b>I</b>	<b>T</b>	<b>9</b>	<b>2</b>	
9.4	9.5	10.7	4.1	19.9	15.1	11.9	9.4



OH-19-92 - Note: Space allotted for the Cherokee Foothills logo;

12.0" Radius, 2.0" Border, White on Green;


**"Cherokee Foothills" E Mod 85% spacing; "Scenic Highway" E Mod 85% spacing;**

**12.0" Radius, 2.0" Border, White on Green;**

"Limestone College" E Mod 85% spacing; "NEXT RIGHT" E Mod;

Table of distances between letter and object lefts.

111.0	42.0	111.0																
16.6	C	h	e	r	o	k	e	e	F	o	o	t	h	i	i	i	s	16.6
32.7	S	c	e	n	i	c	H	i	g	h	w	a	y					
18.0	L	i	m	e	s	t	o	n	e	C	o	i	i	e	g	e	18.0	
85.5	N	E	X	T	R	I	G	H	T									
85.5	10.5	9.5	10.0	20.0	10.5	4.6	10.5	10.0	7.4	85.5								




3.0" Radius, 1.0" Border, White on Green;

"EXIT" E Mod; "92" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T	9	2	
9.4	9.5	10.7	4.1	19.9	15.1	11.9	9.4



OH-20-92; 12.0" Radius, 2.0" Border, White on Green;

"TO" E Mod; "Gaffney" E Mod; "Boiling Springs NC" E Mod 90% spacing; Arrow 160 - 35.0" 45°;

Table of distances between letter and object lefts.

68.1	"	T	O	"													
	48.0	9.5	20.3	56.0	68.1												
87.2	G	a	f	f	n	e	y										
	17.0	15.0	9.9	11.5	15.3	13.8	13.1	87.2									
13.2	B	o	i	i	i	n	g	S	p	r	i	n	g	s	N	C	
	16.8	15.1	8.6	8.6	8.5	14.8	30.4	17.4	14.8	11.3	8.5	14.8	14.5	30.3	16.4	12.8	13.2
121.2	↗																
	27.6	121.2															






3.0" Radius, 1.0" Border, White on Green;

"EXIT" E Mod; "92" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T	9	2	
9.4	9.5	10.7	4.1	19.9	15.1	11.9	9.4




OH-21-92, 12.0" Radius, 2.0" Border, White on Green;

"Chesnee" E Mod; "Gaffney" E Mod 90% spacing; Arrow 160 - 35.0" 45°;

Table of distances between letter and object lefts.

	"	↗						
46.2	81.1	27.5	13.2					
	C	h	e	s	n	e	e	
13.2	18.0	15.3	13.8	15.2	15.3	14.1	10.4	52.7
	G	a	f	f	n	e	y	
17.7	16.6	14.5	9.6	11.0	14.8	13.4	13.1	57.3



Technical drawing of a green highway sign with white text and dimensions. The sign is rectangular with rounded corners and is divided into two horizontal sections by a white border.

**Top Section:**

- Text: Cherokee Foothills Scenic Highway
- Dimensions (mm): 276 (width), 117 (height), 38.7 (top left corner), 77.2 (top left to center), 20 (center to right), 101.4 (center to right), 38.7 (top right corner), 22.6 (bottom left corner), 108.5 (bottom left to center), 20 (center to right), 102.3 (center to right), 22.6 (bottom right corner).

**Bottom Section:**

- Text: Cowpens Battlefield NEXT RIGHT
- Dimensions (mm): 14.5 (width), 102.2 (height), 20 (top left corner), 124.8 (top left to center), 14.5 (top right corner), 91.5 (bottom left corner), 37.5 (bottom left to center), 12.5 (center to right), 43 (center to right), 91.5 (bottom right corner), 54 (bottom left to bottom right), 114 (bottom left to top left), 10.5 (bottom left to top left), 16 (bottom left to top left), 9.5 (bottom left to top left), 16 (bottom left to top left), 10 (bottom left to top left), 36 (bottom left to top left), 13.5 (bottom left to top left).

91.5	N	E	X	T	R	I	G	H	T	91.5
------	---	---	---	---	---	---	---	---	---	------








3.0" Radius, 1.0" Border, White on Green;

"EXIT" E Mod; "92" E Mod;

Table of distances between letter and object lefts.

E	X	I	T	9	2	
9.4	9.5	10.7	4.1	19.9	15.1	11.9
9.4						9.4



OH-25-92; 12.0" Radius, 2.0" Border, White on Green;

"Chesnee" E Mod; "Gaffney" E Mod; "1" E Mod; "MILE" E Mod;

Table of distances between letter and object lefts.

"	"	"
48.0	36.0	48.0
C	h	e
15.0	18.0	15.3
s	n	e
13.7	15.2	15.3
e	y	
14.1	10.4	15.0
G	a	f
18.2	17.0	15.0
f	n	e
9.9	11.5	15.3
y		
13.1	18.2	
1	M	I
40.9	16.9	11.8
L	E	
4.6	9.5	7.4
40.9		




3.0" Radius, 1.0" Border, White on Green;

"EXIT" E Mod; "95" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T	9	5	
9.0	9.5	10.7	4.1	19.9	15.8	12.0	9.0



OH-26-95 & OH-15-90; 9.0" Radius, 2.0" Border, White on Green;

"Gaffney" E Mod; Arrow 160 - 35.0" 45°;

Table of distances between letter and object lefts.


	18	↗	
44.7	77.8	27.5	12.0

	G	a	f	f	n	e	y	
15.0	17.0	14.9	9.9	11.5	15.3	13.8	13.1	51.5




3.0" Radius, 1.0" Border, White on Green;  
 "EXIT" E Mod; "96" E Mod;  
 Table of distances between letter and object lefts.

	E	X	I	T	9	6	
9.4	9.5	10.7	4.1	19.9	15.1	11.9	9.4



OH-27-96; 12.0" Radius, 2.0" Border, White on Green;  
 "Shelby" E Mod; "1" E Mod; "MILE" E Mod;  
 Table of distances between letter and object lefts.

	18						
39.0	36.0	39.0					
14.8	S	h	e	l	b	y	14.8
17.9		15.3	15.4	9.2	13.5	13.1	
31.9	1	M	I	L	E		
16.9		11.8	4.6	9.5	7.4	31.9	



OH-28-95, See OH-26-95 for exit panel to be used for this sign; 12.0" Radius, 2.0" Border, White on Green;  
 "TO" E Mod; "Pleasant School Rd" E Mod 85% spacing; "Boiling Springs NC" E Mod 85% spacing;  
 "Gaffney" E Mod 85% spacing; Arrow 160 - 35.0" 45°;


### Table of widths and spaces.

[illegible]



3.0" Radius, 1.0" Border, White on Green;  
 "EXIT" E Mod; "95" E Mod;  
 Table of distances between letter and object lefts.

E	X	I	T	9	5	
9.0	9.5	10.7	4.1	19.9	15.8	12.0





OH-29-95; 9.0" Radius, 2.0" Border, White on Green;  
 "Limestone" E Mod; "College" E Mod; "NEXT RIGHT" E Mod;  
 Table of distances between letter and object lefts.

L	i	m	e	s	t	o	n	e	
13.9	16.7	9.2	22.0	13.8	13.4	11.8	15.6	15.3	10.4

C	o	i	i	e	g	e	
33.2	17.0	15.6	9.2	7.9	14.2	15.3	10.4

N	E	X	T	R	I	G	H	T	
31.5	10.5	9.5	10.0	20.0	10.5	4.6	10.5	10.0	7.4





3.00" Radius, 1.00" Border, White on Green;  
 "EXIT" E Mod;  
 "95" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T
9.02	9.48	10.74	4.06	
	19.93	9	5	9.02
		15.80	11.95	

OH-30-95; 12.00" Radius, 2.00" Border, White on Green;  
 "TO" E Mod; "Pleasant School Rd" E Mod 85% spacing;  
 "Boiling Springs NC" E Mod 85% spacing; "Gaffney" E Mod;  
 "1/2 MILE" E Mod;  
 12.00" Radius, 2.00" Border, White on Blue;  
 "HOSPITAL" E Mod;

Table of distances between letter and object lefts.

62.08	T	O	18	150	55.99	62.08					
12.07	P	I	e	a	s	a	n	t			
		S	c	h	o	o	I	R	d	12.07	
-0.00	270.00		0.00								
14.88	B	o	I	I	I	n	g				
	30.40	S	p	r	I	n	g	s	N	C	14.88
87.24	G	a	f	f	n	e	y				
98.54	1/2	M	I	L	E						
90.79	H	O	S	P	I	T	A	L			




3.0" Radius, 1.0" Border, White on Green;

"EXIT" E Mod; "96" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T	9	6	
	9.4	9.5	10.7	4.1	19.9	15.1	11.9
	9.4						9.4



OH-31-96; 9.0" Radius, 2.0" Border, White on Green;

"Shelby" E Mod; Arrow 160 - 35.0" 45°;

Table of distances between letter and object lefts.

	18	↗					
37.2	72.3	27.5	13.0				
	S	h	e	l	b	y	
13.0	17.9	15.3	15.4	9.2	13.5	13.2	52.5







OH-33-96; 12.0" Radius, 2.0" Border, White on Green;

"EXIT" E Mod; "96" E Mod;

12.0" Radius, 2.0" Border, White on Green;


"1" E Mod; "MILE" E Mod;

Table of widths and spaces.

E	X	I	T	9	6							
9.6	7.5	2.0	8.7	2.1	2.0	2.0	7.5	12.0	11.9	3.1	12.0	9.6

	18	
27.0	36.0	27.0

	I		M		I		L		E	
20.1	4.5	12.0	9.2	2.6	2.0	2.5	7.5	2.0	7.5	20.1





Q-1; 9.0" Radius, 2.0" Border, White on Green;  
 "Cowpens" E Mod; "5" E Mod; "Charlotte" E Mod; "65" E Mod;  
 Table of distances between letter and object lefts.

	C	o	w	p	e	n	s	5	
14.7	14.2	11.6	17.1	11.5	12.9	12.4	48.2	10.7	14.7

	C	h	a	r	l	o	t	t	e	6	5	
14.7	15.0	12.8	13.7	9.7	6.6	11.5	9.5	9.8	25.3	14.0	10.7	14.7

[illegible]




3.0" Radius, 1.0" Border, White on Brown;

"EXIT" E Mod; "83" E Mod;

Table of distances between letter and object lefts.

	E	X	I	T	8	3	
9.4	9.5	10.7	4.1	19.9	15.1	11.9	9.4




Q-2A; 9.0" Radius, 2.0" Border, White on Brown;

"Cowpens Battlefield" E Mod 85% spacing; "NEXT RIGHT" E Mod;


Table of distances between letter and object lefts.

	C	o	w	p	e	n	s	B	a	t	t	l	e	f	l	e	l	d	
14.5	16.4	13.4	19.8	13.4	14.7	14.2	30.3	16.5	14.2	10.8	12.5	7.2	13.3	10.8	7.2	14.7	7.2	10.4	14.5
	N	E	X	T	R	I	G	H	T										
91.5	10.5	9.5	10.0	20.0	10.5	4.6	10.5	10.0	7.4	91.5									




Q-3; 1.5" Radius, 0.5" Border, White on Green;  
 "Cherokee" C; "County" C;  
 Table of widths and spaces.

	C		h		e		r		o		k		e		e	
4.5	2.7	1.4	2.4	1.3	2.4	1.3	1.9	0.6	2.5	1.3	2.5	0.8	2.5	0.9	2.5	4.5
7.4	C		o		u		n		t		y					
	2.7	1.1	2.6	1.2	2.5	1.6	2.4	1.2	1.9	0.8	3.2	7.4				




5.3	s	2.8	1.3	p	2.4	0.9	a	2.5	1.6	r	1.8	0.5	t	1.9	1.0	a	2.4	1.6	n	2.4	1.6	b	2.5	1.2	u	2.5	1.5	r	1.9	0.6	g	2.5	5.3
13.4	c	2.7	1.1	o	2.6	1.2	u	2.5	1.6	n	2.4	1.2	t	1.9	0.8	y	3.2	13.4															



Q-5; 9.0" Radius, 2.0" Border, White on Green;  
 "Gaffney" E Mod; "10" E Mod; "Charlotte" E Mod; "61" E Mod;  
 Table of distances between letter and object lefts.

	G	a	f	f	n	e	y	i	o			
12.1	14.1	12.5	8.2	9.6	12.8	11.4	44.8	7.4	11.0	12.1		
	C	h	a	r	l	o	t	t	e	6	1	
12.1	15.0	12.7	13.7	9.7	6.6	11.5	9.5	9.8	25.3	14.1	3.9	12.1





Q-6; 9.0" Radius, 2.0" Border, White on Green;  
 "Gaffney" E Mod; "7" E Mod; "Charlotte" E Mod; "58" E Mod;  
 Table of distances between letter and object lefts.


	<b>G</b>	<b>a</b>	<b>f</b>	<b>f</b>	<b>n</b>	<b>e</b>	<b>y</b>	<b>7</b>				
12.1	14.1	12.5	8.2	9.6	12.8	11.4	58.6	10.6	12.1			
	<b>C</b>	<b>h</b>	<b>a</b>	<b>r</b>	<b>i</b>	<b>o</b>	<b>t</b>	<b>t</b>	<b>e</b>	<b>5</b>	<b>8</b>	
12.1	15.0	12.7	13.7	9.7	6.6	11.5	9.5	9.8	25.3	13.4	10.6	12.1



Q-7; 1.5" Radius, 0.5" Border, White on Green,  
 "Thicketty" C; "Creek" C;

Table of distances between letter and object lefts.

	T	h	i	c	k	e	t	t	y	
6.5	3.0	3.2	1.6	3.0	2.6	2.7	2.2	2.2	2.5	6.5
	C	r	e	e	k					
11.5	3.3	2.0	2.7	3.0	2.0	11.5				




Q-8 & Q-10; 1.5" Radius, 0.5" Border, White on Green;

"Gaffney" C; "CITY LIMIT" C;

Table of distances between letter and object lefts.

	G	a	f	f	n	e	y			
4.2	4.6	4.4	2.9	3.4	4.5	3.9	3.9	4.2		
	C	I	T	Y	L	I	M	I	T	
5.7	2.9	1.2	2.2	7.5	2.7	1.4	3.5	1.2	2.0	5.7




Q-9; 9.0" Radius, 2.0" Border, White on Green;

"Cowpens" E Mod; "10" E Mod; "Spartanburg" E Mod; "18" E Mod; "Greenville" E Mod; "46" E Mod;

Table of widths and spaces.


13.5	C	10.6	3.5	8.9	2.7	13.4	3.7	8.7	2.9	8.6	4.2	8.7	3.7	8.6	64.4	4.0	3.4	11.0	13.5								
13.5	S	10.6	4.3	8.6	2.9	8.6	5.1	6.6	1.7	6.8	3.0	8.5	5.2	8.6	5.1	8.7	4.1	8.7	5.1	6.6	1.9	8.7	23.6	4.0	3.4	10.6	13.5
13.5	G	10.6	4.4	6.5	2.0	8.7	3.1	8.6	4.2	8.7	3.7	10.1	3.7	2.6	5.1	2.5	5.1	2.6	4.0	8.7	40.5	12.3	2.7	10.6	13.5		



Q-11 & Q-12; 1.5" Radius, 0.5" Border, White on Green;  
 "Cherokee" C; "Creek" C;

Table of distances between letter and object lefts.

7.2	C	h	e	r	o	k	e	e	7.2
11.5	C	r	e	e	k	11.5			



Q-13; 9.0" Radius, 2.0" Border, White on Green;  
 "Blacksburg" E Mod, "5" E Mod; "Charlotte" E Mod; "49" E Mod;  
 Table of distances between letter and object lefts.

	<b>B</b>	<b>l</b>	<b>a</b>	<b>c</b>	<b>k</b>	<b>s</b>	<b>b</b>	<b>u</b>	<b>r</b>	<b>g</b>	<b>S</b>	
12.1	15.4	6.7	12.6	12.8	11.2	12.7	12.7	13.8	8.6	26.6	10.7	12.1
	<b>C</b>	<b>h</b>	<b>a</b>	<b>r</b>	<b>l</b>	<b>o</b>	<b>t</b>	<b>t</b>	<b>e</b>	<b>4</b>	<b>9</b>	
12.1	15.0	12.8	13.7	9.7	6.6	11.5	9.5	9.8	29.5	15.0	10.7	12.1



E5-1b (urban/rural area, 2 digit);  
 6.0" Radius, 1.0" Border, White on Green;  
 "EXIT" E Mod 150% spacing;  
 6.0" Radius, 1.0" Border, White on Green;  
 "80" E Mod;  
 6.0" Radius, 1.0" Border, White on Green;  
 Arrow 13.33UC-12CAP-A - 29.3" 45°;



E5-1b (urban/rural area, 2 digit);  
 6.0" Radius, 1.0" Border, White on Green;  
 "EXIT" E Mod 150% spacing;  
 6.0" Radius, 1.0" Border, White on Green;  
 "82" E Mod;  
 6.0" Radius, 1.0" Border, White on Green;  
 Arrow 13.33UC-12CAP-A - 29.3" 45°;





E5-1b (urban/rural area, 2 digit);  
 6.0" Radius, 1.0" Border, White on Green;  
 "EXIT" E Mod 150% spacing;  
 6.0" Radius, 1.0" Border, White on Green;  
 "83" E Mod;  
 6.0" Radius, 1.0" Border, White on Green;  
 Arrow 13.33UC-12CAP-A - 29.3" 45°;



E5-1b (urban/rural area, 2 digit);  
 6.0" Radius, 1.0" Border, White on Green;  
 "EXIT" E Mod 150% spacing;  
 6.0" Radius, 1.0" Border, White on Green;  
 "87" E Mod;  
 6.0" Radius, 1.0" Border, White on Green;  
 Arrow 13 33UC-12CAP-A - 29.3" 45°;



E5-1b (urban/rural area, 2 digit);  
 6.0" Radius, 1.0" Border, White on Green;  
 "EXIT" E Mod 150% spacing;  
 6.0" Radius, 1.0" Border, White on Green;  
 "90" E Mod;  
 6.0" Radius, 1.0" Border, White on Green;  
 Arrow 13.33UC-12CAP-A - 29.3" 45°;




E5-1b (urban/rural area, 2 digit);  
 6.0" Radius, 1.0" Border, White on Green;  
 "EXIT" E Mod 150% spacing;  
 6.0" Radius, 1.0" Border, White on Green;  
 "92" E Mod;  
 6.0" Radius, 1.0" Border, White on Green;  
 Arrow 13.33UC-12CAP-A - 29.3" 45°;



E5-1b (urban/rural area, 2 digit);  
 6.0" Radius, 1.0" Border, White on Green;  
 "EXIT" E Mod 150% spacing;  
 6.0" Radius, 1.0" Border, White on Green;  
 "95" E Mod;  
 6.0" Radius, 1.0" Border, White on Green;  
 Arrow 13.33UC-12CAP-A - 29.3" 45";




E5-1b (urban/rural area, 2 digit);  
 6.0" Radius, 1.0" Border, White on Green;  
 "EXIT" E Mod 150% spacing;  
 6.0" Radius, 1.0" Border, White on Green;  
 "96" E Mod;  
 6.0" Radius, 1.0" Border, White on Green;  
 Arrow 13.33UC-12CAP-A - 29.3" 45°;



R2-4a-48-65/45;  
 3.0" Radius, 1.3" Border, 0.8" Indent, Black on White;  
 "SPEED" E 103% spacing; "LIMIT" E; "65" E;  
 "MINIMUM" C; "45" D;





R2-4a-48-70/45;

3.0" Radius, 1.3" Border, 0.8" Indent, Black on White;

"SPEED" E 103% spacing; "LIMIT" E; "70" E;

"MINIMUM" C; "45" D;



## Regulatory Signs — Truck Restriction Signing

R4-30-132, R4-31-132, R4-33-84, R4-34-84, R4-35-84, R4-32-90



R4-31-132;

3.0" Radius, 1.3" Border, 0.8" Indent, Black on Yellow;

[NOTICE] E;

3.0" Radius, 1.3" Border, 0.8" Indent, Black on White;

[TRUCK] E; [RESTRICTION] E; [X] E; [MILE] E; [AHEAD] E;

Table of letter and object lefts.

N	O	T	I	C	E
45.2	53.7	61.9	69.4	72.9	80.9


—
2.0

T	R	U	C	K	R	E	S	T	R	I	C	T	I	O	N
5.5	13.0	21.4	29.8	37.9	49.7	58.1	65.6	73.7	81.2	89.6	93.1	100.5	108.1	111.5	120.2

X	M	I	L	E	A	H	E	A	D
23.6	35.8	45.2	48.6	56.2	67.3	77.0	85.4	92.4	102.0

\* ADD "S" IF DISTANCE IS GREATER THAN 1

R4-30-132, R4-31-132, R4-33-84, R4-34-84, R4-35-84, R4-32-90



**R4-33-84; 6.0" Radius, 1.0" Border, Black on White;**

[TRUCKS] C; [OVER] C; [6] C; [WHEELS] C; [MUST] C; [USE] C;

[2] C; [RIGHT] C; [LANES] C;

**Table of letter and object lefts.**

T 11.4	R 16.7	U 22.8	C 28.9	K 34.6	S 40.3	O 50.7	V 56.7	E 62.9	R 68.2	
6 19.9	W 30.3	H 37.6	E 43.7	E 49.0	L 54.4	S 59.7				
M 19.6	U 26.5	S 32.5	T 38.3	U 48.3	S 54.3	E 60.4				
2 8.2	R 18.6	I 24.6	G 27.4	H 33.5	T 39.2	L 49.2	A 53.7	N 60.0	E 66.1	S 71.4