



South Carolina  
Department of Transportation

955 Park Street  
Post Office Box 191  
Columbia, South Carolina 29202-0191

Office of the Director  
(803) 737-1302 ♦ Fax (803) 737-2038

Deputy Director of Engineering  
(803) 737-1314 ♦ Fax (803) 737-2038

Deputy Director of Finance and Administration  
(803) 737-1240 ♦ Fax (803) 737-1719

Deputy Director of Mass Transit  
(803) 737-9720 ♦ Fax (803) 737-9739

February 4, 1997

## INSTRUCTIONAL BULLETIN NO. 97-2

**SUBJECT:** "Reclaiming Existing Roadway" Notes

**EFFECTIVE DATE:** January 24, 1997

**SUPERSEDES:** Instructional Bulletin No. 96-16

**RE:** Special Provision "Reclaiming Existing Roadway" (attached)

### Existing Pavement

"Removal and Disposal of Existing Pavement" will continue to be measured and paid for by the square yard in accordance with Section 202 of the Standard Specifications. When the area to be removed goes beyond the construction limits, the area should be identified on the plans. Quantities should be shown in the inclusions on the "General Construction Note" Sheet.

\*Pay Item Number: 2023000

### Existing Asphalt Pavement

"Removal and Disposal of Existing Asphalt Pavement" will be measured and paid for by the cubic yard. All existing asphalt pavement to be removed, regardless of depth, will be measured and paid for.

On the plan sheet identify all asphalt pavement to be removed with an arrow and the following note:

- Remove and Dispose Existing Asphalt Pavement.

Continue to show asphalt pavement to be removed outside of construction limits with hatching.

Place quantity in inclusions on "General Construction Note" Sheet with the following note:

- All removal and disposal of existing asphalt pavement will be measured and paid for as described in the special provisions.

\*Pay Item Number: 2025001

**INSTRUCTIONAL BULLETIN NO. 97-2**

Effective Date: January 24, 1997

page 2

**Bituminous Surfacing**

Areas, where the existing bituminous surfacing (not on a stone base) is to be scarified and shaped to drain, will not be measured and paid for separately, but will be included in other items of work. When it is necessary to remove existing bituminous surfacing which is on a stone base, removal of the bituminous surfacing and base will be measured and paid for as "Unclassified Excavation". Quantities should be placed on the "General Construction Note" Sheet with a note referring to the special provisions for the method of measurement and payment. The plan sheet should identify the area of bituminous surfacing to be scarified and shaped, or removed. This will be done by an arrow and note, such as:

- Scarify and shape existing bituminous surfacing.

\*No separate pay for this work

or

- Remove and Dispose existing bituminous surfacing and stone base.

\*Pay Item Number: 203100

**Existing Earth Roadway**

When it is necessary to reclaim the existing earth roadway, the area outside the construction limits to be scarified, graded to drain and seeded is to be shown by crosshatching. Identify the crosshatched area on the plan sheet with an arrow and the following note:

- Reclaim Existing Earth Roadway.

\*No separate pay for this work

Approved: \_\_\_\_\_

  
E. S. Eargle  
Road Design Engineer

ESE:adf

Attachment

cc:

Proj. Dev. Engr. Pratt

**(1) REMOVAL AND DISPOSAL OF EXISTING ASPHALT PAVEMENT:**

Section 202.06(e) is hereby amended to the extent that the Removal and Disposal of Existing Asphalt Pavement will be measured and paid for by the cubic yard (cubic meter). In areas where the existing asphalt pavement to be removed is shown in the original cross sections a corresponding deduction from the quantity of unclassified excavation will be made by the Resident Construction Engineer.

**(2) RECLAIMING EXISTING ROADWAY:**

**Description:**

This work consists of the restoration of paved areas. These areas are typically shown as hatched areas on the plans when outside the construction limits.

**Materials:**

None

**Construction Requirements:**

- 1.) Asphalt Pavement with Earth Base: Remove and dispose of areas of pavement shown as hatched areas on the plans. Grade the area to properly drain. Seed the area in accordance with Section 810.
- 2.) Asphalt Pavement with Stone Base: Remove and dispose of areas of pavement and base shown as hatched areas on the plans. Grade the area to properly drain. Seed the area in accordance with Section 810.
- 3.) Earth roadway or Bituminous Surfacing with Earth Base: Scarify existing areas of roadway. Grade the area to properly drain. Seed the area in accordance with Section 810.
- 4.) Bituminous Surfacing with Stone Base: Remove and dispose of areas of pavement and base shown as hatched areas on the plans. Grade the area to properly drain. Seed the area in accordance with Section 810.

Suitable materials may be used for embankment construction on the project. In the event that removed materials are used for embankment construction a corresponding deduction in Unclassified Excavation will be made by the Resident Construction Engineer.

**Measurement:**

Removed asphalt pavement will be measured by the cubic yard. Removed bituminous surfacing with stone base will be measured by the cubic yard. Removed stone base will be measured by the cubic yard. Scarified areas will not be measured for payment.

**Payment:**

Removed asphalt pavement will be paid at the unit price bid for Removal and Disposal of Existing Asphalt Pavement. Removed bituminous surfacing with stone base will be paid for at the unit price bid for Unclassified Excavation. Removed stone base will be paid for at the unit bid price for Unclassified Excavation. No payment will be made for scarifying earth roadway or bituminous surfacing with earth base. No separate or additional payment will be made for grading necessary to obtain proper drainage.