

# Application for Encroachment Permit

S.C. Department of Transportation  
Form 637 (Rev 09/2015)

200108966

257669

## Contact Information

**Applicant:** ATTSouthCarolina-A01JG4Q  
**Street:** 1600 WILLIAMS ST RM 4400  
**City:** COLUMBIA  
**State:** SC  **Zip Code:** 29201  
**Phone:** (803)622-6091 **Fax:** (803)256-1363  
**Email:** cindy.cripps@rtsassociates.net  
**Contact:** Cindy Cripps

Please see attached  
SCDOT Special  
Provisions

Please see attached  
SCDOT Traffic Control

## Project Location

**Primary County:** Richland

County	Road Name
Richland	Colonial Life Blvd W (S-2963)
Richland	I126 (S-2963)

**1. Type of Encroachment:** COMMUNICATIONS (Cable TV, Telephone & Other)

Total cable to be placed is 1,435 feet, with 15 feet of trenching, 0 feet of Jack and Bore, and 1,420 feet of directional bore. In association with SCDOT Project No. P039718 Carolina Crossroads Phase 1 Colonial Life Blvd and I-126 Interchange.

### **2. Description of Location:**

A01JG4Q - Cable will be placed on Colonial Life Blvd (S-40-2963) starting approximately 2,430 feet from the intersection with Bush River Rd (S-40-31) and ending approximately 3,330 feet from the intersection of Colonial Life Blvd (S-40-2963) and Bush River Rd (S-40-31). In association with SCDOT Project No. P039718 Carolina Crossroads Phase 1 Colonial Life Blvd and I-126 Interchange.(CONTINUED ON ADDENDUM)

(Attach sketch indicating roadway features such as: pavement width, shoulder width, sidewalk and curb and gutter location, significant drainage structure, north arrow, right of way width, and location of the proposed encroachment with respect to the roadway centerline and the nearest intersecting road on the State system.)

\*Applicant shall provide as-built plans upon completion of project for CCR files\*

## Customer Agreement

3. The undersigned applicant hereby requests the SCDOT to permit encroachment on the SCDOT right of way as described herein. It is expressly understood that the encroachment, if and when constructed, shall be installed in accordance with the sketch attached hereto and made a part hereof. The applicant agrees to comply with and be bound by the SCDOT's "A Policy for Accommodating Utilities on Highways Rights of way", "Standard Specifications for Highway Construction", the "General Provisions" and "Special Provisions", attached hereto or made a part hereof by reference, during the installation, operation and maintenance of said encroachment within the SCDOT's Right of Way. **DISCHARGES OF STORM WATER AND NON-STORM WATER:** Work within State Highway right-of-way shall be conducted in compliance with all applicable requirements of the National Pollutant Discharge Elimination System (NPDES) permit(s) issued to the Department of Transportation (Department), to govern the discharge of storm water and non-storm water from its properties. Work shall also be in compliance with all other applicable Federal, State and Local laws and regulations, and with the Department's Encroachment Permits Manual and encroachment permit. The encroachment permit will not be issued until the applicant has received an NPDES construction permit from SC Department of Health and Environmental Control.

The applicant agrees to comply with all current SCDOT Standards Specifications for Highway Construction including all Supplemental Technical Specifications. The applicant hereby further agrees, and binds his/her/its heirs, personal representatives, successors, assigns, to assume any and all liability for accidents or injuries to persons, or damage to property, including the highway, that may be caused by the construction, maintenance, use, moving or removing of the physical appurtenances contemplated herein, and the applicant agrees to indemnify and hold SCDOT harmless from and against any and all claims for personal injury and/or property damage, including attorney fees and costs, which may be sustained by reason of the construction, maintenance or existence of said encroachment on the SCDOT's right of way.

Applicant's Name: ANDREW N WASHINGTON Date: 06/24/2022

(Please print or type)

Applicant's Sig: Andrew N. Washington AT&T AREA MANAGER

For Office Use Only

**For Office Use Only**

In accordance with your request and subject to all the provisions, terms, conditions, and restrictions stated in the application and the general and special provisions attached hereto, the SCDOT hereby approves your application for an encroachment permit. This permit shall become null and void unless the work contemplated herein shall have been completed prior to: **7-26-23**

☒ See Attached Special Provision and/or Permit Requirements

NPDES Permit

Nbr:

(Date received by res. Maint. Engr.)

Ron Neubert  
(SCDOT Approval)  
**FOR ATM**

**7-26-22**  
(Date)

## General Provisions

**Application for Encroachment Permit**  
**General Provisions**

1. **DEFINITIONS:** The word "Permittee" used herein shall mean the name of the person, firm, or corporation to whom this permit is addressed, his, her, its, heirs, personal representatives, successors and assigns. The word "DEPARTMENT" shall mean the South Carolina Department of Transportation.
2. **NOTICE PRIOR TO STARTING WORK:** Before starting the work contemplated herein within the limits of the highway right of way, the Department's Resident Maintenance Engineer in the county in which the proposed work is located shall be notified 24 hours in advance so that he may be present while the work is under way.
3. **PERMIT SUBJECT TO INSPECTION:** This permit shall be kept at the site of the work at all times while said work is under way and must be shown to any representative of the Department or law enforcement officer on demand.
4. **PROTECTION OF HIGHWAY TRAFFIC:** The applicant shall be responsible for the protection of the highway traffic at all times during the construction, maintenance, removing or moving of the encroachment permitted herein. Detours, barricades, warning signs and flagmen, as necessary, shall be provided by and at the expense of the Permittee and shall be in accordance with the "Manual on Uniform Traffic Control Devices" (MUTCD). The work shall be planned and carried out so that there will be the least possible inconvenience to the motoring public. The Permittee agrees to observe all rules and regulations of the Department while carrying on the work contemplated herein and take all other precautions that circumstances warrant.
5. **STANDARDS OF CONSTRUCTION:** All work shall conform to the Department's standards of construction and shall be performed in a workman-like manner. The applicant shall make adequate provisions for maintaining the proper drainage of the highway as it may be affected by the encroachment permitted herein. All work shall be subject to the supervision and satisfaction of the Department.
6. **FUTURE MOVING OF PHYSICAL APPURTENANCES:** If, in the opinion of the State Highway Engineer, it should ever become necessary to move or remove the physical appurtenances, or any part thereof contemplated herein, on account of change in location of the highway, widening of the highway, or for any other sufficient reason, such moving shall be done on demand of the Department at the expense of the Permittee.
7. **RESTORATION OF HIGHWAY FACILITIES UPON MOVING OR REMOVING OF PHYSICAL APPURTENANCES:** If, and when, the physical appurtenances contemplated herein shall be moved or removed, either on the demand of the Department or at the option of the Permittee, the highway and facilities shall immediately be restored to their original condition at the expense of the Permittee.
8. **COSTS:** All work in connection with the construction, maintenance, moving or removing of the physical appurtenances contemplated herein shall be done by and at the expense of the Permittee.
9. **ADDITIONAL PERMISSIONS:**
  - (a) It is distinctly understood that this permit does not in any way grant or release any rights lawfully possessed by the abutting property owners. The Permittee shall secure any such rights, as necessary, from said abutting property owners.
  - (b) The Permittee shall be responsible for obtaining all other approvals or permits necessary for installation of the encroachment from other government entities.

(c) There shall be no excavation of soil nearer than two feet to any public utility line or appurtenant facility except with the consent of the owner thereof, or except upon special permission of this Department after an opportunity to be heard is given the owner of such line or appurtenant facility.

**10. ADDITIONAL WORK PERFORMANCE:**

(a) All crossings over the highway shall be constructed in accordance with "Specifications for Overhead Crossings of Light and Power Transmission Lines and Telegraph Lines over each other and over Highway Rights of Way in South Carolina," as approved by the Public Service Commission of South Carolina and effective as of date of this permit.

(b) All tunneling, boring, or jacking shall be done in such a way as not to disturb the highway surfacing.

(c) No pavement shall be cut unless specifically authorized herein.

(d) No excavation shall be nearer than three feet to the edge of pavement unless specifically authorized herein.

(e) Underground facilities will be located at minimum depths as defined in the "Utility Accommodations Manual" for the transmittant, generally as follows: 4 feet minimum for hazardous or dangerous transmittant, 3 feet minimum for other lines. The Department may approve shallower depths if adequate protection is provided. Such approval must be obtained in writing.

(f) Service and other small diameter pipes shall be jacked, driven, or otherwise forced underneath the pavements on any surfaced road without disturbing the pavement. The section under the highway pavement and within a distance of three (3) feet on either side shall be continuous without joints.

**11. ACCESS:**

(a) Permittee is responsible for maintaining reasonable access to private driveways during construction.

(b) It is expressly provided that, with respect to any limited access highway, the Permittee shall not have or gain access from the main traveled way of the highway, or the on or off ramps to such facility, except upon approval by the Department.

**12. DRIVEWAYS:**

(a) The existing crown of the highway shall be continued to the outside shoulder line of the highway.

(b) If the driveway or approach is concrete pavement, the pavement shall be constructed at least 6 inches thick and with a minimum of class 2500 concrete. There shall be a bituminous expansion joint, not less than 3/4 inches in thickness, placed between the highway paving and the paving of the approach for the full width of the approach.

**13. BEAUTIFICATION:**

(a) All trees, plants, flowers, etc. shall be placed in accordance with the provisions specifically stipulated herein.

(b) All trees, plants, flowers, etc. shall be maintained by, and at the expense of, the Permittee and the provisions of this permit shall become null and void, if and when said Permittee ceases to maintain aid trees, plants, flowers, etc.

**14. AS-BUILT PLANS:**

(a) The applicant shall provide the Department with survey-quality as-built plans in accordance with the requirements set forth in the Department's "A Policy for Accommodating Utilities on Highway Rights of Way".

**15. COMPLETE STREETS:**

Reference Departmental Directive 28, "Complete Streets". For encroachment permit types that require a Traffic Impact Study (TIS), the applicant shall consider the inclusion of walking, bicycling, and transit accommodations within the scope of the encroachment. The applicant shall review walking, bicycling, and transit plans from Metropolitan Planning Organizations (MPOs), Councils of Government (COGs), and regional transit providers to determine the scope of accommodations for complete streets. Coordination with the District Permit Engineer is required to determine if the inclusion of walking, bicycling, and transit accommodations are conducive for implementation based on the scope of the encroachment.








South Carolina Department of Transportation



SEGMENT 1 CONSTRUCTION PLANS  
FOR LEXINGTON & RICHLAND COUNTIES  
PROJECT ID P039718  
CAROLINA CROSSROADS PHASE I  
COLONIAL LIFE BOULEVARD AT I-126 INTERCHANGE


FROM I-126 STA. 7+57.88  
TO I-126 STA. 75+00

PROJECT LOCATION AREA




LAYOUT  
NOT TO SCALE


Reading Barn Drive - DIRECTIONAL EXPE  
Carroll County Life Blvd / S-40-285-3



Reading Barn Drive - DIRECTIONAL EXPE  
Carroll County Life Blvd / S-40-285-3



Bore Drive - DIRECTIONAL EXPE  
Carroll County Life Blvd / S-40-285-3



NO PAVEMENT TO BE CUT

TRENCHING NOTES: CABLE TO BE  
TRENCHED IN AT A DEPTH OF 42  
INCHES WHEN NOT BEING BORED.

TOTAL CABLE TO BE PLACED: 1435'  
TRENCH: 15'  
JACK AND BORE: 8'  
DIRECTIONAL BORE: 1428'

3'x3' PIT ON EACH SIDE OF BORE WITH  
JACK AND BORE METHOD.

DIRECTIONAL BORES HAVE A 1'x3' PIT  
ON EACH SIDE OF BORE.

JACK AND BORE USED FOR ALL ROAD  
BORES.

ALL BORE PITS TO BE MINIMUM OF 5'  
FROM EDGE OF PAVEMENT.

ATTSE

PROPOSED TELEPHONE FACILITIES  
ON RIGHT OF WAY OF  
SCDOT - Richland Co.

Colonial Life Blvd  
S-2963

Exchange: ST ANDREWS

Designer: JORDAN, JASON

Phone: 803-476-9274

Authorization: A0UC40

Dwg. 1 of 5

Symbol	Description
1.1	SHIELD WALL
1.2	SHIELD WALL - TYPICAL
1.3	CONCRETE PILE
1.4	PILE
1.5	PILE
1.6	PILE
1.7	PILE
1.8	PILE
1.9	PILE
1.10	PILE
1.11	PILE
1.12	PILE
1.13	PILE
1.14	PILE
1.15	PILE
1.16	PILE
1.17	PILE
1.18	PILE
1.19	PILE
1.20	PILE
1.21	PILE
1.22	PILE
1.23	PILE
1.24	PILE
1.25	PILE
1.26	PILE
1.27	PILE
1.28	PILE
1.29	PILE
1.30	PILE
1.31	PILE
1.32	PILE
1.33	PILE
1.34	PILE
1.35	PILE
1.36	PILE
1.37	PILE
1.38	PILE
1.39	PILE
1.40	PILE
1.41	PILE
1.42	PILE
1.43	PILE
1.44	PILE
1.45	PILE
1.46	PILE
1.47	PILE
1.48	PILE
1.49	PILE
1.50	PILE
1.51	PILE
1.52	PILE
1.53	PILE
1.54	PILE
1.55	PILE
1.56	PILE
1.57	PILE
1.58	PILE
1.59	PILE
1.60	PILE
1.61	PILE
1.62	PILE
1.63	PILE
1.64	PILE
1.65	PILE
1.66	PILE
1.67	PILE
1.68	PILE
1.69	PILE
1.70	PILE
1.71	PILE
1.72	PILE
1.73	PILE
1.74	PILE
1.75	PILE
1.76	PILE
1.77	PILE
1.78	PILE
1.79	PILE
1.80	PILE
1.81	PILE
1.82	PILE
1.83	PILE
1.84	PILE
1.85	PILE
1.86	PILE
1.87	PILE
1.88	PILE
1.89	PILE
1.90	PILE
1.91	PILE
1.92	PILE
1.93	PILE
1.94	PILE
1.95	PILE
1.96	PILE
1.97	PILE
1.98	PILE
1.99	PILE
1.100	PILE



# ATTSE

PROPOSED TELEPHONE FACILITIES  
ON RIGHT OF WAY OF  
SCOOT - Richland Co.

Colonel Life Blvd  
S-2963


Exchange ST ANDREWS

Designer JORDAN, JASON

Phone: 803-476-9274

Authorization AOU40

Dep. 2 of 5



See Dwg #3



ATTSE

PROPOSED TELEPHONE FACILITIES  
ON RIGHT OF WAY OF  
SCOOT - Richland Co.

Colonial Life Blvd  
S-2963


Exchange: ST ANDREWS

Designer: JORDAN, JASON



Phone: 803-476-9274

Authorizations: AOLUC40

Dep. 3 of 5









ATTSE

PROPOSED TELEPHONE FACILITIES  
ON RIGHT OF WAY OF  
SCOOT - Richland Co.

Colonial Life Blvd  
S-2963

Exchange: ST ANDREWS

Designer: JORDAN, JASON

Phone: 803-476-9274

Authorization: A0UG40

Drawn: 5 of 5

