

**SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION**  
**Encroachment Permit**

Permit No : 263998

Permit Decision Date :  
2/14/2023

Expiration Date : 2/14/2024

Type

Permit : COMMUNICATIONS  
(Cable TV, Telephone &  
Other)

Location:

<u>District</u>	<u>Work County</u>	<u>Type</u>	<u>Route</u>	<u>Aux</u>	<u>Begin MP</u>	<u>End MP</u>
1	Lexington, SC	S-	1842	None	0.619	0.947
1	Lexington, SC	S-	1079	None	0.068	0.109

Contact Information

Applicant: SpectrumSoutheastLLC

Phone:

Contact: Dawn Baez

Address: 3347 Platt Springs Rd,

City: West Columbia

State: SC

Zip: 29170

Comments

PROJECT LOCATION IS AT 3650 FERNANDINA RD. TOTAL UNDERGROUND CATV TO BE INSTALLED IS 2110'. SPECTRUM WILL TRENCH, DRY MISSILE BORE, AND DIRECTIONAL BORE CATV AT LEAST 48" DEEP AND AT LEAST 5' EOP. PID: 4089845

Special Provisions:

0004 - SCDOT SHALL BE NOTIFIED WHEN WORK DEFINED IN THE PERMIT STARTS AS WELL AS WHEN THE WORK IS COMPLETED. REFERENCE SHALL BE MADE BY PERMIT NUMBER.

0101 - SHOULDER SOD DESTROYED BY THIS INSTALLATION TO BE REPLACED FOR THE ENTIRE AREA. THE AREA SHALL BE RE-SHAPED AND ROLLED TO THE CROSS SECTION EXISTING PRIOR TO THIS WORK.

0102 - BORE PITS SHALL BE CLOSED IMMEDIATELY AFTER INSTALLATION.

0103 - THE PROPOSED ENCROACHMENT SHALL BE TRENCHED TO A MINIMUM DEPTH OF 42" BELOW THE CROSS SECTION AS ORIGINALLY CONSTRUCTED.

0104 - ALL VALVES AND MANHOLES SHALL CONFORM TO THE EXISTING ELEVATION OF THE ROADWAY OR SHOULDER AND CONFORM TO THE ACCEPTED STANDARD. THE VALVES WILL BE LOCATED OUT OF THE PAVEMENT. THEY SHALL NOT BE PLACED IN A DITCH FLOW LINE.

0105 - ALL EXCAVATED MATERIAL SHALL BE PLACED ON THE SIDE OF THE

TRENCH AWAY FROM THE TRAVELED ROADWAY, AND SHALL BE NO CLOSER THAN FIFTEEN (15) FEET TO THE EDGE OF PAVEMENT.

0106 - MANHOLES SHALL CONFORM TO THE ELEVATION OF THE EXISTING ROADWAY OR SHOULDER AND CONSTRUCTED IN ACCORDANCE WITH ACCEPTED PRACTICES.

0108 - FLOWABLE FILL SHALL BE USED AS BACK-FILL MATERIAL.

0111 - OPEN CUTS AND/OR BELL HOLES WITHIN THE ROAD PAVEMENT SHALL BE CUT IN NEAT LINES AND REPAIRED.

0112 - ALL WATER METERS, AIR VALVES, ELECTRIC TRANSFORMERS, CATV CONNECTION BOXES, TELEPHONE PEDESTALS, AND/OR OTHER UTILITY/SPLICE BOXES SHALL BE PLACED AT THE RIGHT-OF-WAY LINE.

0119 - INSTALLATION TO BE MADE BY THE WET OR DRY BORE METHOD IN SUCH A MANNER AS NOT TO DISTURB EXISTING PAVEMENT.

0120 - RESTORATION OF PAVEMENT, SHOULDERS, DITCHES, ETC., TO BE PERFORMED AS SOON AS POSSIBLE AFTER CONSTRUCTION, OR SCHEDULED SO THAT THE CONSTRUCTION IS NO FURTHER THAN 2,000 L.F. AHEAD OF COMPLETE RESTORATION.

0121 - BELL HOLE CUT MUST BE COVERED WITH A STEEL PLATE UNTIL A PERMANENT PATCH HAS BEEN MADE. PLATE SHALL BE MONITORED PERIODICALLY TO ENSURE THAT BELL HOLE IS PROPERLY COVERED.

0123 - ALL WORK PERFORMED IN CONNECTION WITH THIS PERMIT SHALL CONFORM TO THE SCDOT "A POLICY FOR ACCOMODATING UTILITIES ON HIGHWAY RIGHT-OF-WAY" MOST CURRENT EDITION.

0125 - ALL CROSSLINE PIPES ARE TO BE LOCATED AND FLAGGED PRIOR TO BEGINNING OPERATION.

0209 - DISTURBED VEGETATION SHALL BE RESEDED ACCORDING TO THE SPECIFICAION FOR HIGHWAY CONSTRUCTION.

0301 - THE DITCHES AND/OR SHOULDERS DISTURBED DURING THE INSTALLATION SHALL BE RE-ESTABLISHED TO PROPER GRADE, ORIGINAL CROSS SECTION, STABILIZED, AND ALL DRAIN PIPES CLEARED.

0302 - NO EXCAVATION SHALL BE LEFT OPEN ALONG HIGHWAY.

0306 - TRAFFIC CONTROL, LIGHTS, SIGNS AND FLAG-MEN WILL BE FURNISHED BY APPLICANT AND WILL CONFORM TO PART VI OF THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.

0308 - WORK SHALL NOT BE PERFORMED DURING THE HOURS OF 7-9 AM OR 4-6 PM.

0310 - FIELD CHANGES, IF NECESSARY, MUST BE APPROVED IN WRITING BEFORE ACTUAL CONSTRUCTION OF PROPOSED CHANGES.

0311 - SEDIMENT AND EROSION CONTROL DEVICES SHALL BE USED TO MINIMIZE THE MOVEMENT OF SEDIMENT.

0312 - THE PERMITTEE SHALL HOLD THE DEPARTMENT HARMLESS FOR DAMAGES TO BOTH UPSTREAM AND DOWNSTREAM PROPERTIES.

0318 - THE APPLICANT SHALL BE RESPONSIBLE FOR IMMEDIATE REMOVAL OF SUCH TRAFFIC HAZARDS AS MUD, DEBRIS, LOOSE STONE, AND TRASH AS MAY BE WASHED OR SPILLED ON THE TRAVELED ROADWAY AS A RESULT OF THE PROPOSED WORK.

9999 - See Attached for Additional Special Provisions