

TOTAL CABLE TO BE PLACED: 1170'
TRENCH: 0'
JACK AND BORE: 0'
DIRECTIONAL BORE: 1170'

3'x3' PIT ON EACH SIDE OF BORE WITH
JACK AND BORE METHOD.

DIRECTIONAL BORES HAVE A 1'x3' PIT
ON EACH SIDE OF BORE.



JACK AND BORE USED FOR ALL ROAD
BORES.

ALL BORE PITS TO BE MINIMUM OF 5'
FROM EDGE OF PAVEMENT.


TRENCHING NOTE: CABLE TO BE
TRENCHED IN AT A DEPTH OF 42
INCHES WHEN NOT BEING BORED.

NO PAVEMENT TO BE CUT

DIRECTIONAL BORE DETAIL



LOCATION MAP



BURIED SYMBOL LEGEND

Proposed	Existing	Description
		BURIED CABLE
		BUR JOINT-TRENCH
		CLOSURE/PEDESTAL
		HANDHOLE
		MANHOLE
		PIPE/CONDUIT
		CABLE MARKER
		BURIED SVC WIRE
		JOINT-TRENCH SVC
	N/A	BORE
	N/A	CUT PAVEMENT
	N/A	PIT
	N/A	PLACING DEPTH
	N/A	SAME TRENCH

ATTSE

PROPOSED TELEPHONE FACILITIES
ON RIGHT OF WAY OF
LEXINGTON DOT

I-26 STA 407-438


Exchange:
803791

Designer:
STEVE MARTIN

Phone:
803-391-8624


Authorization:
A025BR6

Dwg. 1 of 4



TOTAL CABLE TO BE PLACED: 290'
TRENCH: 0'
JACK AND BORE: 0'
DIRECTIONAL BORE: 290'

BURIED SYMBOL LEGEND		
Proposed	Existing	Description
		BURIED CABLE
		BUR JOINT-TRENCH
		CLOSURE/PEDESTAL
		HANDHOLE
		MANHOLE
		PIPE/CONDUIT
		CABLE MARKER
		BURIED SVC WIRE
		JOINT-TRENCH SVC
	N/A	BORE
	N/A	CUT PAVEMENT
	N/A	PIT
	N/A	PLACING DEPTH
	N/A	SAME TRENCH




ATTSE	
PROPOSED TELEPHONE FACILITIES ON RIGHT OF WAY OF LEXINGTON DOT	
I-26 STA 407-438	
Exchange:	803791
Designer:	STEVE MARTIN
Phone:	803-391-8624
Authorization:	A025BR6
Dwg.	2 of 4



TOTAL CABLE TO BE PLACED: 380'
TRENCH: 0'
JACK AND BORE: 0'
DIRECTIONAL BORE: 380'

BURIED SYMBOL LEGEND		
Proposed	Existing	Description
		BURIED CABLE
		BUR JOINT-TRENCH
		CLOSURE/PEDESTAL
		HANDHOLE
		MANHOLE
		PIPE/CONDUIT
		CABLE MARKER
		BURIED SVC WIRE
		JOINT-TRENCH SVC
	N/A	BORE
	N/A	CUT PAVEMENT
	N/A	PIT
	N/A	PLACING DEPTH
	N/A	SAME TRENCH



See Dwg #4

ATTSE

PROPOSED TELEPHONE FACILITIES
ON RIGHT OF WAY OF
LEXINGTON DOT

I-26 STA 407-438


Exchange:
803791

Designer:
STEVE MARTIN

Phone:
803-391-8624

Authorization:
A025BR6

Dwg. 3 of 4



See Dwg #3

TOTAL CABLE TO BE PLACED: 500'
TRENCH: 0'
JACK AND BORE: 0'
DIRECTIONAL BORE: 500'

BURIED SYMBOL LEGEND		
Proposed	Existing	Description
		BURIED CABLE
		BUR JOINT-TRENCH
		CLOSURE/PEDESTAL
		HANDHOLE
		MANHOLE
		PIPE/CONDUIT
		CABLE MARKER
		BURIED SVC WIRE
		JOINT-TRENCH SVC
	N/A	BORE
	N/A	CUT PAVEMENT
	N/A	PIT
	N/A	PLACING DEPTH
	N/A	SAME TRENCH

DIRECTIONAL BORE
1-2" FLEX PIPE E/W
1-FIBER OPTIC CABLE

1' X3'
BORE PIT

PROPOSED
30' X60"
HANDHOLE

ATTSE

PROPOSED TELEPHONE FACILITIES
ON RIGHT OF WAY OF
LEXINGTON DOT

I-26 STA 407-438

Exchange:

80379I

Designer:

STEVE MARTIN

Phone:

803-391-8624

Authorization:

A025BR6

Dwg. 4 of 4