


TIME WARNER CABLE SOUTHEAST LLC. WILL PLACE HDPE CONDUIT WITH A DIAMETER OF 1 ¼" TO 2" DEPENDING ON TYPE OF CABLE OR FIBER.

SCALE:	1:100	APPROVED BY:	
DATE:	8/15/2018	DRAWN BY:	TRUENET
2210 BUSH RIVER RD - COMMERCIAL FIBER - JEREMY BENZEL			
LEXINGTON SCDOT		DRAWING NUMBER:	TWC-1968



TWC PROJECT LOCATED APPROXIMATELY 600' SOUTHEAST OF THE INTERSECTION OF OUTLET POINTE BLVD AND BUSH RIVER RD. TWC PROPOSES TO DRY MISSILE BORE WITH 3'X3'X3' BORE PITS AT LEAST 42" DEEP AND AT LEAST 5' FROM EOP UNLESS OTHERWISE NOTED. TIME WARNER CABLE SOUTHEAST LLC. TO PLACE UNDERGROUND FACILITIES AT THE BACK SIDE OF THE RIGHT OF WAY AS THIS EDGE OF PAVEMENT DISTANCE MAY VARY SOMEWHAT DEPENDING ON LOCATION OF OTHER UTILITY PLACEMENTS TIME WARNER CABLE SOUTHEAST LLC. WILL VERIFY THE LOCATIONS AND DEPTHS OF ALL EXISTING DRAINAGE STRUCTURES BEFORE THE START OF WORK. TIME WARNER CABLE SOUTHEAST LLC. WILL MAINTAIN 48" DEPTH UNDER ROADWAY AND 42" DEPTH BELOW THE LOWEST DRAINAGE STRUCTURE AND GROUND LEVEL. TIME WARNER CABLE SOUTHEAST LLC. WILL PLACE HDPE CONDUIT WITH A DIAMETER OF 1 1/4" TO 2" DEPENDING ON TYPE OF CABLE OR FIBER.

ROW INFORMATION OBTAINED FROM SCDOT PLAN ONLINE PLAN 32.700 SHEET 18 AND 32.921 SHEET 4.

1. TOTAL CABLE FOOTAGE IS 555' FT OR 0.10 MILES.
2. UNDERGROUND CABLE IS 5' FT. FROM THE EDGE OF PAVEMENT AND 3 FT BELOW CROSS LINE PIPES.
3. PEDESTAL TO BE PLACED AT EDGE OF RIGHT-OF-WAY.
4. BORE UNDER ALL ROADS.
5. BORE PITS MUST BE 5' FT FROM THE EDGE OF PAVEMENT.
7. SHOULDER SOD DESTROYED BY THIS INSTALLATION TO BE REPLACED AND THIS ENTIRE DISTURBED AREA RESHAPED AND ROLLED TO THE CROSS SECTION EXISTING PRIOR TO THIS WORK.
8. TRENCH TO BE PROPERLY BACKFILLED AND THOROUGHLY TAMPED. THE DISTURBED AREA SHALL BE RESHAPED AND DRESSED OUT IN A WORKMANSHIP-LIKE MANNER.
9. THE PERMITEE SHALL BE RESPONSIBLE FOR ANY AND ALL DAMAGES THAT OCCUR AS A DIRECT RESULT OF THIS INSTALLATION.
10. PERMITEE SHALL ALLOW FOR ANY EMBANKMENT AREAS NEAR ROAD PAVEMENT BY MAKING SURE CABLE IS AT ALL TIMES AT LEAST 42" DEPTH UNDER PAVEMENT.

- ✓ PEDESTAL
- ✗ POWER POLE
- ✗ TRANSFORMER
- TELCO POLE
- ✗ JOINT TELCO AND POWER PLE

LEXINGTON SCDOT
RIGHT OF WAY PERMIT

3347 PLATT SPRINGS RD WEST COLUMBIA, SC 29170 PHONE: 803-251-5388	
SCALE: 1"=100'	APPROVED BY:
DATE: 8/15/2018	DRAWN BY: TRUENET
2210 BUSH RIVER RD - COMMERCIAL FIBER - JEREMY BENZEL	
LEXINGTON SCDOT	DRAWING NUMBER: TWC-1968

Berryhill Rd. (5-1551)

