

PERFORMANCE ACTIVITY 402

HERBICIDE APPLICATION

WORK DESCRIPTION 1	Total Vegetation Control
WORK DESCRIPTION 2	Brush
WORK DESCRIPTION 3	Trees
WORK DESCRIPTION 4	Broadleaf Weeds
WORK DESCRIPTION 5	Grassy Weeds
WORK DESCRIPTION 6	Turf

402 HERBICIDE APPLICATION

ACTIVITY DESCRIPTION

Apply herbicides to control undesirable vegetation.

WORK DESCRIPTION 1 Total Vegetation Control
WORK DESCRIPTION 2 Brush
WORK DESCRIPTION 3 Trees
WORK DESCRIPTION 4 Broadleaf Weeds
WORK DESCRIPTION 5 Grassy Weeds
WORK DESCRIPTION 6 Turf

TRAFFIC CONTROL

TWO-LANE TWO-WAY ROADWAYS

Utilize intermittent mobile operations for these work activities under the following conditions:

Condition 1 - The maximum time duration of a stop is 15 minutes if the work vehicle and/or the shadow vehicle encroach upon a travel lane more than 2 feet.

Condition 2 - The maximum time duration of a stop is 30 minutes if the work vehicle and/or the shadow vehicle encroach upon a travel lane 2 feet or less.

During intermittent mobile operations, utilize a shadow vehicle when the stopping sight distance interval between the work vehicle or road machinery and an approaching motorist is unavailable based upon the posted regulatory speed limit of the work location.

Flagging operations are required for work activities that cannot be conducted under the conditions required for intermittent mobile operations.

TYPICAL DRAWING APPLICATIONS

FLAGGING OPERATIONS

- | | | |
|----------------------------|---|---|
| DRAWING 405-01-A | - | FLAGGING OPERATIONS
MULTIPLE FLAGGERS
TWO-LANE TWO-WAY ROADWAYS
PRIMARY & SECONDARY ROUTES |
| DRAWING 405-01-B(1) | - | FLAGGING OPERATIONS
MULTIPLE FLAGGERS
TWO-LANE TWO-WAY ROADWAYS
PRIMARY & SECONDARY ROUTES
STOP SIGN CONTROLLED SIDE ROADS |
| DRAWING 405-01-B(2) | - | FLAGGING OPERATIONS
MULTIPLE FLAGGERS
TWO-LANE TWO-WAY ROADWAYS
PRIMARY & SECONDARY ROUTES
4-WAY STOP CONTROLLED INTERSECTION |
| DRAWING 405-01-C(1) | - | FLAGGING OPERATIONS
MULTIPLE FLAGGERS
TWO-LANE TWO-WAY ROADWAYS
PRIMARY & SECONDARY ROUTES
TRAFFIC SIGNAL CONTROLLED INTERSECTION
LAW ENFORCEMENT OFFICER(S) |
| DRAWING 405-01-C(2) | - | FLAGGING OPERATIONS
MULTIPLE FLAGGERS
TWO-LANE TWO-WAY ROADWAYS
PRIMARY & SECONDARY ROUTES
TRAFFIC SIGNAL CONTROLLED INTERSECTION
FLAGGERS |

- DRAWING 405-01-D(1)** - FLAGGING OPERATIONS
 MULTIPLE FLAGGERS
 TWO-LANE TWO-WAY ROADWAYS
 PRIMARY & SECONDARY ROUTES
 WORK ACTIVITY AREA
 BEGINNING at an
 INTERSECTION with a
 TWO-LANE TWO-WAY ROADWAY
 DEPARTURE LANE
- DRAWING 405-01-D(2)** - FLAGGING OPERATIONS
 MULTIPLE FLAGGERS
 TWO-LANE TWO-WAY ROADWAYS
 PRIMARY & SECONDARY ROUTES
 WORK ACTIVITY AREA
 TERMINATING at an
 INTERSECTION with a
 TWO-LANE TWO-WAY ROADWAY
 APPROACH LANE
- DRAWING 405-01-E(1)**
DRAWING 405-01-E(2) - FLAGGING OPERATIONS
 MULTIPLE FLAGGERS
 TWO-LANE TWO-WAY ROADWAYS
 PRIMARY & SECONDARY ROUTES
 WORK ACTIVITY AREA
 INTERSECTIONS with
 LOW SPEED
 < / = 35 MPH
 MULTILANE ROADWAYS
- DRAWING 405-01-F(1)**
DRAWING 405-01-F(2) - FLAGGING OPERATIONS
 MULTIPLE FLAGGERS
 TWO-LANE TWO-WAY ROADWAYS
 PRIMARY & SECONDARY ROUTES
 WORK ACTIVITY AREA
 INTERSECTIONS with
 INTERMEDIATE SPEED to HIGH SPEED
 40 MPH - 60 MPH
 MULTILANE ROADWAYS
- DRAWING 405-02** - FLAGGING OPERATIONS
 SINGLE FLAGGER OPERATION
 LOW VOLUME
 LOW SPEED TO INTERMEDIATE SPEED
 TWO-LANE TWO-WAY ROADWAYS
 PRIMARY & SECONDARY ROUTES

MOBILE OPERATIONS – INTERMITTENT

- DRAWING 535-01-A** - MOBILE OPERATIONS – INTERMITTENT
 STOPPING SIGHT DISTANCE
 VEHICLE TRAIN REQUIREMENTS
 VERTICAL CURVE (HILL)
- DRAWING 535-01-B** - MOBILE OPERATIONS – INTERMITTENT
 STOPPING SIGHT DISTANCE
 VEHICLE TRAIN REQUIREMENTS
 HORIZONTAL CURVE (CURVE)
- DRAWING 535-02-A** - MOBILE OPERATIONS – INTERMITTENT
 LOW VOLUME
 LOW SPEED
 PRIMARY & SECONDARY ROUTES

- DRAWING 535-02-B** - MOBILE OPERATIONS – INTERMITTENT
LOW VOLUME
INTERMEDIATE SPEED TO HIGH SPEED
PRIMARY & SECONDARY ROUTES
- DRAWING 535-03-A** - MOBILE OPERATIONS – INTERMITTENT
INTERMEDIATE VOLUME
LOW SPEED
PRIMARY & SECONDARY ROUTES
- DRAWING 535-03-B** - MOBILE OPERATIONS – INTERMITTENT
INTERMEDIATE VOLUME
INTERMEDIATE SPEED TO HIGH SPEED
PRIMARY & SECONDARY ROUTES
- DRAWING 535-04-A** - MOBILE OPERATIONS – INTERMITTENT
HIGH VOLUME
LOW SPEED
PRIMARY & SECONDARY ROUTES
- DRAWING 535-04-B** - MOBILE OPERATIONS – INTERMITTENT
HIGH VOLUME
LOW SPEED
INTERIOR TRAVEL LANE OPERATIONS
PRIMARY & SECONDARY ROUTES
- DRAWING 535-04-C** - MOBILE OPERATIONS – INTERMITTENT
HIGH VOLUME
INTERMEDIATE SPEED TO HIGH SPEED
PRIMARY & SECONDARY ROUTES

MULTILANE SECONDARY AND PRIMARY ROADWAYS

Utilize intermittent mobile operations for these work activities under the following conditions:

Condition 1 - The maximum time duration of a stop is 15 minutes if the work vehicle and/or the shadow vehicle encroach upon a travel lane more than 2 feet.

Condition 2 - The maximum time duration of a stop is 30 minutes if the work vehicle and/or the shadow vehicle encroach upon a travel lane 2 feet or less.

During intermittent mobile operations, utilize a shadow vehicle when the stopping sight distance interval between the work vehicle or road machinery and an approaching motorist is unavailable based upon the posted regulatory speed limit of the work location.

TYPICAL DRAWING APPLICATIONS

MOBILE OPERATIONS – INTERMITTENT

- DRAWING 535-01-A** - MOBILE OPERATIONS – INTERMITTENT
STOPPING SIGHT DISTANCE
VEHICLE TRAIN REQUIREMENTS
VERTICAL CURVE (HILL)
- DRAWING 535-01-B** - MOBILE OPERATIONS – INTERMITTENT
STOPPING SIGHT DISTANCE
VEHICLE TRAIN REQUIREMENTS
HORIZONTAL CURVE (CURVE)
- DRAWING 535-03-A** - MOBILE OPERATIONS – INTERMITTENT
INTERMEDIATE VOLUME
LOW SPEED
PRIMARY & SECONDARY ROUTES

- DRAWING 535-03-B** - MOBILE OPERATIONS – INTERMITTENT
INTERMEDIATE VOLUME
INTERMEDIATE SPEED TO HIGH SPEED
PRIMARY & SECONDARY ROUTES
- DRAWING 535-04-A** - MOBILE OPERATIONS – INTERMITTENT
HIGH VOLUME
LOW SPEED
PRIMARY & SECONDARY ROUTES
- DRAWING 535-04-B** - MOBILE OPERATIONS – INTERMITTENT
HIGH VOLUME
LOW SPEED
INTERIOR TRAVEL LANE OPERATIONS
PRIMARY & SECONDARY ROUTES
- DRAWING 535-04-C** - MOBILE OPERATIONS – INTERMITTENT
HIGH VOLUME
INTERMEDIATE SPEED TO HIGH SPEED
PRIMARY & SECONDARY ROUTES

INTERSTATE ROADWAYS

Utilize intermittent mobile operations for these work activities under the following conditions:

Condition 1 - The maximum time duration of a stop is 5 minutes if the work vehicle and/or the shadow vehicle encroach upon an adjacent travel lane due to a shoulder area inadequate to accommodate a vehicle in its entirety due to the presence of a concrete median barrier wall or a bridge parapet wall.

Condition 2 - The maximum time duration of a stop is 30 minutes if the vehicles remain in the shoulder areas in their entirety with no encroachment upon an adjacent travel lane.

During intermittent mobile operations, utilize a shadow vehicle when the stopping sight distance interval between the work vehicle or road machinery and an approaching motorist is unavailable based upon the posted regulatory speed limit of the work location.

TYPICAL DRAWING APPLICATIONS

MOBILE OPERATIONS – INTERMITTENT

- DRAWING 535-01-A** - MOBILE OPERATIONS – INTERMITTENT
STOPPING SIGHT DISTANCE
VEHICLE TRAIN REQUIREMENTS
VERTICAL CURVE (HILL)
- DRAWING 535-01-B** - MOBILE OPERATIONS – INTERMITTENT
STOPPING SIGHT DISTANCE
VEHICLE TRAIN REQUIREMENTS
HORIZONTAL CURVE (CURVE)
- DRAWING 535-04-D(1)** - MOBILE OPERATIONS – INTERMITTENT
HIGH VOLUME
HIGH SPEED
INTERSTATE ROUTES
- DRAWING 535-04-E** - MOBILE OPERATIONS – INTERMITTENT
HIGH VOLUME
HIGH SPEED
INTERIOR TRAVEL LANE OPERATIONS
INTERSTATE ROUTES