Google Maps Jasper Hwy



Image capture: Dec 2018 © 2019 Google

Hardeeville, South Carolina

Google

Street View - Dec 2018

GEOCALL V3

Tasks

- New
- Search
- Mapping
- Links

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?: ☐
Learn of SC811?:
Additional Info:
Damage/Emerg: ☐
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/25/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/12/2019 11:59:00 PM | 07/17/2019 11:59:00 PM

Member

- **Hargray formerly Bluffton Telephone Company**
  HRB222
  (843) 536-7203
  Telecommunications
- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications

Refresh | Draw Line



Layers

Lat: 32.31017 Long: -81.07409 part: 0.000 in || full: 0.247 mi

m-rwp

Work Area Notice: 360 Compliant Elapsed: 51:36 06/04/2019 10:

MM 8

GEOCALL V3
Tasks

- New
- Search
- Mapping
- Links

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

- Explosives
- Premark
- Drilling/Boring
- Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr:
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Member
Work Date & Time: 06/25/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/12/2019 11:59:00 PM | 07/17/2019 11:59:00 PM

Refresh | Draw Line



MM 8

Layers

Lat: 32.30789 Long: -81.06449 part: 0.000 in || full: 0.250 mi

m-rwp

Work Area Notice: 360 Compliant Elapsed: 45:47 06/04/2019 10:

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Mark-Save

GEOCALL V3
Tasks
New
Search
Mapping
Links

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:
Explosives
Premark
Drilling/Boring
Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr:
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/25/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/12/2019 11:59:00 PM | 07/17/2019 11:59:00 PM

Member
Hargray Telephone Company HRHZ01
HRHZ01
(843) 536-7203
Telecommunications

Refresh | Draw Line



Layers

Lat: 32.30209 Long: -81.06177 part: 0.000 in || full: 0.249 mi

m-rwp

Work Area Notice: 360 Compliant Elapsed: 31:40 06/04/2019 10:

MM 7-8

Overhead power line crossing. Vertical clearance should be OK, but confirm.

Google Maps Jasper Hwy



Image capture: Dec 2018 © 2019 Google

Hardeeville, South Carolina

Google

Street View - Dec 2018

Google Maps Jasper Hwy



Image capture: Dec 2018 © 2019 Google

Hardeeville, South Carolina

Google

Street View - Dec 2018

GEOCALL V3
Tasks
New
Search
Mapping
Links

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Negotiate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/25/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/12/2019 11:59:00 PM | 07/17/2019 11:59:00 PM

Member
Hargray Telephone Company HRHZ01
HRHZ01
(843) 536-7203
Telecommunications

Refresh | Draw Line



Layers

Lat: 32.29599 Long: -81.06625 part: 0.000 in || full: 0.250 mi

m-rwp

Work Area Notice: 360 Compliant Elapsed: 23:05 06/04/2019 10:

MM7

GEOCALL V3
Tasks
New
Search
Mapping
Links

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/25/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/12/2019 11:59:00 PM | 07/17/2019 11:59:00 PM

Member

Hargray Telephone Company HRHZ01
HRHZ01
(843) 536-7203
Telecommunications

Refresh | Draw Line



Layers

Lat: 32.29085 Long: -81.07027 part: 0.000 in || full: 0.249 mi

Work Area Notice: 360 Compliant Elapsed: 14:32 06/04/2019 10:

m-rwp

MM 7

GEOCALL V3
Tasks
New
Search
Mapping
Links

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/25/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/12/2019 11:59:00 PM | 07/17/2019 11:59:00 PM

Member

- **Beaufort Jasper Water and Sewer - BJW50**
  BJW50
  (843) 987-7953
  Sewer, Water
- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-2929
  Electric

Refresh | Draw Line

MM 6-7

Layers

Lat: 32.28689 Long: -81.07685 part: 0.000 in || full: 0.248 mi

m-rwp

Work Area Notice: 360 Compliant Elapsed: 9:20 06/04/2019 10:

GEOCALL V3
Tasks
New
Search
Mapping
Links

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?: ☐
Learn of SC811?:
Additional Info:
Damage/Emerg: ☐
If Yes How?:

Work Location

Type/Work: Design — DESIGN/ENGINEERING
Work Date & Time: 06/25/2019 — 11:59 PM
ST/County/City: SC — JASPER — Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/12/2019 11:59:00 PM — 07/17/2019 11:59:00 PM

Member

- **Beaufort Jasper Water and Sewer - BJW50**
  BJW50
  (843) 987-7953
  Sewer, Water
- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric
- **Time Warner Cable - Hilton Head**
  TWBZ51
  (843) 536-7203
  Cable

Refresh | Draw Line



Layers

Lat: 32.28373 Long: -81.08237 part: 0.000 in || full: 0.250 mi

Work Area Notice: 360 Compliant Elapsed: 9:58 06/04/2019 10:

m-rwp

MM 6

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

GEOCALL V3
Tasks
New
Search
Notification
Response
Mapping
Links
m-rwp

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

Explosives | Premark
Drilling/Boring | Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr:
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Beaufort Jasper Water and Sewer - BJW50**
  BJW50
  (843) 987-7953
  Sewer, Water
- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric

Refresh | Draw Line



MM 6

Overhead power line crossing

Layers | Lat: 32.28090 Long: -81.07241 part: 0.000 in || full: 0.250 mi

Work Area Notice: 360 Compliant Elapsed: 63:20 05/31/2019 02:

Google Maps Jasper Hwy

Image capture: Dec 2018 © 2019 Google

Hardeeville, South Carolina

Google

Street View - Dec 2018

Google Maps Jasper Hwy

Image capture: Dec 2018 © 2019 Google

Hardeeville, South Carolina

Google

Street View - Dec 2018

GEOCALL V3
Tasks
New
Search
Notification
Response

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:
Explosives | Premark
Drilling/Boring | Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr:
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Refresh | Draw Line

Member

- **Beaufort Jasper Water and Sewer - BJW50**
  BJW50
  (843) 987-7953
  Sewer, Water
- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric
- **South Carolina DOT - SCTD06**
  SCTD06
  (803) 609-9528
  Traffic

Windstream Commun. - WINZ08



Exit 5
MM 5-6

Layers

Lat: 32.27606 Long: -81.07901 part: 0.000 in || full: 0.250 mi

Mapping
Links
m-rwp

Work Area Notice: 360 Compliant Elapsed: 78:18 05/31/2019 02:

GEOCALL V3
Tasks
New
Search
Notification
Response

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

Explosives | Premark
Drilling/Boring | Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr:
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Beaufort Jasper Water and Sewer - BJW50**
  BJW50
  (843) 987-7953
  Sewer, Water
- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric
- **South Carolina DOT - SCTD06**
  SCTD06
  (803) 609-9528
  Traffic

Windstream Commun. - WINZ08

Refresh | Draw Line



Exit 5
MM 5-6

Layers

Lat: 32.27664 Long: -81.07575 part: 0.000 in || full: 0.249 mi

Mapping
Links
mi-rwp

Work Area Notice: 360 Compliant Elapsed: 74:42 05/31/2019 02:

GEOCALL V3
Tasks
New
Search
Notification
Response

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Beaufort Jasper Water and Sewer - BJW50**
  BJW50
  (843) 987-7953
  Sewer, Water
- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric
- **South Carolina DOT - SCTD06**
  SCTD06
  (803) 609-9528
  Traffic

Windstream Commun. - WINZ08

Refresh | Draw Line



Layers

Lat: 32.27454 Long: -81.07773 part: 0.000 in || full: 0.250 mi

Mapping
Links
m-rwp

Work Area Notice: 360 Compliant Elapsed: 71:13 05/31/2019 02:

GEOCALL V3
Tasks
New
Search
Notification
Response
Mapping
Links
m-nwp

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:
Explosives
Premark
Drilling/Boring
Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr:
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Beaufort Jasper Water and Sewer - BJW50**
  BJW50
  (843) 987-7953
  Sewer, Water
- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric
- **South Carolina DOT - SCTD06**
  SCTD06
  (803) 609-9528
  Traffic

Refresh | Draw Line



Layers

Lat: 32.27270 Long: -81.09233 part: 0.000 in || full: 0.247 mi

Work Area Notice: 360 Compliant Elapsed: 67:20 05/31/2019 02:

MM 5

Overhead power line crossing

GEOCALL V3
Tasks
New
Search
Notification
Response

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

Explosives | Premark
Drilling/Boring | Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr:
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric
- **South Carolina DOT - SCTD06**
  SCTD06
  (803) 609-9528
  Traffic

Refresh | Draw Line



MM5

Layers

Lat: 32.26766 Long: -81.08841 part: 0.000 in || full: 0.250 mi

Mapping
Links
m-rwp

Work Area Notice: 360 Compliant Elapsed: 60:02 05/31/2019 02:

GEOCALL V3
Tasks
New
Search
Notification
Response

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Hargray formerly Bluffton Telephone Company**
  HRB222
  (843) 536-7203
  Telecommunications
- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **South Carolina DOT - SCTD06**
  SCTD06
  (803) 609-9528
  Traffic

Refresh | Draw Line



MM 4

Layers

Lat: 32.26772 Long: -81.09469 part: 0.000 in || full: 0.250 mi

Mapping
Links
m-rwp

Work Area Notice: 360 Compliant Elapsed: 55:59 05/31/2019 02:

GEOCALL V3
Tasks
New
Search
Notification
Response

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Hargray formerly Bluffton Telephone Company**
  HRB222
  (843) 536-7203
  Telecommunications
- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **Palmetto Electric Cooperative - Ridgeland**
  PER53
  (843) 726-9626
  Electric
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric

SCDOT - SCTD06 803-609-9528

Refresh | Draw Line



MM 4

Layers

Lat: 32.26406 Long: -81.08395 part: 0.000 in || full: 0.248 mi

Mapping
Links
m-rwp

Work Area Notice: 360 Compliant Elapsed: 51:51 05/31/2019 02:

GEOCALL V3
Tasks
New
Search
Notification
Response

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Duplicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **Palmetto Electric Cooperative - Ridgeland**
  PER53
  (843) 726-9626
  Electric
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric
- **South Carolina DOT - SCTD06**
  SCTD06
  (803) 609-9528
  Traffic

Refresh | Draw Line



Layers

Lat: 32.26388 Long: -81.10011 part: 0.000 in || full: 0.248 mi

Mapping
Links
m-rwp

Work Area Notice: 360 Compliant Elapsed: 50:23 05/31/2019 02:

MM 4

GEOCALL V3
Tasks
New
Search
Notification
Response

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **Palmetto Electric Cooperative - Ridgeland**
  PER53
  (843) 726-9626
  Electric
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric
- **South Carolina DOT - SCTD06**
  SCTD06
  (803) 609-9528
  Traffic

Refresh | Draw Line



MM 4

Layers

Lat: 32.25746 Long: -81.09943 part: 0.000 in || full: 0.248 mi

Mapping
Links
m-rwp

Work Area Notice: 360 Compliant Elapsed: 46:18 05/31/2019 02:

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

GEOCALL V3
Tasks
New
Search
Notification
Response

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Beaufort Jasper Water and Sewer - BJWS0**
  BJWS0
  (843) 987-7953
  Sewer, Water
- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **Palmetto Electric Cooperative - Ridgeland**
  PERS3
  (843) 726-9626
  Electric
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric

Refresh | Draw Line



MM 3-4

Layers

Lat: 32.25750 Long: -81.09917 part: 0.000 in || full: 0.247 mi

Mapping
Links
m-rwp

Work Area Notice: 360 Compliant Elapsed: 43:05 05/31/2019 02:

GEOCALL V3
Tasks
New
Search
Notification
Response

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **Palmetto Electric Cooperative - Ridgeland**
  PER53
  (843) 726-9626
  Electric
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric

Refresh | Draw Line



MM 3

Layers

Lat: 32.25160 Long: -81.12481 part: 0.000 in || full: 0.247 mi

Mapping
Links
m-rwp

Work Area Notice: 360 Compliant Elapsed: 42:9 05/31/2019 02:

GEOCALL V3
Tasks
New
Search
Notification
Response

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:
Explosives | Premark
Drilling/Boring | Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr:
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Refresh | Draw Line

Member

- **Hargray formerly Bluffton Telephone Company**
  HRBZ22
  (843) 536-7203
  Telecommunications
- **Hargray Telephone Company HRHZ01**
  HRHZ01
  (843) 536-7203
  Telecommunications
- **Palmetto Electric Cooperative - Ridgeland**
  PER53
  (843) 726-9626
  Electric
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric



MM 3

Mapping
Links
m-rwp

Layers

Lat: 32.25838 Long: -81.11595 part: 0.000 in || full: 0.248 mi

Work Area Notice: 360 Compliant Elapsed: 39:17 05/31/2019 02:

GEOCALL V3
Tasks
New
Search
Notification
Response

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Hargray formerly Bluffton Telephone Company**
  HRB222
  (843) 536-7203
  Telecommunications
- **Palmetto Electric Cooperative - Ridgeland**
  PER53
  (843) 726-9626
  Electric
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric

Refresh | Draw Line



MM 2

Layers

Lat: 32.25473 Long: -81.12324 part: 0.000 in || full: 0.247 mi

Mapping
Links
m-rwp

Work Area Notice: 360 Compliant Elapsed: 17:51 05/31/2019 02:

GEOCALL V3
Tasks
New
Search
Notification
Response

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Palmetto Electric Cooperative - Ridgeland**
  PERS3
  (843) 726-9626
  Electric
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric

Refresh | Draw Line



MM 2

Layers

Lat: 32.25347 Long: -81.12340 part: 0.000 in || full: 0.247 mi

Mapping
Links
m-rwp

Work Area Notice: 360 Compliant Elapsed: 17:15 05/31/2019 02:

GEOCALL V3
Tasks
New
Search
Notification
Response

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Mail-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Palmetto Electric Cooperative - Ridgeland**
  PER53
  (843) 726-9626
  Electric
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric

Refresh | Draw Line



Layers

Lat: 32.24933 Long: -81.13298 part: 0.000 in || full: 0.247 mi

Mapping
Links
m-rwp

Work Area Notice: 360 Compliant Elapsed: 05:30 05/31/2019 02:

MM 2

GEOCALL V3
Tasks
New
Search
Notification
Response
Mapping
Links
m-rwp

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:
Explosives
Premark
Drilling/Boring
Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr:
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Palmetto Electric Cooperative - Ridgeland**
  PERS3
  (843) 726-9626
  Electric
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric

Refresh | Draw Line



MM 1

Layers

Lat: 32.24915 Long: -81.13972 part: 0.000 in || full: 0.249 mi

Work Area Notice: 360 Compliant Elapsed: 04:44 05/31/2019 02:

GEOCALL V3
Tasks
New
Search
Notification
Response
Mapping
Links
m-rwp

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:

☐ Explosives ☐ Premark
☐ Drilling/Boring ☐ Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr: ☐
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Palmetto Electric Cooperative - Ridgeland**
  PERS3
  (843) 726-9626
  Electric
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric

Refresh | Draw Line



Layers

Lat: 32.24445 Long: -81.15482 part: 0.000 in || full: 0.250 mi

Work Area Notice: 360 Compliant Elapsed: 04:23 05/31/2019 02:

MM 1

GEOCALL V3
Tasks
New
Search
Notification
Response
Mapping
Links
m-rwp

Welcome | Ticket

Save and Close | Save | Add Member | Remove Work Information | Secondary Action | Replicate | Action | View | Web Maps | Multi-Save

Caller Information

Phone:
Company Name:
Address:
City/State/Zip: SC
Fax:
Type: Select a type...
Source: Remote
Copy To: Fax Email

Caller

Name:
Phone:
Email:

Site Contact

Name:
Phone:
Email:
Callback:

Done By:
Duration:
Explosives
Premark
Drilling/Boring
Near RailRoad

Custom

Subdivision:
Done For:
Addr In Instr:
First Time Caller?:
Learn of SC811?:
Additional Info:
Damage/Emerg:
If Yes How?:

Work Location

Type/Work: Design | DESIGN/ENGINEERING
Work Date & Time: 06/21/2019 | 11:59 PM
ST/County/City: SC | JASPER | Select a city...
Address:
Intersection:
Directions / Instructions:
Remarks:
Update/Expires: 07/10/2019 11:59:00 PM | 07/15/2019 11:59:00 PM

Member

- **Palmetto Electric Cooperative - Ridgeland**
  PER53
  (843) 726-9626
  Electric
- **SCEG Electric - SCEDZ65**
  SCEDZ65
  (803) 791-3929
  Electric

Refresh | Draw Line



MM 1

Layers

Lat: 32.24255 Long: -81.14972 part: 0.000 in || full: 0.249 mi

Work Area Notice: 360 Compliant Elapsed: 02:07 05/31/2019 02:

PROJECT SCOPING REPORT
I-95 Widening MP 0-18 (ROUTE I-95)
PROJECT ID #PO38678

☒ Draft for Review	☐ Final for Signature	☐ Scope Amendment #

Proposed Project Limits	
Description	Interstate widening from MP 0 to MP 18.5
Termini	Georgia State Line to Just south of Pedestrian overpass approximately MP 18.5
Mile Points	0.000 to 18.5
Project Length	18.5 miles

General Project Information	
Work Type	Roadway Widening
Program Category	INTERSTATE
Construction Funding FY	2023
Project Type	Interstate Widening
City or Cities/Townships	
County or Counties	Jasper County
Project Sponsors/Agencies	SCDOT

PROJECT PURPOSE & NEED:

- **NEED STATEMENT FOR PROJECT:**
- **PURPOSE STATEMENT OF PROJECT:** .Increase capacity and mobility along I-95 from Georgia State Line to Approximately Exit 18

Planning Estimate/Available Funds		
Preliminary Engineering Estimate:	$	**Total Project Cost Estimate: $_____**
Environmental Estimate:	$	
Right of Way Estimate:	$	
Utility Relocation Estimate:	$	
Construction Estimate:	$	
Construction Eng. & Inspection Est:	$	

EXISTING CONDITIONS:	
Setting:	☐ Urban ☒ Rural
Lanes:	☐ 2 ☐ 3+ Undivided ☐ 4+ Undivided ☒ Freeway ☐ Other:
Shoulder:	Inside 10' total-2' paved, Outside 12' total-10' paved
Existing R/W Width:	
Functional Class:	☐ Principal Arterial ☐ Minor Arterial ☐ Collector
Terrain:	☐ Level ☐ Rolling ☐ Rough
Design Speed:	70 mph
Posted Speed:	70 mph
Traffic Volume: Current ADT:	vpd based on ☐ actual counts ☐ traffic map
Pavement Quality Index:	dated
Accident History:	
Bicycle Infrastructure	☐ Yes ☒ No Type:
Designated Bicycle Route?	☐ Yes ☒ No
Accessible Pedestrian Infrastructure	☐ Yes ☒ No Type:
Railroad in Project Termini?	☒ Yes ☒ No Location:
Existing Bridge ID:	See additional bridge information
Bridge Sufficiency Rating:	See additional bridge information
Other:	

ENVIRONMENTAL:

Environmental Site Overview – Coordinate with Environmental Office for preliminary assessment of GIS survey to identify any areas of concern that should be evaluated in more detail at the scoping meeting.	
Wetlands/Waters of the US?	☒ Yes ☐ No
303(d) Impaired Waters?	☐ Yes ☐ No
JD Anticipated?	☒ Yes ☐ No
Cultural Resources?	☐ Yes ☒ No
4F Properties?	☒ Yes ☐ No
UST/Hazardous Materials?	☐ Yes ☒ No

Endangered Species?	☐ Yes ☐ No
Critical Habitat?	☐ Yes ☐ No
Floodplains?	☒ Yes ☐ No
Farmlands?	☐ Yes ☒ No
Local Land Use?	
Noise Study Anticipated?	☒ Yes ☐ No
Permits Anticipated?	☒ Yes ☐ No Type: GP
Public Involvement Anticipated?	☒ Yes ☐ No Type:

Environmental Document: ☐ Exempt ☐ Programmatic Categorical Exclusion ☒ EA ☐ EIS

UTILITIES:

Utility Site Overview – Coordinate with Utility Coordinator for preliminary assessment of utilities survey to identify any areas of concern that should be evaluated in more detail at the scoping meeting.	
811 Ticket submitted?	☐ YES ☒ NO
Utilities on site?	☒ Overhead Electric ☒ Underground Electric ☒ Transmission Line ☒ Water ☒ Sewer ☒ Gas ☒ Telephone ☒ Cable ☒ Other: ITS
Impacts Anticipated?	☒ YES ☐ NO
Details:	Crossing utilities
Prior Rights Anticipated?	☒ YES ☐ NO
Ballpark Costs?	unknown
SUE Necessary?	☒ YES ☐ NO
SUE Level Recommended?	☐ A ☒ B ☒ C ☒ D
Railroad located in vicinity?	☒ YES ☒ NO RR Company:CSX
Railroad Coordination?	☒ YES ☐ NO Ballpark Costs:$250,000
Other Issues:	

RIGHT OF WAY:

ROW Site Overview – Coordinate with the ROW Office for preliminary assessment of project site to identify any areas of concern that should be evaluated in more detail at the scoping meeting.	
New ROW anticipated?	☒ Yes ☐ No
Permissions anticipated?	☐ Yes ☐ No
Construction Access Needs or Concerns?	
Land Use Types?	☐ Residential ☐ Commercial ☐ Agricultural
Relocations Anticipated?	☒ Yes ☐ No Type: interchanges
Moving Items/Impacts noted on the site?	☐ Signs ☐ Landscaping ☐ Fences/Gates
Special Considerations?	
Other Issues:	

Business Impacts
Will any businesses have access, parking, or visibility impaired as a result of project construction work? ☒ Yes ☐ No

LOCAL INVOLVEMENT:

Municipal Consent
Does the project fall within city limits? ☒ Yes ☐ No
If yes, does the project

- Alter access? ☐ Yes ☒ No
- Increase or reduce traffic capacity? ☐ Yes ☒ No

Maintenance Agreement
Does the project include enhancement items That require long term maintenance? ☐ Yes ☒ No

PROPOSED PROJECT ELEMENTS:

Project Improvement Type:

- ☐ Enhancement
- ☐ Intersection Improvement
- ☐ Roadway New Construction/Reconstruction
- ☒ Interstate/Interchange
- ☐ Bridge Project
- ☐ Other: _____

☐ NHS ☐ Non-NHS

PROPOSED IMPROVEMENTS:	
Safety Issues Observed at the site?	☒ YES ☐ NO
Details:	Median widths
Proposed Lanes:	☐ 2 ☐ 3+ Undivided ☐ 4+ Undivided ☐ 5 ☒ Other: 6 lane divided
Proposed Lane Widths:	12’
Proposed Shoulder Widths:	Inside 10’-4’ paved, Outside 12’-10’ paved
Proposed New R/W Width:	
Traffic Maintenance:	☒ Maintain ☐ Detour ☐ Lane Closures
Pedestrian Accommodations?	☐ Yes ☒ No Type: Sidewalk
Bicycle Accommodations?	☐ Yes ☒ No Type:
Drainage Proposed?	☒ closed drainage ☒ open system
Signals included in Project?	☐ YES ☒ NO ☐ Replace Signal with String Wire & Poles ☐ Replace Signal with Mast Arms
Traffic Improvements Recommended?	
Other:	

WORK ITEMS CONSIDERED BUT REJECTED:

COMMITMENTS MADE (To Whom):

ATTACHMENTS:

PROJECT LOCATION/SCOPING MAP

[USER NOTE: Attach a map of the location.]

SCOPING MEETING ATTENDEE LIST

[USER NOTE: Attach typical section.]

TYPICAL SECTION

[USER NOTE: Attach typical section.]

SCOPING WORKSHEETS

[USER NOTE: Attach Scoping Worksheets.]

PROJECT PHOTOS

[USER NOTE: Attach Project Charter.]

PROJECT RISK REGISTER

[USER NOTE: Attach Risk Register.]

CHANGE REQUEST FORM (as required)

[USER NOTE: Attach Change Request Form.]

RECOMMENDED BY:

_____ _____

, Project Manager Date

APPROVED BY:

_____ _____

, Design Manager Date

FED. RD. DIV. NO.	STATE	COUNTY	PROJECT ID	ROAD/ROUTE NO.	SHEET NO.
3	S.C.	JASPER		I-95	3

TYPICAL SECTION OF IMPROVEMENT
SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
COLUMBIA, S.C.



USE THIS SECTION I-95
APPROXIMATE MILE MARKERS
5.0 TO 8.5 & 16.0 TO 18.0

• ADD 3.75' WHERE GUARDRAIL IS TO BE UTILIZED

⊗ NOTE:
THIS SLOPE MAY BE VARIED WHEN A DEEPER DITCH IS NECESSARY FOR DRAINAGE PURPOSES, USING A MINIMUM SLOPE OF 12:1 AND A MAXIMUM SLOPE OF 4:1. WHERE A DEEPER DITCH THAN PROVIDED BY A 4:1 IS NECESSARY, THE DITCH SHALL BE PLACED FARTHER FROM THE ℄ CONTINUING THE 4:1 SLOPE TO PROVIDE FOR THE NECESSARY DEPTH. SEE PROFILE FOR THE SPECIAL DITCH GRADES.

LEGEND

1 NEW PAVEMENT (BUILD-UP/OVERLAY)
2 NEW PAVEMENT (FULL DEPTH)
3 RETAIN EXISTING PAVEMENT IN PLACE

RTE. DESIGN SPEED		
MPH	FROM STA.	TO STA.
70		
EXCEPTIONS TO DESIGN SPEED		

PAVEMENT DESIGN

SOUTH CAROLINA
DEPARTMENT OF TRANSPORTATION
ROAD DESIGN COLUMBIA, S.C.

TYPICAL SECTION

SCALE 1"V= NTS SCALE 1"H= NTS RTE./RD. I-95

$$user$$
$$$$$$path$$$$$$$$filename$$$$$$$$
$$$$date$$$$

sctyp.dgn

FED. RD. DIV. NO.	STATE	COUNTY	PROJECT ID	ROAD/ROUTE NO.	SHEET NO.
3	S.C.	JASPER		I-95	3A

TYPICAL SECTION OF IMPROVEMENT
SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
COLUMBIA, S.C.



USE THIS SECTION I-95
TRANSITION BETWEEN BARRIER WALL &
CABLE MEDIAN BARRIER

ADD 3.75' WHERE GUARDRAIL IS TO BE UTILIZED

NOTE:
THIS SLOPE MAY BE VARIED WHEN A DEEPER DITCH IS NECESSARY FOR DRAINAGE PURPOSES, USING A MINIMUM SLOPE OF 12:1 AND A MAXIMUM SLOPE OF 4:1. WHERE A DEEPER DITCH THAN PROVIDED BY A 4:1 IS NECESSARY, THE DITCH SHALL BE PLACED FARTHER FROM THE ℄ CONTINUING THE 4:1 SLOPE TO PROVIDE FOR THE NECESSARY DEPTH. SEE PROFILE FOR THE SPECIAL DITCH GRADES.

LEGEND

1 NEW PAVEMENT (BUILD-UP/OVERLAY)

2 NEW PAVEMENT (FULL DEPTH)

3 RETAIN EXISTING PAVEMENT IN PLACE

RTE.	DESIGN SPEED	
MPH	FROM STA.	TO STA.
70		
EXCEPTIONS TO DESIGN SPEED		

PAVEMENT DESIGN

SOUTH CAROLINA
DEPARTMENT OF TRANSPORTATION
ROAD DESIGN COLUMBIA, S.C.

TYPICAL SECTION

SCALE 1"V= NTS SCALE 1"H= NTS RTE./RD. I-95

$$user$$
$$$$$$paths$$$$$$$$filename$$$$$$$$
$$$$date$$$$

sctypl.dgn

FED. RD. DIV. NO.	STATE	COUNTY	PROJECT ID	ROAD/ROUTE NO.	SHEET NO.
3	S.C.	JASPER		I-95	3B

TYPICAL SECTION OF IMPROVEMENT
SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
COLUMBIA, S.C.



USE THIS SECTION I-95
APPROXIMATE MILE MARKERS
0.0 TO 5.0 & 8.5 TO 16.0

• ADD 3.75' WHERE GUARDRAIL IS TO BE UTILIZED

⊗ NOTE:
THIS SLOPE MAY BE VARIED WHEN A DEEPER DITCH IS NECESSARY FOR DRAINAGE PURPOSES. USING A MINIMUM SLOPE OF 12:1 AND A MAXIMUM SLOPE OF 4:1. WHERE A DEEPER DITCH THAN PROVIDED BY A 4:1 IS NECESSARY, THE DITCH SHALL BE PLACED FARTHER FROM THE ℄ CONTINUING THE 4:1 SLOPE TO PROVIDE FOR THE NECESSARY DEPTH. SEE PROFILE FOR THE SPECIAL DITCH GRADES.

LEGEND

1 NEW PAVEMENT (BUILD-UP/OVERLAY)

2 NEW PAVEMENT (FULL DEPTH)

3 RETAIN EXISTING PAVEMENT IN PLACE

RTE.	DESIGN SPEED	
MPH	FROM STA.	TO STA.
70		
EXCEPTIONS TO DESIGN SPEED		

PAVEMENT DESIGN

SOUTH CAROLINA
DEPARTMENT OF TRANSPORTATION
ROAD DESIGN COLUMBIA, S.C.

TYPICAL SECTION

SCALE 1"V= NTS SCALE 1"H= NTS RTE./RD. I-95

$$user$$
$$$$$$paths$$$$$$$$filename$$$$$$$$
$$$$date$$$$

sctypl.dgn

FED. RD. DIV. NO.	STATE	COUNTY	PROJECT ID	ROAD/ROUTE NO.	SHEET NO.
3	S.C.	JASPER		I-95	3

TYPICAL SECTION OF IMPROVEMENT
SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
COLUMBIA, S.C.



USE THIS SECTION I-95
APPROXIMATE MILE MARKERS
5.0 TO 8.5 & 16.0 TO 18.0

• ADD 3.75' WHERE GUARDRAIL IS TO BE UTILIZED

⊗ NOTE:
THIS SLOPE MAY BE VARIED WHEN A DEEPER DITCH IS NECESSARY FOR DRAINAGE PURPOSES, USING A MINIMUM SLOPE OF 12:1 AND A MAXIMUM SLOPE OF 4:1. WHERE A DEEPER DITCH THAN PROVIDED BY A 4:1 IS NECESSARY, THE DITCH SHALL BE PLACED FARTHER FROM THE ℄ CONTINUING THE 4:1 SLOPE TO PROVIDE FOR THE NECESSARY DEPTH. SEE PROFILE FOR THE SPECIAL DITCH GRADES.

LEGEND

1 NEW PAVEMENT (BUILD-UP/OVERLAY)
2 NEW PAVEMENT (FULL DEPTH)
3 RETAIN EXISTING PAVEMENT IN PLACE

RTE. DESIGN SPEED		
MPH	FROM STA.	TO STA.
70		
EXCEPTIONS TO DESIGN SPEED		

PAVEMENT DESIGN

SOUTH CAROLINA
DEPARTMENT OF TRANSPORTATION
ROAD DESIGN COLUMBIA, S.C.

TYPICAL SECTION

SCALE 1"V= NTS SCALE 1"H= NTS RTE./RD. I-95

$$user$$
$$$$$$path$$$$$$$$filename$$$$$$$$
$$$$date$$$$

sctyp.dgn

FED. RD. DIV. NO.	STATE	COUNTY	PROJECT ID	ROAD/ROUTE NO.	SHEET NO.
3	S.C.	JASPER		I-95	3B

TYPICAL SECTION OF IMPROVEMENT
SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
COLUMBIA, S.C.



USE THIS SECTION I-95
APPROXIMATE MILE MARKERS
0.0 TO 5.0 & 8.5 TO 16.0

• ADD 3.75' WHERE GUARDRAIL IS TO BE UTILIZED

⊗ NOTE:
THIS SLOPE MAY BE VARIED WHEN A DEEPER DITCH IS NECESSARY FOR DRAINAGE PURPOSES. USING A MINIMUM SLOPE OF 12:1 AND A MAXIMUM SLOPE OF 4:1. WHERE A DEEPER DITCH THAN PROVIDED BY A 4:1 IS NECESSARY, THE DITCH SHALL BE PLACED FARTHER FROM THE ℄ CONTINUING THE 4:1 SLOPE TO PROVIDE FOR THE NECESSARY DEPTH. SEE PROFILE FOR THE SPECIAL DITCH GRADES.

LEGEND

1 NEW PAVEMENT (BUILD-UP/OVERLAY)

2 NEW PAVEMENT (FULL DEPTH)

3 RETAIN EXISTING PAVEMENT IN PLACE

RTE.	DESIGN SPEED	
MPH	FROM STA.	TO STA.
70		
EXCEPTIONS TO DESIGN SPEED		

PAVEMENT DESIGN

SOUTH CAROLINA
DEPARTMENT OF TRANSPORTATION
ROAD DESIGN COLUMBIA, S.C.

TYPICAL SECTION

SCALE 1"V= NTS SCALE 1"H= NTS RTE./RD. I-95

$$user$$
$$$$$$paths$$$$$$$$filename$$$$$$$$
$$$$date$$$$

sctypl.dgn

FED. RD. DIV. NO.	STATE	COUNTY	PROJECT ID	ROAD/ROUTE NO.	SHEET NO.
3	S.C.	JASPER		I-95	3A

TYPICAL SECTION OF IMPROVEMENT
SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
COLUMBIA, S.C.



USE THIS SECTION I-95
TRANSITION BETWEEN BARRIER WALL &
CABLE MEDIAN BARRIER

ADD 3.75' WHERE GUARDRAIL IS TO BE UTILIZED

NOTE:
THIS SLOPE MAY BE VARIED WHEN A DEEPER DITCH IS NECESSARY FOR DRAINAGE PURPOSES, USING A MINIMUM SLOPE OF 12:1 AND A MAXIMUM SLOPE OF 4:1. WHERE A DEEPER DITCH THAN PROVIDED BY A 4:1 IS NECESSARY, THE DITCH SHALL BE PLACED FARTHER FROM THE ℄ CONTINUING THE 4:1 SLOPE TO PROVIDE FOR THE NECESSARY DEPTH. SEE PROFILE FOR THE SPECIAL DITCH GRADES.

LEGEND

1 NEW PAVEMENT (BUILD-UP/OVERLAY)

2 NEW PAVEMENT (FULL DEPTH)

3 RETAIN EXISTING PAVEMENT IN PLACE

RTE.	DESIGN SPEED	
MPH	FROM STA.	TO STA.
70		
EXCEPTIONS TO DESIGN SPEED		

PAVEMENT DESIGN

SOUTH CAROLINA
DEPARTMENT OF TRANSPORTATION
ROAD DESIGN COLUMBIA, S.C.

TYPICAL SECTION

SCALE 1"V= NTS SCALE 1"H= NTS RTE./RD. I-95

$$user$$
$$$$$$paths$$$$$$$$filename$$$$$$$$
$$$$date$$$$

sctypl.dgn

FED. RD. DIV. NO.	STATE	COUNTY	PROJECT ID	ROAD ROUTE NO.	SHEET NO.
3	S.C.	JASPER		I-95	3

TYPICAL SECTION OF IMPROVEMENT
SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
COLUMBIA, S.C.



USE THIS SECTION I-95
APPROXIMATE MILE MARKERS
5.0 TO 8.5 & 16.0 TO 18.0

* $12' - \frac{5}{2} = 9.5'$ clearance between inside lane + barrier wall.
* Column dia from old bridge plans
* barrier width estimated in google earth from other interstate widening projects.

*ADD 3.75' WHERE GUARDRAIL IS TO BE UTILIZED

⊗ NOTE:
THIS SLOPE MAY BE VARIED WHEN A DEEPER DITCH IS NECESSARY FOR DRAINAGE PURPOSES, USING A MINIMUM SLOPE OF 12:1 AND A MAXIMUM SLOPE OF 4:1. WHERE A DEEPER DITCH THAN PROVIDED BY A 4:1 IS NECESSARY, THE DITCH SHALL BE PLACED FARTHER FROM THE ℄ CONTINUING THE 4:1 SLOPE TO PROVIDE FOR THE NECESSARY DEPTH. SEE PROFILE FOR THE SPECIAL DITCH GRADES.

LEGEND

1. NEW PAVEMENT (BUILD-UP/OVERLAY)
2. NEW PAVEMENT (FULL DEPTH)
3. RETAIN EXISTING PAVEMENT IN PLACE

RTE.	DESIGN SPEED	
MPH	FROM STA.	TO STA.
70		
EXCEPTIONS TO DESIGN SPEED		

PAVEMENT DESIGN

SOUTH CAROLINA
DEPARTMENT OF TRANSPORTATION
ROAD DESIGN COLUMBIA, S.C.

TYPICAL SECTION

SCALE 1"V= NTS SCALE 1"H= NTS RTE./RD. I-95

$$user$$
$$$$$$pathsssssssssfilenamesssssss
$$$$date$$$$

sctypt.dgn

FEASIBILITY REPORT I-95 WIDENING FROM MM 0 – 18
NOTES AND RECOMMENDATIONS FOR ROADWAY ALTERNATIVES ANALYSIS

Several different mainline alternatives were initially considered for this project and are listed below.

- Alternative 1 - Widening both north and south bound lanes to the east
- Alternative 2 - Widening both north and south bound lanes to the west
- Alternative 3 - Widening both north and south bound lanes to the outside
- Alternative 4 - Widening both north and south bound lanes to the median.

These alternatives were reviewed to determine the most reasonable alternative. The factors below contributed to determining the most reasonable alternative.

- ROW/Environmental Impacts – A large portion of this alignment is located within wetlands and crosses many streams and the Savannah River. Environmental permitting could be problematic. Alternatives 1 through 3 would have the largest impacts for Environmental and ROW. Alternative 4 would have the least.
- Bridge Replacement Alternatives Analysis – It was determined during this analysis that all mainline bridges would be replaced with new wider structures, instead of widening the existing structures. Currently the I-95 north and south bound bridges over SC 46 are being replaced with a single wider bridge. This project is located just north of exit 5, which is within the boundaries of this feasibility study. The proposed bridge cross section for this project was used to determine that there is enough room in the median at the remaining bridges within the boundaries of this feasibility study for a similar approach. Alternative 4 is most suited for this type of bridge replacement. Alternatives 1 through 3 would likely require two new separate bridges.
- Existing Median Width – The existing median is wide enough to accommodate Alternative 4, but most of the median would require cable barrier and approx. 5.5 miles of the alignment would require barrier wall and closed drainage. Barrier wall and closed drainage would not be required for alternatives 1 through 3.
- Existing Overpasses – It was recommended during the Bridge Replacement Alternatives Analysis that the existing overpasses not be included in this project, since the existing overpasses meet the minimum for vertical clearance, with room for additional overlay, and were in acceptable condition. Currently there is enough room in the median beneath the overpasses to accommodate alternative 4 if a 12 foot inside shoulder is not maintained. An inside shoulder of 4 foot or more could be maintained. There is not enough width beneath the overpasses to accommodate alternatives 1 through 3.

Summary and Conclusion

Based on the factors described above, alternative 4 is the most reasonable alternative. This alternative will minimize environmental impacts and greatly reduce ROW requirements, while also supporting the mainline bridges being replaced with a single wider bridge to carry both north and south bound lanes. Overpasses will not need to be replaced just to accommodate the additional lanes and the amount of barrier wall required is minimal when compared to the reduction in Environmental impacts, required ROW, and construction for overpass bridges.

I-95 WIDENING FROM MM 0 – 18 FEASIBILITY REPORT SCOPING MEETING
RECOMMENDATIONS FOR MAINLINE AND OVERPASS BRIDGES

A meeting was held on Monday, July 15 between Preconstruction, Maintenance, and Construction personnel to determine recommendations to provide to the PDT for the following:

- Should existing mainline bridges be widened or replaced.
- Should existing overpasses be jacked or replaced if needed, or not included as part of this project.

Mainline Bridges

The following options were evaluated for replacement/widening.

Option 1 Replace all bridges bringing them up to current design standards.

STRUCTURE #	BRIDGE DESCRIPTION	Replace/Widen
2710009510100	GA/SC Line	Replace
2710009530100	GA/SC Line	Replace
2710009510200	Savannah Overflow	Replace
2710009530200	Savannah Overflow	Replace
2710009510300	Sand Island Swamp	Replace
2710009530300	Sand Island Swamp	Replace
2710009510400	S.C.L. Railroad	Replace
2710009530400	S.C.L. Railroad	Replace
2710009530500	SC 46	under contract
2710009510500	SC 46	under contract
2710009530700	Bahama Swamp	Replace
2710009510700	Bahama Swamp	Replace
2710009530800	Bagshaw Swamp	under contract
2710009510800	Bagshaw Swamp	Replace
2710009530900	Great Swamp	Replace
2710009510900	Great Swamp	Replace

Replace with widened structure: **13** Bridges
Widen existing structure: **0** Bridges

Option 2 Replace all bridges with a condition rating of 5 or less for the deck, superstructure, or substructure. Also include parallel bridge if adjacent structure is being replaced.

		Replace/Widen	
STRUCTURE #	**BRIDGE DESCRIPTION**	**<= 5**	**Parallel**
2710009510100	GA/SC Line	Replace	Replace
2710009530100	GA/SC Line	Replace	Replace
2710009510200	Savannah Overflow	**Widen**	**Widen**
2710009530200	Savannah Overflow	**Widen**	**Widen**
2710009510300	Sand Island Swamp	**Widen**	Replace
2710009530300	Sand Island Swamp	Replace	Replace
2710009510400	S.C.L. Railroad	Replace	Replace
2710009530400	S.C.L. Railroad	Replace	Replace
2710009530500	SC 46	under contract	
2710009510500	SC 46	under contract	
2710009530700	Bahama Swamp	Replace	Replace
2710009510700	Bahama Swamp	Replace	Replace
2710009530800	Bagshaw Swamp	under contract	
2710009510800	Bagshaw Swamp	Replace	Replace
2710009530900	Great Swamp	**Widen**	**Widen**
2710009510900	Great Swamp	**Widen**	**Widen**

Replace with widened structure: **9** Bridges
Widen existing structure: **4** Bridges

Option 3 Only replace bridges with a condition rating of 5 or less for the superstructure or substructure. (This option is in place to consider deck rehabs.)

STRUCTURE #	BRIDGE DESCRIPTION	Replace/Widen
2710009510100	GA/SC Line	Replace
2710009530100	GA/SC Line	Replace
2710009510200	Savannah Overflow	**Widen**
2710009530200	Savannah Overflow	**Widen**
2710009510300	Sand Island Swamp	**Widen**
2710009530300	Sand Island Swamp	Replace
2710009510400	S.C.L. Railroad	Replace
2710009530400	S.C.L. Railroad	Replace
2710009530500	SC 46	under contract
2710009510500	SC 46	under contract
2710009530700	Bahama Swamp	**Widen**
2710009510700	Bahama Swamp	Replace
2710009530800	Bagshaw Swamp	under contract
2710009510800	Bagshaw Swamp	Replace
2710009530900	Great Swamp	**Widen**
2710009510900	Great Swamp	**Widen**

Replace with widened structure: **7** Bridges
Widen existing structure: **6** Bridges

Summary				
STRUCTURE #	**BRIDGE DESCRIPTION**	**Option 1**	**Option 2**	**Option 3**
2710009510100	GA/SC Line	Replace	Replace	Replace
2710009530100	GA/SC Line	Replace	Replace	Replace
2710009510200	Savannah Overflow	Replace	**Widen**	**Widen**
2710009530200	Savannah Overflow	Replace	**Widen**	**Widen**
2710009510300	Sand Island Swamp	Replace	Replace	**Widen**
2710009530300	Sand Island Swamp	Replace	Replace	Replace
2710009510400	S.C.L. Railroad	Replace	Replace	Replace
2710009530400	S.C.L. Railroad	Replace	Replace	Replace
2710009530500	SC 46	under contract		
2710009510500	SC 46	under contract		
2710009530700	Bahama Swamp	Replace	Replace	**Widen**
2710009510700	Bahama Swamp	Replace	Replace	Replace
2710009530800	Bagshaw Swamp	under contract		
2710009510800	Bagshaw Swamp	Replace	Replace	Replace
2710009530900	Great Swamp	Replace	**Widen**	**Widen**
2710009510900	Great Swamp	Replace	**Widen**	**Widen**

Recommendation for Mainline Bridges

- Option 3 should not be considered due to constructability and MOT issues associated with deck replacements on interstate bridges. These same issues are associated with trying to replace one bridge in a set of parallel bridges.

- Option 2 could be considered. Both bridges over the Great Swamp and Savannah Overflow are in overall good condition (condition ratings are 6 or better for all 4 bridges). However, these bridges are currently between 44 and 53 years old. The design life for all four bridges will likely be exceeded prior to or during the construction of this project. This will require additional construction not long after this project is complete.

- Based on the issues stated above, Option 1 is our recommendation to the PDT. By proceeding with Option 1, all bridges are brought up to current specs (including seismic design), costly constructability and MOT issues are reduced, and additional construction will not be required soon after this project is complete.

Overpass Bridges

The following options were evaluated for replacement/jacking.

Option 1 Jack all overpasses with less than 17 feet of clearance and replace any overpass bridge with a condition rating of 5 or less.

STRUCTURE #	BRIDGE DESCRIPTION	Jacking Required	<=5
2770001300100	S-13 Bridge over I-95	yes	Replace
2770003400101	S-34 Bridge over I-95	no	leave in place
2720001700400	US-17 at Exit 5	no	leave in place
2770014100400	S-141 over I-95	yes	Jacking
2720027800600	US 278 at Exit 8	yes	Jacking
2770021000100	S-210 over I-95	yes	Jacking

Option 2 Jack all overpasses with less than 17 feet of clearance. No replacements.

STRUCTURE #	BRIDGE DESCRIPTION	Jacking Required
2770001300100	S-13 Bridge over I-95	yes
2770003400101	S-34 Bridge over I-95	no
2720001700400	US-17 at Exit 5	no
2770014100400	S-141 over I-95	yes
2720027800600	US 278 at Exit 8	yes
2770021000100	S-210 over I-95	yes

Option 3 Jack all bridges with less than 16 feet of clearance. No replacements.

*** All overpass bridges currently have a clearance of 16 ft. or greater.**

Summary				
STRUCTURE #	**BRIDGE DESCRIPTION**	**Option 1**	**Option 2**	**Option 3**
2770001300100	S-13 Bridge over I-95	**Replace**	**Jacking**	no work
2770003400101	S-34 Bridge over I-95	no Jacking	no Jacking	no work
2720001700400	US-17 at Exit 5	no Jacking	no Jacking	no work
2770014100400	S-141 over I-95	**Jacking**	**Jacking**	no work
2720027800600	US 278 at Exit 8	**Jacking**	**Jacking**	no work
2770021000100	S-210 over I-95	**Jacking**	**Jacking**	no work

Recommendation for Overpass Bridges

Our recommendation is to not include overpass jacking in this project, since the existing overpasses meet the minimum for vertical clearance. Below are a few comments provided to justify our recommendation.

- Options 1 and 2 would bring the vertical clearance up to the preferred 17 feet. However, currently all overpasses are well over 16 ft. (min. clearance of 16ft 7in.) and meet the required minimum with some room for pavement overlays in the future.
- Overpass jacking can be a standalone project that can be completed with very little, if any impact to traffic on I-95. These projects could be completed easily at another time.
- Bridge jacking and tying back into existing grade can quickly expand project boundaries, increasing the size of an already large project.

DRAWING NO.	BRIDGE PLANS ID	SHEET NO.
		1

* Width between current bridges at SC-46 is ≈35' (est. in Google Earth) all other bridges have greater width between (in median). (50' to 100').



INTERIM BRIDGE
WITH 6 LANES - 3 IN EACH DIRECTION





ULTIMATE BRIDGE
WITH 8 LANES - 4 IN EACH DIRECTION
WITH REDUCED SHOULDERS

- Assume of I-95 MM0-18
- width 125±'
- shift ≈ 5' west

REV.	1	12-10-18	
	REVISED FUTURE 4 LANE SECTION		
REV.			
REV.			
REVIEWED	JSA		
QUAN.			
DR.			
DES.			
	BY	CHK.	DATE

SOUTH CAROLINA KCI TECHNOLOGIES INC. CONSULTING ENGINEERS No. C00653 CERTIFICATE OF AUTHORIZATION

KCI TECHNOLOGIES
KCI ENGINEERS | PLANNERS | SCIENTISTS | CONSTRUCTION MANAGERS

SOUTH CAROLINA
DEPARTMENT OF TRANSPORTATION

CONSTRUCT 3 LANE BRIDGE AND RESTRIPE FOR FUTURE 4 LANES

REPLACE I-95 SOUTHBOUND BRIDGE OVER SC-46

COUNTY JASPER | ROUTE I-95

$USERNAME$ 12/10/2018 9:35:04 AM $FILE$