

FLOOD INSURANCE STUDY




YORK COUNTY, SOUTH CAROLINA AND INCORPORATED AREAS

VOLUME 2 OF 3

Community Name	Community Number
CATAWBA INDIAN NATION	450041
CLOVER, TOWN OF	450194
FORT MILL, TOWN OF	450195
HICKORY GROVE, TOWN OF	450038
McCONNELLS, TOWN OF	450243
ROCK HILL, CITY OF	450196
*SHARON, TOWN OF	450035
*SMYRNA, TOWN OF	450034
TEGA CAY, CITY OF	450036
YORK, CITY OF	450197
YORK COUNTY (UNINCORPORATED AREAS)	450193

*NON-FLOODPRONE COMMUNITY



SEPTEMBER 26, 2008



Federal Emergency Management Agency

FLOOD INSURANCE STUDY NUMBER
45091CV002A

**NOTICE TO
FLOOD INSURANCE STUDY USERS**

Communities participating in the National Flood Insurance Program have established repositories of flood hazard data for floodplain management and flood insurance purposes. This Flood Insurance Study (FIS) may not contain all data available within the repository. It is advisable to contact the community repository for any additional data.

Part or all of this FIS may be revised and republished at any time. In addition, part of this FIS may be revised by the Letter of Map Revision process, which does not involve republication or redistribution of the FIS. It is, therefore, the responsibility of the user to consult with community officials and to check the community repository to obtain the most current FIS components.

Initial Countywide FIS Effective Date: September 26, 2008

TABLE OF CONTENTS

Table of Contents Volume 1

	<u>Page</u>
1.0 <u>INTRODUCTION</u>	1
1.1 Purpose of Study	1
1.2 Authority and Acknowledgments	1
1.3 Coordination	2
2.0 <u>AREA STUDIED</u>	3
2.1 Scope of Study	3
2.2 Community Description	5
2.3 Principal Flood Problems	8
2.4 Flood Protection Measures	9
3.0 <u>ENGINEERING METHODS</u>	9
3.1 Hydrologic Analyses	10
3.2 Hydraulic Analyses	23
3.3 Vertical Datum	27
4.0 <u>FLOODPLAIN MANAGEMENT APPLICATIONS</u>	28
4.1 Floodplain Boundaries	28
4.2 Floodways	30
5.0 <u>INSURANCE APPLICATIONS</u>	31
6.0 <u>FLOOD INSURANCE RATE MAP</u>	83
7.0 <u>OTHER STUDIES</u>	84
8.0 <u>LOCATION OF DATA</u>	84
9.0 <u>BIBLIOGRAPHY AND REFERENCES</u>	84

TABLE OF CONTENTS – continued

Table of Contents Volume 1 (continued)

	<u>Page</u>
<u>FIGURES</u>	
Figure 1 - Floodway Schematic	83

<u>TABLES</u>	
Table 1 - Stream Gages	12
Table 2 - Summary of Discharges	14-22
Table 3 - Manning’s “n” Values	27
Table 4 - Datum Shift Conversion Factors for York County, South Carolina	28
Table 5 - Floodway Data	32-78
Table 6 - Limited Detailed Base Flood Elevation Data	See Vol. 2
Table 7 - Sugar Creek Non-Encroachment Zone Data	79-82
Table 8 - Community Map History	85

Table of Contents Volume 2

<u>TABLES</u>	
Table 6 - Limited Detailed Base Flood Elevation Data	

Table of Contents Volume 3

<u>EXHIBITS</u>	
Exhibit 1 - Flood Profiles	<u>Panels</u>
Allison Creek	01P
Big Allison Creek	02P-03P
Big Dutchman Creek	04P-06P
Blankmanship Branch	07P-09P
Burgis Creek	10P-12P
Calabash Branch	13P

TABLE OF CONTENTS – continued

Table of Contents Volume 3 (continued)

	<u>Panels</u>
Exhibit 1 - Flood Profiles (continued)	
Catawba River	14P-18P
Catawba River Tributary	19P
Creekside Branch	20P
Creekside Branch Tributary 1	21P
Creekside Branch Tributary 2	22P-23P
Crowders Creek	24P-25P
Dye Branch	26P-27P
Dye Branch Tributary 1	28P-29P
Fishing Creek	30P-33P
Fishing Creek Tributary 1	34P-35P
Fishing Creek Tributary 1-A	36P
Fishing Creek Tributary 1-B	37P
Fishing Creek Tributary 2	38P
Hidden Creek	39P
Jackson Branch	40P-41P
Johnnys town Branch	42P-43P
Langham Branch	44P
Langham Branch Tributary 1	45P
Leroy Branch	46P-47P
Little Allison Creek	48P-49P
Little Dutchman Creek	50P-51P
Little Dutchman Creek Tributary 1	52P-54P
Little Dutchman Creek Tributary 1-A	55P
Little Dutchman Creek Tributary 4	56P-57P
Manchester Creek	58P-62P
Manchester Creek Tributary 1	63P-64P
Manchester Creek Tributary 2	65P
Manchester Creek Tributary 3	66P
Mooneys Hill Branch	67P-68P
Ross Branch	69P
Ross Branch Tributary 1	70P
Ross Branch Tributary 2	71P
Steele Creek	72P-75P
Stoney Branch	76P-78P
Taylors Creek	79P-81P

TABLE OF CONTENTS – continued

Table of Contents Volume 3 (continued)

	<u>Panels</u>
Exhibit 1 - Flood Profiles (continued)	
Taylors Creek Tributary 1	82P-84P
Taylors Creek Tributary 2	85P-86P
Tools Fork Creek	87P
Wildcat Creek	88P-94P
Wildcat Creek Tributary 1	95P
Wildcat Creek Tributary 2	96P
Exhibit 2 - Flood Insurance Rate Map Index	
Flood Insurance Rate Map	

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Abernathy Creek			
037	3,746	1,294	477.0
039	3,888	1,294	505.6
043	4,290	1,294	505.6
046	4,561	1,294	505.6
051	5,064	1,294	505.6
055	5,504	1,294	505.6
060	6,033	1,294	505.6
066	6,590	1,294	505.5
071	7,064	1,294	505.6
076	7,564	1,142	506.1
081	8,064	1,142	509.0
Allison Creek			
006	578	2,281	666.9
009	914	2,281	666.9
015	1,538	2,281	666.9
019	1,937	2,281	666.9
024	2,407	2,281	668.7
028	2,799	2,281	670.3
035	3,464	2,281	672.9
040	4,038	2,281	675.0
046	4,551	2,281	675.7
048	4,824	2,281	677.1
054	5,386	1,886	679.1
059	5,885	951	680.0
064	6,375	951	681.2
069	6,931	951	684.2
075	7,472	951	689.5
081	8,051	643	693.6
082	8,218	643	695.0
088	8,780	643	695.5
095	9,501	214	702.7
Allison Creek Tributary			
005	454	1,137	679.4
007	705	1,137	680.0
010	980	1,137	681.9
013	1,339	1,137	682.5
017	1,712	1,137	684.2
020	1,974	1,137	685.9
Allison Creek Tributary 1			
005	531	1,280	677.4
010	1,017	1,280	679.3
016	1,579	1,280	682.6
020	2,000	1,280	683.9
025	2,522	1,280	685.7

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Allison Creek Tributary 1, cont.			
029	2,874	1,280	687.5
037	3,691	1,280	690.1
039	3,888	1,280	692.2
045	4,500	1,280	693.0
051	5,084	1,280	694.9
056	5,569	1,280	697.9
061	6,061	610	699.3
066	6,613	610	703.5
072	7,162	610	708.4
074	7,434	610	712.1
080	8,008	610	719.0
084	8,377	610	722.2
085	8,512	610	731.4
087	8,727	610	731.4
Allison Creek Tributary 2			
001	61	884	698.4
002	169	884	699.1
008	791	884	707.7
015	1,460	884	713.4
020	2,014	884	715.9
025	2,471	884	718.5
030	2,972	884	721.3
Beaverdam Creek			
006	600	5,591	579.7
012	1,200	5,591	579.7
016	1,650	5,591	579.7
023	2,285	5,591	579.9
028	2,806	5,591	580.7
033	3,272	5,591	582.6
038	3,819	5,591	583.9
042	4,168	5,591	585.8
047	4,731	5,591	586.2
053	5,304	5,591	586.4
057	5,704	5,591	587.1
059	5,891	5,591	587.7
061	6,078	5,591	590.6
067	6,737	5,591	592.4
073	7,263	5,591	592.8
080	8,025	5,235	593.0
085	8,481	5,235	593.2
091	9,070	5,235	593.6
098	9,753	5,235	593.9
105	10,458	5,235	594.0
117	11,669	4,739	597.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Beaverdam Creek, cont.			
124	12,375	4,739	597.7
127	12,692	4,739	598.2
134	13,424	4,739	599.7
138	13,757	4,739	605.0
144	14,412	4,739	605.7
150	15,000	4,739	607.6
155	15,522	4,739	608.2
162	16,241	4,739	609.3
167	16,706	4,739	609.4
172	17,171	4,739	613.1
178	17,788	4,739	615.0
184	18,366	4,739	615.5
191	19,074	4,739	616.3
200	19,963	4,739	616.8
205	20,528	4,739	617.3
211	21,089	4,739	617.7
216	21,621	4,739	621.3
222	22,200	4,739	623.8
227	22,668	4,739	624.5
233	23,311	4,739	624.3
240	24,019	4,739	627.2
245	24,536	4,739	627.5
255	25,487	3,887	632.9
257	25,727	3,887	634.8
263	26,321	3,887	635.6
267	26,739	3,887	635.8
272	27,200	3,887	636.2
279	27,903	3,887	637.6
288	28,841	3,887	638.6
295	29,518	3,887	639.9
301	30,125	3,887	643.4
303	30,307	3,887	647.2
307	30,687	3,887	648.6
316	31,554	3,887	649.3
323	32,333	3,887	649.5
332	33,232	2,809	649.7
338	33,782	2,809	651.3
342	34,155	2,809	651.9
347	34,721	2,809	652.7
353	35,288	2,809	655.1
361	36,050	2,809	656.3
366	36,600	2,809	657.0
373	37,287	2,809	660.0
378	37,826	2,809	662.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Beaverdam Creek, cont.			
384	38,425	2,809	665.2
390	39,019	2,809	666.1
396	39,600	2,809	668.3
402	40,200	2,809	683.4
408	40,751	2,809	692.2
411	41,097	2,809	696.6
415	41,476	2,809	700.2
420	42,000	2,809	704.5
427	42,680	2,809	709.3
431	43,142	2,809	710.5
439	43,853	1,309	712.1
445	44,465	1,309	713.0
451	45,066	1,309	718.2
456	45,587	1,309	720.2
461	46,090	1,309	724.0
468	46,751	1,309	730.1
475	47,457	1,309	735.8
Beaverdam Creek Tributary 1			
005	521	1,048	592.8
010	1,000	1,048	593.4
015	1,500	1,048	596.7
020	2,000	1,048	601.3
026	2,562	1,048	604.2
032	3,152	1,048	605.6
033	3,266	1,048	611.4
040	4,020	1,048	612.1
043	4,315	1,048	612.3
047	4,742	1,048	613.1
053	5,344	1,048	617.7
059	5,855	1,048	622.2
066	6,568	1,048	628.7
069	6,923	1,048	634.9
076	7,643	1,048	643.4
080	8,034	1,048	648.4
085	8,473	1,048	653.2
091	9,082	1,048	661.5
094	9,424	1,048	666.1
Beaverdam Creek Tributary 2			
005	500	1,185	634.9
010	975	1,185	635.8
015	1,500	1,185	637.9
020	1,966	1,185	638.3
028	2,751	1,185	640.9
029	2,931	1,185	642.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Beaverdam Creek Tributary 2, cont.			
036	3,611	1,185	644.7
041	4,068	1,185	646.7
045	4,481	1,185	648.3
051	5,072	1,185	650.4
055	5,500	1,185	652.2
059	5,940	1,185	668.6
064	6,431	1,185	671.6
068	6,823	1,185	673.1
074	7,405	1,185	676.2
080	8,000	1,185	679.0
085	8,500	1,185	682.3
090	9,000	1,185	685.1
Beaverdam Creek Tributary 3			
003	324	1,657	649.5
014	1,352	1,657	654.6
020	2,032	1,657	664.6
029	2,928	1,657	669.6
037	3,748	1,436	671.8
039	3,859	1,436	675.5
045	4,453	1,436	677.0
053	5,264	1,436	680.0
059	5,907	1,436	683.4
064	6,371	939	686.0
072	7,222	939	694.5
082	8,206	939	701.7
090	9,025	939	705.8
097	9,725	939	710.6
103	10,301	939	721.3
109	10,902	939	726.2
113	11,339	939	728.3
Beaverdam Creek Tributary 4			
001	100	1,283	711.5
005	503	1,283	711.5
008	828	1,283	712.9
014	1,375	1,283	715.7
018	1,800	1,283	717.8
024	2,411	1,283	720.1
030	2,991	1,283	721.9
031	3,115	1,283	724.6
035	3,500	1,283	725.6
040	4,000	1,283	728.5
045	4,460	1,283	730.0
046	4,602	1,283	733.9
050	5,000	1,283	735.2

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Beaverdam Creek Tributary 4, cont.			
055	5,500	1,283	740.0
059	5,906	441	743.1
064	6,404	441	745.0
070	6,962	441	755.7
074	7,429	441	761.1
077	7,715	441	763.4
078	7,797	441	768.3
079	7,925	441	767.8
081	8,071	441	770.5
083	8,294	441	772.7
084	8,434	441	788.7
087	8,719	441	788.7
090	9,000	441	788.7
Beaverdam Creek West			
064	6,363	2,292	440.7
069	6,869	2,292	440.7
071	7,083	2,292	440.7
072	7,166	2,292	430.4
075	7,500	2,292	440.7
080	8,000	2,292	440.7
084	8,415	2,292	440.7
090	9,000	2,292	440.7
095	9,501	2,292	440.7
098	9,772	2,292	440.7
100	10,000	2,292	440.7
105	10,500	2,292	440.7
110	11,000	2,292	440.7
115	11,500	2,080	440.7
120	12,025	2,080	441.3
125	12,500	2,080	443.6
130	13,000	2,080	444.5
135	13,500	2,080	444.9
140	14,000	2,080	447.0
142	14,207	2,080	448.5
145	14,500	2,080	448.9
150	15,000	2,080	449.9
155	15,500	2,080	451.8
160	16,000	2,080	453.3
165	16,500	2,080	455.2
170	17,000	1,776	456.3
175	17,500	1,776	457.7
180	18,000	1,776	458.5
181	18,089	1,776	459.2
182	18,165	1,776	460.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Beaverdam Creek West, cont.			
185	18,500	1,776	461.0
190	19,000	1,488	461.8
195	19,500	1,488	462.9
201	20,090	1,488	465.7
205	20,500	1,488	466.6
210	21,000	1,488	467.9
213	21,279	1,488	468.5
213	21,343	1,488	468.9
216	21,565	1,488	468.6
220	22,000	1,488	471.9
225	22,500	1,488	472.8
230	23,000	1,488	473.5
232	23,200	1,488	474.9
235	23,500	1,488	475.5
240	24,000	1,488	479.0
245	24,500	1,488	480.8
250	25,000	1,488	481.6
255	25,500	1,488	482.9
261	26,054	1,488	486.2
265	26,500	1,488	487.0
270	27,000	1,162	488.0
275	27,500	1,162	488.6
280	28,000	1,162	490.7
285	28,541	1,162	492.1
290	29,000	1,162	494.4
295	29,500	1,162	496.4
300	30,000	1,162	498.9
303	30,316	1,162	502.1
304	30,366	1,162	504.2
305	30,500	1,162	504.2
310	31,000	1,162	504.8
315	31,500	1,162	507.0
317	31,677	1,162	508.3
320	31,964	1,162	510.3
325	32,500	1,162	513.2
330	33,000	1,162	516.9
332	33,220	1,162	519.7
334	33,443	1,162	520.3
338	33,752	754	524.1
340	34,000	754	524.9
345	34,500	754	528.0
347	34,701	754	529.4
350	35,000	754	534.6
355	35,500	754	541.2

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Beaverdam Creek West, cont.			
358	35,751	754	543.1
360	36,000	754	544.7
365	36,500	754	549.8
367	36,739	754	550.9
371	37,051	754	553.8
373	37,333	754	556.1
376	37,553	754	558.2
378	37,785	754	560.4
380	38,000	754	561.9
384	38,365	754	566.6
386	38,580	754	568.3
388	38,805	754	571.0
390	39,037	754	571.5
395	39,500	754	576.0
397	39,696	754	576.5
399	39,944	754	582.2
Berry Branch			
002	162	1,515	460.4
020	2,000	1,515	462.5
025	2,500	1,515	464.3
030	3,000	1,515	465.5
Big Allison Creek			
466	46,562	8,115	595.9
471	47,146	7,709	596.1
475	47,497	7,709	596.1
480	48,000	7,709	596.5
485	48,518	7,709	597.2
492	49,200	7,709	597.6
499	49,931	7,709	597.5
508	50,848	7,709	599.0
517	51,652	7,709	601.0
524	52,414	7,709	602.7
531	53,071	7,709	604.8
534	53,436	7,709	605.6
540	54,000	7,709	606.2
546	54,575	7,709	606.4
552	55,200	7,709	606.9
557	55,685	7,709	607.4
566	56,605	7,709	608.6
576	57,561	7,091	609.9
581	58,096	7,091	610.3
588	58,800	7,091	610.9
594	59,394	7,091	612.9
597	59,718	7,091	614.7

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Big Allison Creek, cont.			
609	60,913	7,091	616.4
614	61,428	7,091	617.0
615	61,519	7,091	617.5
619	61,935	5,763	618.8
627	62,699	5,763	619.5
636	63,561	5,763	620.1
642	64,161	5,763	620.8
648	64,759	5,763	622.3
654	65,359	5,763	623.6
660	65,962	5,763	624.0
666	66,556	5,763	625.2
675	67,460	5,763	625.1
677	67,748	5,763	626.5
680	67,970	5,763	630.2
683	68,332	5,763	631.5
691	69,115	5,763	631.9
696	69,569	5,763	632.0
702	70,169	5,763	632.2
708	70,769	5,763	632.6
714	71,409	5,763	632.7
720	71,999	5,175	635.8
726	72,574	5,175	637.9
732	73,172	5,175	640.1
738	73,763	5,175	640.3
745	74,518	5,175	643.1
747	74,715	5,175	644.5
756	75,566	5,175	645.0
764	76,374	5,175	645.2
766	76,605	5,175	647.9
773	77,278	4,374	648.5
780	77,968	4,374	648.8
786	78,568	4,374	649.3
791	79,131	4,374	650.7
796	79,583	4,374	651.5
800	80,036	4,374	651.7
806	80,562	4,374	653.9
810	81,040	4,374	656.6
818	81,751	4,374	657.8
828	82,777	4,374	662.5
829	82,923	4,374	664.8
832	83,244	4,374	666.1
838	83,755	4,374	666.4
844	84,419	4,374	666.6
850	84,991	4,374	666.8

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Big Allison Creek, cont.			
861	86,118	1,976	667.4
867	86,667	1,976	667.5
874	87,380	1,976	667.7
880	88,046	1,976	668.2
890	89,032	1,976	670.1
895	89,479	1,655	675.7
903	90,257	1,655	678.4
911	91,094	1,655	681.2
918	91,831	1,655	682.5
928	92,766	1,655	690.6
934	93,439	1,655	695.3
940	93,984	1,655	696.7
945	94,450	1,655	701.8
945	94,532	1,655	704.4
951	95,095	1,655	707.0
957	95,664	1,655	708.9
964	96,389	1,655	711.9
970	97,012	1,655	714.1
975	97,477	1,274	715.5
981	98,052	1,274	717.2
990	99,006	1,274	720.0
994	99,423	1,274	721.5
1002	100,165	1,274	723.8
1009	100,912	1,274	725.9
1010	101,045	1,274	733.5
1013	101,300	1,274	733.5
1020	102,013	1,274	734.0
1025	102,497	835	736.7
1032	103,226	835	738.9
1039	103,885	835	742.7
1045	104,491	835	747.0
1048	104,822	835	748.4
1055	105,499	835	751.1
1059	105,933	835	753.7
1066	106,559	835	758.5
1071	107,097	835	761.3
1076	107,603	835	764.9
1080	107,990	835	767.6
1086	108,574	835	772.8
Big Allison Creek Tributary 1			
005	498	1,255	592.7
010	997	1,255	592.7
015	1,498	1,255	592.7
020	1,996	1,255	592.7

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Big Allison Creek Tributary 1, cont.			
025	2,495	1,255	592.9
030	2,995	1,255	593.8
035	3,491	1,255	597.2
040	3,988	1,255	598.4
045	4,492	1,255	602.3
049	4,939	1,255	606.4
055	5,453	1,068	610.5
058	5,785	1,068	615.3
060	5,993	1,068	626.1
064	6,384	1,068	626.1
069	6,883	1,068	626.3
072	7,224	1,068	626.5
078	7,804	1,068	630.0
085	8,477	1,068	633.6
Big Allison Creek Tributary 2			
002	212	1,371	633.1
004	350	1,371	633.9
007	655	1,371	634.5
009	907	1,371	636.7
011	1,127	1,371	637.1
014	1,354	1,371	637.4
016	1,576	1,371	638.3
017	1,722	1,371	639.0
021	2,072	1,371	639.1
023	2,294	1,371	640.2
026	2,588	1,371	641.4
Big Allison Creek Tributary 3			
001	56	572	673.0
005	462	572	673.0
007	702	572	675.3
010	1,000	572	678.0
015	1,500	572	681.4
020	2,000	572	684.9
025	2,500	572	689.1
028	2,761	572	696.4
030	2,996	572	712.7
Big Allison Creek Tributary 4			
000	45	431	735.2
005	500	431	735.6
010	1,000	431	739.7
016	1,572	431	743.8
020	1,973	431	747.7
025	2,500	431	754.7
030	3,000	431	760.3

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Big Allison Creek Tributary 4, cont.			
034	3,446	431	766.1
040	3,951	431	779.1
042	4,225	431	783.8
Big Branch			
002	213	1,520	574.7
007	696	1,520	574.7
011	1,060	1,520	574.7
014	1,355	1,520	574.7
016	1,635	1,520	574.7
019	1,924	1,520	575.6
022	2,240	1,520	577.3
026	2,573	1,520	582.1
028	2,831	1,520	585.5
031	3,115	1,520	590.0
036	3,578	1,520	596.4
039	3,872	1,520	599.0
044	4,377	1,520	603.6
047	4,652	1,520	604.8
051	5,084	1,520	607.9
054	5,372	1,520	608.4
057	5,656	1,520	609.3
059	5,909	1,520	612.1
Big Dutchman Creek			
020	2,010	8,140	511.3
024	2,432	8,140	511.3
028	2,765	8,140	511.3
032	3,226	8,140	511.3
035	3,487	8,140	511.3
038	3,820	8,140	511.3
045	4,487	8,140	511.3
052	5,171	8,140	511.5
057	5,725	8,140	512.7
062	6,231	8,140	516.0
064	6,404	8,140	518.2
066	6,644	8,140	518.9
308	30,789	1,986	571.8
311	31,096	1,986	572.1
315	31,494	1,986	572.4
Blue Branch			
007	707	1,757	397.1
014	1,430	1,671	397.1
017	1,713	1,671	397.1
020	2,041	1,671	397.1
025	2,489	1,671	397.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Blue Branch, cont.			
031	3,055	1,671	397.1
036	3,562	1,671	397.7
039	3,936	1,671	398.8
045	4,523	1,671	400.5
051	5,082	1,671	402.2
055	5,455	1,671	402.9
060	6,000	1,671	404.4
065	6,500	1,671	406.3
070	6,978	1,671	409.4
076	7,638	1,671	415.2
081	8,095	1,671	418.7
085	8,499	1,671	419.6
090	8,955	1,495	422.2
095	9,545	1,495	424.0
100	9,999	1,495	424.5
105	10,497	1,495	427.4
110	11,000	1,495	429.3
115	11,516	1,495	434.4
120	12,000	1,495	439.8
122	12,245	1,495	442.0
127	12,680	1,495	445.8
128	12,788	1,495	448.3
129	12,936	1,495	449.3
134	13,372	1,495	451.5
139	13,877	1,495	455.2
142	14,213	1,495	457.8
143	14,324	1,495	459.8
145	14,469	1,495	462.5
147	14,693	1,326	465.6
148	14,817	1,326	466.4
150	15,010	1,326	466.9
155	15,500	1,326	468.0
159	15,938	1,326	469.6
165	16,515	1,326	471.0
Blue Branch Tributary 1			
015	1,500	337	394.6
017	1,745	337	396.9
020	2,000	337	400.8
025	2,500	337	408.5
030	3,000	337	420.5
035	3,500	337	432.6
037	3,749	337	441.7
Broad River			
005	500	121,598	436.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Broad River, cont.			
010	1,000	121,598	436.1
015	1,500	121,598	436.2
020	2,000	121,598	436.3
025	2,500	121,598	436.3
030	3,000	121,598	436.4
035	3,452	121,598	436.4
039	3,949	121,598	436.5
045	4,500	121,598	436.7
050	5,000	121,598	436.7
055	5,500	121,598	436.8
061	6,063	121,598	436.8
068	6,764	121,598	436.9
076	7,561	121,407	437.0
083	8,305	121,407	437.2
090	8,993	121,407	437.3
097	9,727	96,858	437.4
099	9,861	96,858	437.4
104	10,443	96,858	437.4
110	11,036	96,858	437.4
115	11,500	96,858	437.4
120	12,000	96,858	437.5
125	12,500	96,858	437.5
135	13,500	96,627	437.7
140	14,000	96,627	437.7
148	14,779	96,627	437.8
157	15,691	96,627	437.9
167	16,674	96,627	438.2
179	17,941	93,856	438.3
187	18,674	93,856	438.4
194	19,415	93,856	438.5
203	20,268	93,856	438.6
210	21,041	93,856	438.9
217	21,742	93,856	439.0
228	22,798	93,856	439.2
235	23,500	93,856	439.4
244	24,353	93,856	439.5
252	25,175	93,856	439.6
259	25,936	93,856	439.9
267	26,681	93,856	440.0
275	27,500	93,856	440.2
284	28,406	93,856	440.2
292	29,173	93,856	440.3
300	30,000	93,856	440.4
309	30,913	93,856	440.5

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Broad River, cont.			
316	31,618	93,856	440.6
324	32,400	93,856	440.8
331	33,111	93,856	441.0
340	34,000	93,856	441.1
350	35,011	93,856	441.2
357	35,687	93,856	441.2
365	36,496	93,492	441.4
372	37,179	93,492	441.4
379	37,945	93,492	441.4
389	38,923	93,492	441.5
396	39,596	93,492	441.5
405	40,500	93,492	441.6
414	41,403	93,492	441.9
424	42,398	93,492	442.0
434	43,383	93,492	442.1
444	44,410	93,492	442.1
453	45,341	93,492	442.6
462	46,184	93,492	442.7
468	46,814	93,492	442.7
475	47,475	93,492	442.9
482	48,225	93,492	443.0
490	48,971	93,492	443.2
499	49,930	93,492	443.4
509	50,937	93,492	443.8
519	51,897	93,492	443.9
522	52,212	93,492	444.1
523	52,341	93,492	444.6
528	52,811	93,492	444.9
537	53,742	93,492	445.0
550	55,000	93,492	445.4
559	55,931	93,492	445.5
570	56,963	93,492	445.8
579	57,871	93,492	446.0
582	58,234	93,492	446.1
594	59,396	93,492	446.6
605	60,452	93,492	446.8
612	61,201	93,492	447.1
625	62,500	93,492	447.2
632	63,207	93,492	447.3
638	63,836	93,492	447.4
653	65,334	93,492	447.8
663	66,321	93,492	448.0
674	67,382	93,492	448.1
684	68,433	93,492	448.4

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Broad River, cont.			
691	69,061	93,335	448.4
701	70,144	93,335	448.6
709	70,912	93,335	448.7
718	71,830	93,335	449.1
724	72,410	93,335	449.4
731	73,103	93,316	449.6
740	74,033	93,316	449.7
749	74,935	93,316	450.5
759	75,891	93,316	450.8
770	77,015	93,316	451.4
780	77,985	93,316	451.7
790	79,001	93,316	452.0
800	79,990	93,316	452.2
808	80,827	93,316	452.6
819	81,910	93,316	453.3
827	82,695	93,316	454.0
838	83,769	93,316	454.3
850	84,980	93,316	455.0
860	85,986	93,316	455.7
869	86,851	93,316	456.3
879	87,924	93,316	457.2
889	88,892	93,316	458.0
Bryson Creek			
005	500	2,040	414.4
011	1,123	2,040	414.4
015	1,485	2,040	414.4
020	2,038	2,040	415.9
024	2,440	2,040	416.6
030	3,000	2,040	417.8
034	3,445	2,040	418.9
038	3,788	2,040	419.4
048	4,770	2,040	422.1
053	5,305	1,863	423.7
054	5,437	1,863	424.5
061	6,050	1,863	426.3
065	6,500	1,863	428.0
069	6,935	1,863	429.8
074	7,439	1,863	431.8
080	7,989	1,863	434.0
085	8,500	1,863	435.4
090	9,046	1,863	437.3
097	9,689	1,863	440.1
098	9,811	1,863	440.4
100	9,998	1,863	441.4

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Bryson Creek, cont.			
105	10,505	1,863	445.4
110	10,984	1,863	448.1
115	11,491	1,863	450.0
120	12,000	1,863	453.0
125	12,526	1,863	455.4
130	12,985	1,430	458.6
135	13,500	1,430	460.0
140	14,000	1,430	461.6
145	14,487	1,430	463.5
150	15,000	1,430	465.3
155	15,500	1,430	467.7
160	16,000	1,430	470.2
164	16,418	1,430	471.6
170	16,981	1,430	475.5
173	17,283	1,430	478.8
175	17,500	1,430	479.8
180	17,975	1,430	481.5
185	18,539	1,430	485.4
187	18,732	1,430	486.9
190	19,036	1,430	488.1
194	19,353	1,430	489.2
195	19,478	1,140	491.0
200	19,966	1,140	494.3
205	20,537	1,140	498.6
210	21,000	1,140	500.3
216	21,560	1,140	503.3
220	22,005	1,140	507.2
222	22,233	1,140	508.7
224	22,358	1,140	512.1
226	22,575	1,140	519.2
228	22,753	1,140	526.0
230	23,030	1,140	529.7
235	23,479	1,140	531.5
239	23,945	1,140	534.0
245	24,515	1,140	538.6
248	24,767	1,140	540.4
249	24,895	1,140	540.7
Buck Horn Creek			
005	523	3,732	489.6
011	1,067	3,732	490.9
013	1,349	3,732	493.7
016	1,631	3,732	494.0
019	1,946	3,732	494.2
028	2,787	3,732	495.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Buck Horn Creek, cont.			
031	3,096	3,732	496.3
036	3,582	3,732	499.0
040	3,971	3,732	499.8
042	4,225	3,704	500.6
043	4,317	3,704	501.5
045	4,529	3,704	502.0
050	5,000	3,704	502.2
055	5,500	3,704	503.1
059	5,909	3,704	503.5
064	6,398	3,704	504.6
071	7,130	3,704	506.3
077	7,693	3,704	507.1
079	7,861	3,704	509.1
081	8,084	2,784	510.6
083	8,323	2,784	511.0
085	8,485	2,784	513.9
086	8,562	2,784	515.6
087	8,677	2,784	516.4
089	8,864	2,784	518.8
090	9,027	2,784	519.7
092	9,230	2,784	521.8
095	9,457	2,784	523.5
098	9,835	2,784	528.1
100	9,959	2,784	528.9
101	10,106	2,784	530.3
103	10,331	2,784	533.9
105	10,493	2,784	535.9
107	10,663	2,784	538.1
109	10,898	2,784	540.2
110	11,000	2,784	542.0
115	11,458	2,784	543.3
121	12,068	2,784	546.1
125	12,500	2,784	546.8
130	12,988	2,784	548.0
134	13,352	2,784	549.0
140	14,000	2,784	550.4
146	14,552	2,784	552.7
148	14,849	2,784	553.4
155	15,454	2,680	556.1
158	15,816	2,680	557.0
159	15,937	2,680	559.9
165	16,483	2,680	561.3
168	16,783	2,680	562.0
173	17,335	2,680	562.3

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Buck Horn Creek, cont.			
178	17,827	2,520	562.6
185	18,537	2,520	564.9
191	19,088	2,520	566.2
196	19,645	2,520	567.7
201	20,064	2,520	569.7
206	20,644	2,520	571.0
209	20,945	2,520	570.5
218	21,802	2,313	577.1
219	21,887	2,313	578.4
224	22,392	2,288	578.5
229	22,889	2,288	578.8
233	23,259	2,288	580.8
235	23,547	2,288	581.8
239	23,854	2,288	582.1
245	24,529	2,288	583.7
250	25,000	2,288	585.8
252	25,223	2,288	587.8
255	25,500	2,288	588.8
260	26,000	2,288	590.6
266	26,618	2,288	592.2
270	27,000	2,288	593.7
275	27,472	2,121	594.5
280	27,971	2,121	596.5
284	28,405	2,121	598.1
285	28,550	2,121	600.8
290	29,000	2,121	601.7
292	29,243	2,121	602.2
296	29,561	2,121	602.6
302	30,159	2,121	602.9
305	30,500	2,121	605.3
309	30,897	2,121	606.7
316	31,573	2,121	609.3
320	32,000	2,121	611.2
325	32,475	2,121	612.8
329	32,862	2,121	614.7
335	33,526	2,121	616.8
340	34,022	2,121	619.1
347	34,725	1,037	622.5
352	35,183	1,037	623.7
356	35,629	1,037	624.3
360	36,000	1,037	627.5
365	36,500	1,037	632.0
367	36,721	1,037	633.5
370	37,000	1,037	634.4

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Buck Horn Creek, cont.			
374	37,441	1,037	636.8
381	38,108	848	639.2
385	38,467	848	642.4
388	38,779	848	645.0
390	38,982	848	647.1
392	39,154	848	663.1
393	39,326	848	667.0
401	40,058	848	672.8
407	40,722	848	675.9
413	41,289	848	680.5
414	41,403	848	684.2
418	41,754	848	687.4
422	42,185	848	688.5
423	42,272	848	690.2
425	42,486	848	697.8
429	42,890	848	700.5
436	43,631	352	710.3
437	43,717	352	715.0
443	44,296	352	723.5
444	44,445	352	724.5
452	45,157	352	730.8
457	45,725	352	740.7
464	46,386	352	747.9
Buck Horn Creek Tributary 1			
005	476	315	562.4
008	809	315	566.3
012	1,222	315	571.1
015	1,547	315	575.0
020	2,043	276	583.5
022	2,179	276	587.0
023	2,278	276	589.2
024	2,410	140	593.9
025	2,540	140	598.1
027	2,662	140	603.0
028	2,772	140	605.4
029	2,873	140	608.7
Buck Horn Creek Tributary 2			
004	450	479	577.1
008	824	479	580.2
011	1,111	479	583.8
014	1,393	479	586.9
016	1,580	479	588.5
020	2,019	339	593.2
			0.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Buck Horn Creek Tributary 3			
004	366	179	578.4
007	708	179	583.0
011	1,099	179	591.4
012	1,233	179	593.0
014	1,392	179	598.3
015	1,480	179	599.8
016	1,570	179	601.1
019	1,869	179	605.6
019	1,918	127	606.6
020	2,034	127	607.4
Buck Horn Creek Tributary 4			
006	605	1,016	619.9
011	1,087	1,016	624.9
015	1,453	588	628.2
017	1,736	588	629.2
021	2,115	588	632.7
025	2,500	588	634.9
030	3,000	588	638.6
035	3,500	588	641.9
039	3,852	550	643.9
040	4,000	550	647.4
045	4,483	550	648.6
047	4,674	550	660.8
050	5,000	550	666.1
055	5,500	550	691.3
057	5,689	550	697.3
060	6,000	550	701.1
067	6,678	550	709.8
Buck Horn Creek Tributary 5			
002	241	248	641.8
005	500	248	645.4
010	1,000	248	653.1
011	1,127	208	664.3
012	1,190	208	665.7
014	1,359	208	670.7
015	1,500	208	672.7
018	1,835	208	680.7
020	2,000	208	682.7
022	2,186	93	691.1
023	2,310	93	695.7
025	2,500	93	700.6
026	2,613	93	713.3
027	2,714	93	718.6
028	2,824	93	726.3

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Buck Horn Creek Tributary 5, cont.			
029	2,859	93	727.3
030	2,964	93	735.8
Buck Horn Creek Tributary 6			
003	293	186	704.0
005	538	186	708.4
007	683	186	711.5
010	1,000	186	716.1
014	1,377	165	723.5
015	1,500	165	726.1
017	1,701	165	730.2
019	1,931	165	732.8
020	2,000	165	734.5
022	2,171	119	738.8
023	2,334	119	742.2
025	2,500	119	746.6
Bullock Creek			
005	488	14,913	438.2
010	1,001	14,913	438.2
015	1,500	14,913	438.2
021	2,066	14,913	438.2
025	2,538	14,913	438.2
030	3,000	14,913	438.2
034	3,422	14,913	438.2
036	3,581	14,913	438.2
037	3,691	14,913	438.2
040	4,000	14,913	438.2
045	4,500	14,913	438.2
050	5,030	14,913	438.2
055	5,500	14,913	438.2
059	5,909	14,913	438.2
065	6,466	14,913	438.2
070	6,951	14,913	438.2
075	7,500	14,913	438.2
080	8,000	14,856	438.2
085	8,500	14,856	438.2
090	9,018	14,856	438.2
095	9,500	14,856	438.2
100	9,974	14,856	438.2
105	10,500	14,856	438.2
110	11,000	14,856	438.2
115	11,500	14,856	438.2
120	12,028	14,856	438.2
125	12,492	14,856	438.2
130	13,000	14,856	438.2

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Bullock Creek, cont.			
135	13,500	14,856	438.2
140	13,982	14,856	438.2
146	14,578	14,779	438.2
152	15,187	14,779	438.2
155	15,527	14,779	438.2
160	16,000	14,779	438.2
165	16,500	14,779	438.2
171	17,052	14,779	438.2
175	17,500	14,779	438.2
180	17,976	14,779	438.2
185	18,500	14,779	438.2
190	19,000	14,779	438.2
195	19,500	14,779	438.2
200	20,009	14,779	438.2
205	20,450	14,779	438.2
210	21,000	14,189	438.2
215	21,500	14,189	438.2
220	22,000	14,189	438.2
225	22,500	14,189	438.2
230	23,000	14,189	438.2
235	23,500	14,189	438.2
240	24,000	14,117	438.2
245	24,500	14,117	438.2
249	24,939	14,040	438.2
256	25,580	14,040	438.2
260	26,000	14,040	438.2
265	26,500	14,040	438.2
270	27,000	14,040	438.2
276	27,586	14,040	438.2
280	27,994	14,040	438.2
285	28,500	14,040	438.2
290	29,000	14,040	438.2
295	29,500	14,040	438.2
301	30,058	14,040	438.2
305	30,500	14,040	438.2
311	31,060	14,040	438.2
314	31,445	14,040	438.2
319	31,929	13,535	438.2
325	32,500	13,535	438.2
331	33,094	13,442	438.3
336	33,557	13,442	438.6
340	34,000	13,442	438.9
345	34,500	13,442	439.1
350	34,957	13,442	439.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Bullock Creek, cont.			
355	35,501	13,442	439.7
357	35,662	13,442	441.3
358	35,827	13,442	442.2
366	36,609	13,442	442.3
370	37,000	13,442	442.4
375	37,530	13,319	442.6
380	38,000	13,319	442.7
385	38,500	13,319	443.1
390	39,000	13,319	443.5
394	39,422	13,319	443.8
400	39,988	12,950	444.4
405	40,500	12,950	445.0
410	41,000	12,950	445.9
415	41,500	12,950	446.4
420	42,015	12,950	447.0
425	42,500	12,950	447.4
430	42,993	12,525	447.9
435	43,502	12,525	448.4
440	44,000	12,525	449.0
445	44,500	12,525	450.0
450	45,000	12,525	450.5
455	45,500	12,525	451.2
460	46,000	12,525	451.6
465	46,462	12,525	451.8
470	47,038	12,472	452.1
475	47,500	12,472	452.4
480	48,000	12,472	452.7
485	48,500	12,472	453.0
490	49,000	12,472	453.3
495	49,500	12,472	453.6
500	50,000	12,472	454.0
505	50,500	12,472	454.4
510	51,000	12,472	454.9
513	51,333	12,472	456.0
516	51,551	12,472	459.3
519	51,916	12,209	459.4
524	52,418	12,209	459.7
530	53,000	12,209	459.9
535	53,455	12,209	460.1
540	53,978	12,209	460.3
544	54,440	12,086	460.3
549	54,950	12,086	460.4
554	55,368	11,921	460.5
561	56,075	11,921	460.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Bullock Creek, cont.			
565	56,500	11,921	460.7
570	57,000	11,921	460.9
575	57,505	11,921	461.0
582	58,194	11,921	461.5
586	58,552	11,921	462.5
589	58,898	11,921	462.8
592	59,182	11,921	464.4
594	59,382	11,921	464.7
600	60,000	11,921	465.2
604	60,366	11,921	465.3
610	61,000	11,921	465.5
614	61,434	11,921	465.6
622	62,159	11,572	465.9
626	62,583	11,572	466.0
630	63,000	11,572	466.2
634	63,448	11,572	466.5
640	64,000	7,172	467.5
645	64,500	7,172	467.6
652	65,211	7,172	467.8
656	65,591	7,172	468.2
661	66,144	7,172	468.5
665	66,500	7,172	468.7
670	67,002	7,172	469.2
675	67,500	7,051	469.6
682	68,208	7,051	470.2
685	68,487	7,051	470.4
691	69,132	7,051	471.5
695	69,500	7,051	472.1
700	70,038	7,051	472.9
704	70,358	7,051	473.7
706	70,630	7,051	474.4
708	70,799	7,051	477.0
711	71,132	6,968	477.9
716	71,585	6,968	478.4
719	71,898	6,968	479.1
725	72,500	6,968	479.9
732	73,164	6,968	480.3
735	73,500	6,549	480.7
740	74,000	6,549	481.1
745	74,500	6,549	481.7
750	75,045	6,549	482.4
756	75,567	6,549	484.0
761	76,099	6,549	485.8
765	76,500	6,549	487.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Bullock Creek, cont.			
767	76,699	6,549	487.6
769	76,887	6,549	489.0
770	77,043	6,549	489.3
775	77,500	6,549	489.5
782	78,184	4,684	490.3
785	78,500	4,684	490.4
790	79,000	4,684	490.5
795	79,500	4,684	490.9
800	79,982	4,545	491.3
804	80,383	4,545	491.6
810	81,000	4,545	491.9
814	81,422	4,545	492.3
820	82,000	4,545	492.8
826	82,625	4,545	493.4
830	83,000	4,545	494.0
834	83,432	4,545	495.0
838	83,843	4,545	496.3
845	84,500	4,545	497.3
850	85,000	4,545	498.3
854	85,412	4,545	499.5
859	85,937	4,545	500.6
865	86,484	4,545	501.9
871	87,073	4,404	505.1
874	87,395	4,404	506.2
882	88,186	4,389	507.5
886	88,605	4,389	508.2
892	89,228	4,389	509.4
899	89,941	4,311	512.3
906	90,585	4,311	513.4
909	90,922	4,311	514.8
915	91,472	4,226	516.3
920	92,028	4,226	517.0
925	92,514	4,226	517.2
930	92,955	4,226	517.5
936	93,591	4,226	518.1
941	94,067	4,226	519.3
946	94,616	4,226	522.1
954	95,406	4,108	525.5
960	96,000	4,108	526.2
964	96,407	4,108	526.9
966	96,598	4,108	526.4
968	96,835	4,108	528.5
972	97,242	4,108	530.0
976	97,567	4,052	530.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Bullock Creek, cont.			
980	98,050	4,052	531.3
986	98,559	4,052	531.7
990	99,000	4,052	531.9
995	99,500	4,052	532.4
1000	99,952	4,052	533.7
1006	100,586	3,943	534.5
1009	100,859	3,943	534.8
1014	101,434	3,943	536.3
1020	101,964	3,943	537.6
1025	102,500	3,943	538.3
1031	103,055	3,943	539.4
1035	103,500	3,943	540.3
1040	103,959	3,943	541.4
1045	104,500	3,943	542.4
1050	104,973	3,943	543.3
1054	105,442	2,975	544.3
1060	106,000	2,975	545.0
1065	106,500	2,975	546.2
1070	106,992	2,923	547.3
1075	107,500	2,923	549.2
1080	107,988	2,923	551.1
1083	108,345	2,923	552.3
1086	108,612	2,923	553.8
1088	108,764	2,923	554.4
1090	108,952	2,923	554.1
1095	109,535	2,923	556.5
1100	110,000	2,923	557.8
1105	110,500	2,923	559.6
1110	111,000	2,923	561.0
1115	111,500	2,923	564.0
1120	112,000	2,923	565.8
1126	112,570	2,923	567.8
1130	113,040	2,923	568.8
1135	113,479	2,716	569.3
1141	114,053	2,716	570.7
1145	114,548	2,716	572.7
1149	114,881	2,716	573.4
1156	115,558	2,716	574.7
1160	116,000	2,716	576.8
1165	116,467	2,716	577.6
1170	117,047	2,716	579.2
1174	117,419	2,716	580.4
1179	117,938	2,716	581.8
1185	118,500	2,716	583.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Bullock Creek, cont.			
1190	119,022	2,520	584.6
1195	119,500	2,520	586.5
1200	120,000	2,520	587.6
1205	120,500	2,520	589.6
1210	121,000	2,520	590.4
1215	121,500	2,520	591.4
1220	122,043	2,520	593.4
1225	122,500	2,520	594.8
1229	122,876	2,520	598.0
1235	123,484	1,908	600.2
1239	123,885	1,908	603.8
1240	123,992	1,908	607.0
1245	124,500	1,908	607.7
1250	125,000	1,908	609.3
1255	125,500	1,908	611.2
1260	126,000	1,908	615.7
1265	126,529	1,413	621.3
1270	127,000	1,413	623.4
1275	127,500	1,413	625.3
1280	127,979	1,413	627.4
1285	128,486	1,413	628.5
1287	128,664	1,413	629.0
1288	128,818	1,413	631.5
1290	129,017	1,413	631.8
1295	129,500	1,413	633.3
1300	130,000	1,331	635.8
1305	130,530	1,331	640.2
1309	130,920	1,331	642.1
1310	130,994	1,331	649.6
1311	131,125	1,331	649.6
1313	131,308	1,331	662.1
1315	131,545	1,331	662.1
1319	131,882	1,331	662.1
1322	132,155	1,331	662.1
Bullock Creek Tributary 1			
027	2,662	375	479.1
028	2,848	375	480.7
032	3,163	375	484.2
035	3,453	290	487.8
Bullock Creek Tributary 2			
068	6,849	558	502.2
072	7,174	558	508.1
075	7,500	558	512.8
080	8,000	558	520.5

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Bullock Creek Tributary 2, cont.			
085	8,500	558	532.7
089	8,857	558	546.7
Bullock Creek Tributary 3			
008	777	386	510.8
013	1,329	386	517.8
015	1,522	302	520.7
017	1,663	302	529.8
018	1,806	227	535.8
019	1,947	227	539.7
Bullock Creek Tributary 4			
004	387	461	514.9
010	1,000	461	518.5
015	1,548	400	524.0
021	2,073	199	531.2
025	2,500	199	541.2
Bullock Creek Tributary 5			
009	919	328	526.2
010	1,046	328	526.2
013	1,305	328	528.6
Bullock Creek Tributary 6			
003	319	284	530.1
005	459	284	530.1
006	575	284	530.1
010	1,000	263	530.1
013	1,297	263	539.0
015	1,482	263	547.4
016	1,603	263	549.0
021	2,055	235	550.2
Bullock Creek Tributary 7			
001	120	1,070	620.3
003	317	1,070	621.5
005	500	1,070	630.3
010	1,000	1,070	638.7
015	1,500	1,070	643.8
020	2,000	1,070	646.6
026	2,558	1,012	649.2
Burgis Creek			
007	697	2,542	492.2
010	1,035	2,542	492.2
015	1,516	2,542	492.2
019	1,852	2,542	492.2
027	2,713	2,542	492.2
030	2,974	2,542	492.2
038	3,812	2,542	494.9

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Burgis Creek, cont.			
041	4,143	2,542	496.0
046	4,555	2,542	496.7
049	4,916	2,542	500.1
056	5,646	2,542	505.2
065	6,454	2,542	508.7
072	7,180	2,542	513.6
081	8,053	2,542	516.3
086	8,597	2,542	517.8
092	9,178	2,542	518.3
096	9,616	2,542	521.9
101	10,133	2,542	524.0
106	10,619	2,542	527.3
110	10,987	2,542	528.3
116	11,561	2,542	529.2
119	11,852	2,542	530.6
125	12,474	2,542	531.6
130	13,006	2,542	534.1
133	13,285	2,542	534.1
136	13,648	2,542	536.5
139	13,883	2,542	536.6
144	14,374	2,542	540.3
148	14,788	2,542	541.4
156	15,565	2,542	547.0
162	16,158	2,542	549.9
Calabash Branch			
003	255	2,618	617.5
005	509	2,618	617.5
006	594	2,618	619.8
012	1,194	2,618	621.8
018	1,817	2,618	622.3
025	2,500	2,618	623.0
029	2,915	2,618	623.3
034	3,428	2,618	626.1
038	3,829	2,618	627.1
040	3,960	2,618	629.4
044	4,427	2,618	629.8
050	4,970	2,618	630.4
056	5,575	2,618	631.9
060	6,000	2,618	632.6
065	6,500	2,618	633.1
071	7,056	2,618	635.7
077	7,656	1,062	637.7
080	8,049	1,062	638.1
082	8,191	1,062	640.3

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Calabash Branch, cont.			
088	8,775	1,062	640.4
094	9,350	1,062	644.8
099	9,936	1,062	646.0
104	10,400	1,062	648.4
109	10,859	1,062	651.4
114	11,411	1,062	656.6
118	11,784	1,062	660.1
122	12,237	1,062	665.2
128	12,780	1,062	669.5
135	13,502	1,062	674.9
140	14,002	1,062	679.9
145	14,502	1,062	689.5
149	14,944	1,062	693.6
155	15,549	1,062	696.4
161	16,091	1,062	700.5
166	16,619	1,062	702.3
170	17,002	1,062	704.3
176	17,608	1,062	709.7
180	18,009	886	714.0
185	18,550	886	718.5
190	18,975	720	722.9
Camp Run			
007	698	1,607	594.1
014	1,382	1,607	595.4
019	1,881	1,607	599.4
025	2,549	1,607	600.8
031	3,054	1,607	603.0
037	3,673	1,607	604.9
039	3,922	1,607	605.8
041	4,118	1,607	606.1
Carter Branch			
002	191	1,989	458.0
006	556	1,989	458.8
010	980	1,989	460.3
013	1,305	1,989	461.4
015	1,546	1,989	462.2
020	2,027	1,989	464.7
025	2,511	1,989	466.1
030	3,000	1,989	468.4
034	3,442	1,989	470.6
040	3,960	1,989	473.0
045	4,492	1,989	475.7
051	5,056	1,989	478.0
055	5,500	1,989	479.3

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Carter Branch, cont.			
060	6,005	1,989	482.1
067	6,671	1,870	484.1
068	6,766	1,870	485.0
074	7,384	1,870	486.6
076	7,637	1,870	488.2
083	8,281	1,870	489.8
Catawba River			
005	509	118,000	465.2
011	1,117	118,000	466.0
019	1,917	118,000	466.2
027	2,717	118,000	466.5
041	4,109	118,000	467.0
060	6,042	118,000	467.4
063	6,297	118,000	468.4
075	7,517	118,000	468.6
082	8,244	118,000	468.7
090	9,031	118,000	468.9
099	9,917	118,000	469.2
107	10,717	118,000	469.5
115	11,517	118,000	469.7
125	12,458	118,000	470.1
131	13,103	118,000	470.1
140	14,044	118,000	470.1
158	15,814	118,000	471.4
168	16,842	118,000	471.7
173	17,321	113,100	472.0
176	17,581	113,100	472.5
176	17,602	113,100	473.1
176	17,628	113,100	473.2
180	17,950	113,100	473.5
192	19,179	113,100	473.7
203	20,349	113,100	474.0
219	21,917	113,100	474.6
229	22,855	113,100	474.7
235	23,517	113,100	475.0
243	24,256	113,100	475.2
253	25,314	113,100	475.3
268	26,789	113,100	475.8
283	28,297	113,100	476.2
299	29,917	113,100	476.8
311	31,055	113,100	477.1
321	32,120	113,100	477.4
336	33,587	113,100	477.8
351	35,117	113,100	478.9

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Catawba River, cont.			
360	35,950	113,100	479.0
370	36,969	113,100	479.4
391	39,110	108,100	480.5
402	40,206	108,100	480.7
419	41,917	108,100	481.2
429	42,910	108,100	481.3
434	43,446	108,100	481.9
441	44,093	108,100	482.4
450	44,976	108,100	482.6
455	45,545	108,100	482.9
459	45,888	108,100	483.1
465	46,462	108,100	483.4
468	46,836	108,100	483.6
475	47,460	108,100	483.9
480	48,031	108,100	483.9
488	48,794	108,100	484.2
494	49,368	108,100	484.5
502	50,157	108,100	484.6
507	50,664	108,100	484.6
511	51,131	108,100	484.7
518	51,754	108,100	484.9
530	53,049	108,100	486.2
534	53,383	108,100	486.4
Catawba River Tributary 1			
014	1,363	1,548	457.3
018	1,806	1,548	458.5
024	2,431	571	460.1
030	3,000	571	462.4
035	3,500	571	472.3
041	4,087	571	477.2
045	4,540	571	481.6
052	5,226	571	491.7
055	5,500	571	496.3
060	6,000	571	502.2
Catawba River Tributary 10			
001	80	260	538.0
006	576	260	547.2
Catawba River Tributary 11			
015	1,540	406	476.2
020	1,999	406	476.2
025	2,511	406	476.2
030	3,011	406	482.0
036	3,562	406	487.5
041	4,072	406	495.2

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Catawba River Tributary 11, cont.			
047	4,697	406	506.6
Catawba River Tributary 2			
010	1,000	316	475.8
014	1,429	316	475.8
019	1,926	316	475.8
024	2,426	316	481.5
029	2,933	316	490.0
034	3,356	316	502.9
Catawba River Tributary 3			
001	112	1,334	521.9
004	447	1,334	522.2
011	1,066	1,334	525.7
016	1,638	1,334	528.5
022	2,221	1,334	532.7
029	2,878	1,334	535.6
032	3,222	1,334	539.4
Catawba River Tributary 4			
002	184	1,572	534.8
006	572	1,572	536.7
011	1,105	1,572	539.6
014	1,431	1,572	541.8
017	1,715	1,572	542.7
020	1,976	1,572	545.1
Catawba River Tributary 6			
067	6,689	2,290	570.0
072	7,216	2,290	570.0
076	7,640	2,290	570.0
082	8,185	2,290	570.0
092	9,220	2,290	570.0
097	9,703	2,290	570.0
102	10,199	2,290	570.0
109	10,851	2,290	572.9
Catawba River Tributary 9			
000	36	419	529.4
006	615	419	532.1
012	1,225	419	537.2
016	1,576	244	541.9
019	1,910	244	547.7
Clark Creek			
007	731	7,825	466.8
010	1,000	7,825	466.8
016	1,588	7,825	467.9
020	1,969	7,825	468.7
024	2,377	7,825	469.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Clark Creek, cont.			
029	2,917	7,825	470.1
037	3,695	7,825	470.8
040	4,000	7,825	471.0
045	4,500	7,825	471.2
050	5,033	7,825	471.5
056	5,568	7,825	472.8
060	5,966	7,825	473.5
065	6,509	7,825	474.9
071	7,134	7,825	476.5
076	7,623	7,703	477.5
080	8,021	7,703	478.0
087	8,670	7,703	479.4
090	9,021	7,703	480.3
093	9,303	7,703	481.6
095	9,458	7,703	481.7
096	9,585	7,703	483.6
100	9,985	7,703	484.4
105	10,464	7,703	485.4
109	10,873	7,703	485.4
115	11,539	7,703	486.3
121	12,100	7,703	486.6
125	12,500	7,703	487.0
130	12,990	7,703	487.8
135	13,500	7,703	488.5
140	14,023	7,703	489.1
146	14,630	7,494	490.4
150	15,018	7,494	490.8
155	15,500	7,494	491.3
160	16,029	7,494	492.2
165	16,500	7,474	492.6
170	17,000	7,474	493.0
184	18,375	7,474	495.4
187	18,689	7,474	496.0
191	19,054	7,474	496.9
194	19,353	7,474	497.1
200	19,964	7,474	498.7
207	20,673	7,474	499.8
212	21,160	7,474	500.2
215	21,500	7,474	500.4
220	22,000	7,474	501.3
225	22,479	7,474	501.8
235	23,539	7,474	503.3
241	24,125	7,282	503.7
245	24,500	7,282	505.4

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Clark Creek, cont.			
250	25,023	7,282	506.2
256	25,562	7,282	507.9
259	25,896	7,282	508.5
264	26,431	7,237	509.4
271	27,115	7,118	511.3
275	27,511	7,118	511.9
280	27,958	7,118	512.4
285	28,500	7,118	512.9
290	29,000	7,118	513.5
295	29,485	7,118	514.3
299	29,894	7,118	515.0
305	30,493	7,118	515.9
310	31,000	7,118	516.9
315	31,478	7,118	517.8
320	32,000	7,118	518.6
324	32,394	7,118	519.1
330	33,000	7,118	520.4
334	33,433	7,118	520.9
346	34,552	6,854	522.1
350	34,974	6,854	522.9
351	35,108	6,854	525.9
355	35,462	6,854	526.5
359	35,873	6,854	527.1
366	36,588	6,714	527.5
369	36,930	6,714	529.3
376	37,605	6,567	531.2
381	38,052	6,567	532.0
385	38,491	6,567	532.7
389	38,910	6,567	533.9
396	39,624	6,567	535.0
399	39,910	6,567	535.7
407	40,715	6,567	537.8
414	41,388	6,567	538.8
425	42,500	6,463	540.6
430	43,000	6,463	541.5
435	43,500	6,463	542.5
440	44,000	6,463	543.6
446	44,603	6,435	544.2
451	45,057	6,435	545.0
454	45,440	6,435	545.5
456	45,564	6,435	546.1
459	45,907	6,435	546.8
464	46,399	6,200	547.1
471	47,081	6,200	547.7

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Clark Creek, cont.			
475	47,500	6,200	547.8
478	47,837	6,200	548.6
485	48,500	6,200	549.9
493	49,276	6,200	552.1
494	49,429	6,200	555.2
501	50,086	5,702	556.1
507	50,717	5,702	556.1
512	51,157	5,702	556.2
515	51,500	5,702	556.3
520	52,000	5,702	556.5
525	52,500	5,702	557.0
528	52,765	5,702	557.2
535	53,533	5,554	558.0
540	54,000	5,554	558.7
545	54,500	5,554	559.4
550	54,997	5,554	560.7
556	55,603	5,554	562.2
561	56,092	5,554	563.1
565	56,455	5,554	564.2
570	57,000	5,554	565.3
577	57,745	5,554	567.1
583	58,312	5,437	568.6
585	58,478	5,437	570.3
587	58,724	5,437	571.2
590	59,000	5,437	571.6
594	59,404	5,437	571.9
600	60,000	5,437	572.3
605	60,500	5,437	572.7
611	61,079	5,437	573.5
617	61,652	5,437	575.7
621	62,082	5,437	576.7
627	62,672	5,437	577.5
631	63,067	5,437	578.6
635	63,500	5,437	579.6
640	64,000	5,290	580.6
645	64,500	5,290	582.4
648	64,754	5,290	583.6
655	65,506	5,290	585.3
658	65,836	5,290	585.7
668	66,794	5,290	586.9
669	66,908	5,290	590.4
678	67,763	5,290	590.8
689	68,862	5,290	591.3
692	69,232	5,290	591.5

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Clark Creek, cont.			
695	69,549	5,290	592.0
701	70,107	5,290	592.4
704	70,436	5,290	593.5
710	71,000	5,290	595.2
714	71,373	5,290	595.7
720	72,038	4,925	597.3
725	72,543	4,925	598.3
730	73,000	4,925	599.4
734	73,430	4,925	600.5
738	73,775	4,925	601.7
745	74,500	4,925	602.9
750	75,000	4,925	604.4
755	75,527	4,925	605.4
761	76,053	4,925	606.6
765	76,500	4,925	607.8
770	77,000	4,925	608.8
775	77,467	4,925	610.6
780	78,000	3,832	612.0
785	78,464	3,832	613.3
791	79,093	3,832	614.9
796	79,598	3,832	616.8
801	80,075	3,832	617.9
803	80,349	3,832	619.4
810	80,984	3,832	621.3
813	81,299	3,832	622.2
822	82,186	3,832	624.1
825	82,483	3,832	624.5
830	82,954	3,832	625.2
835	83,500	3,832	627.4
839	83,921	3,832	627.7
845	84,521	3,329	628.9
850	85,000	3,329	629.4
855	85,522	3,329	630.1
857	85,672	3,329	632.1
860	86,000	3,329	634.1
865	86,500	3,329	634.5
870	87,000	3,329	635.3
875	87,534	3,329	636.3
880	88,000	3,329	637.2
887	88,667	3,329	639.7
890	88,982	3,329	641.0
895	89,521	3,329	642.4
898	89,839	3,329	643.8
904	90,424	2,840	644.7

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Clark Creek, cont.			
910	91,021	2,840	646.9
914	91,367	2,840	647.7
921	92,057	2,840	648.3
925	92,500	2,840	649.0
930	93,000	2,840	650.8
936	93,556	2,840	651.8
940	94,010	2,840	673.3
945	94,500	2,840	673.4
952	95,181	2,210	673.4
957	95,671	2,210	673.4
961	96,136	2,210	673.4
966	96,569	2,210	673.5
971	97,115	2,210	673.5
976	97,566	2,210	673.6
980	97,977	2,210	673.6
985	98,507	2,210	673.8
989	98,856	2,210	673.9
989	98,930	2,210	676.4
990	98,997	2,210	676.6
995	99,477	2,210	677.0
1000	99,959	2,210	677.4
1004	100,386	2,210	679.4
1010	100,977	2,210	682.5
1015	101,455	2,210	684.8
1020	101,977	2,210	687.2
1025	102,516	2,210	692.2
1027	102,697	2,210	693.8
1028	102,775	2,210	694.1
1030	102,985	2,210	693.7
1035	103,501	2,210	696.3
1040	103,999	2,210	698.8
1045	104,477	1,621	703.0
1050	105,031	1,621	706.8
Clark Creek Tributary 1			
018	1,814	302	477.4
021	2,137	302	480.8
025	2,500	302	485.5
030	3,039	302	496.1
Clark Creek Tributary 2			
002	163	325	488.6
003	259	325	488.6
004	437	325	488.6
007	688	325	488.6
009	855	325	492.3

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Clark Creek Tributary 2, cont.			
009	949	325	494.4
013	1,271	325	499.2
014	1,431	325	502.7
016	1,624	325	508.0
Clark Creek Tributary 3			
004	358	571	503.2
008	832	571	505.1
012	1,243	571	508.6
016	1,602	571	511.5
019	1,870	571	515.3
022	2,176	571	519.2
Clark Creek Tributary 4			
003	330	615	521.3
007	690	615	523.0
012	1,200	615	527.8
016	1,624	615	532.5
019	1,946	615	536.4
Clark Creek Tributary 5			
003	335	756	527.2
008	790	756	528.4
012	1,200	756	534.8
016	1,553	756	540.9
020	2,000	756	546.5
Clark Creek Tributary 6			
004	421	404	539.2
006	586	404	540.4
011	1,089	404	551.3
015	1,500	404	560.0
018	1,803	404	567.0
Clark Creek Tributary 8			
003	322	180	543.4
007	726	180	548.5
010	1,037	180	555.9
013	1,265	180	562.8
015	1,476	180	569.2
Clinton Branch			
000	9	1,728	513.4
004	434	1,728	515.0
008	780	1,728	516.1
013	1,280	1,728	517.8
018	1,780	1,728	519.5
023	2,280	1,728	520.9
028	2,780	1,728	522.7
033	3,280	1,728	525.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Clinton Branch, cont.			
038	3,780	1,728	529.8
043	4,280	1,728	535.4
048	4,780	1,728	538.0
053	5,280	1,728	539.9
056	5,585	1,728	540.6
063	6,280	1,728	545.0
068	6,780	1,728	554.5
069	6,896	1,728	563.6
073	7,280	1,728	563.7
078	7,780	1,092	564.1
083	8,280	1,092	565.0
088	8,780	1,092	568.1
091	9,120	1,092	570.9
098	9,780	1,092	579.7
103	10,280	1,092	585.6
106	10,594	1,092	588.3
107	10,659	1,092	588.2
108	10,780	1,092	591.0
113	11,341	1,092	597.1
120	12,032	1,092	612.0
Clinton Branch Tributary 1			
005	500	593	521.6
010	1,000	593	525.3
015	1,500	593	530.6
020	2,000	593	535.4
025	2,500	593	539.9
030	3,000	593	545.7
033	3,269	593	547.5
Conrad Creek			
000	14	3,214	550.7
010	1,000	3,214	551.5
015	1,500	3,214	552.0
020	2,000	3,214	553.2
025	2,547	2,682	555.0
030	3,000	2,682	555.7
035	3,500	2,682	556.3
040	4,000	2,682	557.5
045	4,500	2,682	558.4
050	5,000	2,682	559.5
056	5,561	2,682	560.2
060	6,000	2,682	561.0
063	6,263	2,682	561.5
069	6,936	2,682	563.4
075	7,500	2,682	564.8

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Conrad Creek, cont.			
080	8,000	2,682	566.4
085	8,500	1,671	567.4
090	9,000	1,671	568.4
095	9,500	1,671	569.2
100	10,000	1,671	570.5
105	10,500	1,671	572.7
110	10,977	1,671	574.8
112	11,186	1,671	576.6
122	12,156	1,671	579.0
125	12,500	1,671	580.4
130	13,000	1,671	581.3
135	13,500	1,671	582.2
141	14,072	787	583.0
145	14,500	787	585.2
150	15,000	787	587.7
153	15,339	787	588.8
156	15,592	787	591.1
165	16,500	654	592.7
170	17,000	654	595.2
176	17,603	654	599.6
180	18,000	654	602.5
185	18,500	654	604.9
190	19,000	654	607.5
196	19,580	654	611.9
200	20,000	654	615.2
205	20,500	654	618.9
210	21,000	654	623.7
215	21,500	654	627.2
221	22,108	654	638.3
Conrad Creek Tributary 1			
001	55	1,096	553.7
005	500	1,096	555.7
010	1,000	1,096	558.4
015	1,500	1,096	560.7
020	2,000	1,096	563.5
025	2,500	1,096	569.0
031	3,107	1,096	572.1
036	3,565	1,096	574.9
040	4,029	1,096	578.3
045	4,454	1,096	580.8
Conrad Creek Tributary 2			
001	89	1,368	566.8
005	500	1,368	568.1
010	1,000	1,368	571.3

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Conrad Creek Tributary 2, cont.			
015	1,500	1,368	572.9
020	2,000	1,368	575.2
029	2,867	1,368	579.5
030	2,999	1,368	580.6
035	3,499	1,368	582.7
040	3,999	1,368	584.7
044	4,418	1,368	586.1
050	4,999	1,368	588.2
056	5,581	1,368	589.7
061	6,050	1,368	591.6
065	6,499	1,368	594.2
070	6,999	1,368	597.0
075	7,499	1,368	599.3
080	7,960	1,368	601.3
085	8,499	901	604.5
089	8,936	901	607.2
091	9,091	901	607.5
095	9,499	901	609.8
100	9,999	901	612.9
105	10,514	901	615.6
Conrad Creek Tributary 3			
001	94	377	566.8
007	735	377	570.6
012	1,169	377	573.8
015	1,500	377	575.7
020	2,000	377	579.2
025	2,500	377	582.8
030	3,000	377	587.0
035	3,500	251	590.8
040	4,000	251	595.6
048	4,759	251	600.7
Conrad Creek Tributary 4			
003	315	998	582.3
009	909	998	584.9
015	1,500	998	588.3
020	2,000	998	590.8
023	2,273	998	592.1
030	3,000	998	593.4
035	3,500	386	595.8
040	4,000	386	600.3
045	4,500	386	604.0
050	5,000	386	608.8
055	5,475	386	613.4
			0.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Conrad Creek Tributary 5			
003	288	579	591.7
010	1,000	579	595.6
015	1,500	579	598.1
019	1,926	579	600.9
024	2,410	579	605.2
030	3,000	579	609.9
036	3,567	579	613.9
040	4,000	579	618.0
045	4,500	579	622.9
050	5,000	579	627.3
054	5,404	314	631.7
062	6,249	314	639.6
Creekside Branch			
005	500	2,412	589.8
010	1,000	2,412	590.0
015	1,500	2,412	590.2
019	1,916	2,412	590.5
024	2,379	2,412	590.9
030	3,000	2,412	593.1
034	3,370	2,412	594.7
040	4,000	2,412	599.2
046	4,604	2,244	600.4
048	4,776	2,244	601.6
052	5,225	2,244	602.0
057	5,709	2,244	602.6
064	6,383	2,244	604.0
070	6,994	1,999	605.8
075	7,533	1,999	606.1
080	8,024	1,999	607.5
084	8,350	1,999	636.7
087	8,706	1,999	636.7
097	9,719	1,693	636.7
105	10,494	1,693	636.7
110	10,959	1,693	636.7
116	11,573	1,693	636.7
119	11,903	1,693	636.7
122	12,229	1,693	636.7
127	12,723	1,693	636.7
132	13,220	1,693	636.8
138	13,814	1,391	636.9
140	13,952	1,391	639.3
142	14,220	1,391	639.3
146	14,602	1,391	639.4
151	15,139	1,391	639.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Creekside Branch, cont.			
153	15,279	967	648.5
157	15,720	967	648.5
162	16,220	967	648.5
165	16,518	967	648.5
Creekside Branch Tributary 1			
002	153	540	648.5
007	664	540	653.3
013	1,273	540	661.9
018	1,774	540	671.1
020	1,972	540	679.9
021	2,087	540	680.0
023	2,272	540	680.0
024	2,423	540	681.1
Creekside Branch Tributary 2			
015	1,500	859	636.7
020	2,000	859	636.7
024	2,406	859	636.7
029	2,931	859	636.7
034	3,424	859	636.7
040	4,015	859	636.7
046	4,649	859	636.7
051	5,134	859	637.5
055	5,544	859	640.9
060	6,020	859	645.7
064	6,381	859	649.2
068	6,789	859	652.7
074	7,396	859	667.7
077	7,720	859	671.8
085	8,502	859	684.0
Creekside Branch Tributary 4			
005	506	618	601.8
012	1,170	618	604.0
018	1,784	618	609.1
023	2,283	618	612.9
030	2,981	618	616.4
Creekside Branch Tributary 5			
005	500	349	636.7
010	1,000	349	636.7
013	1,256	349	639.6
Creekside Branch Tributary 6			
003	334	547	639.3
007	729	547	639.3
011	1,126	547	640.2
016	1,622	547	644.3

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Creekside Branch Tributary 7			
001	126	546	633.5
005	490	546	635.1
009	902	546	638.1
Crowders Creek			
243	24,274	14,206	579.7
253	25,292	12,543	579.5
258	25,793	12,543	580.5
264	26,393	12,543	580.7
268	26,802	12,543	581.1
276	27,610	12,543	582.5
280	27,953	12,543	582.6
281	28,087	12,543	583.5
283	28,293	12,543	584.0
288	28,793	12,543	584.3
294	29,393	12,543	584.4
299	29,897	12,543	584.4
306	30,593	12,543	584.7
312	31,180	12,543	585.0
318	31,765	12,543	585.4
325	32,460	12,543	585.8
328	32,807	12,468	585.8
329	32,873	12,468	586.2
331	33,081	12,468	586.9
336	33,626	12,468	587.4
342	34,193	12,468	587.5
348	34,796	12,468	587.9
353	35,304	12,468	588.1
360	35,993	12,468	588.4
367	36,655	12,468	588.8
373	37,273	12,468	589.2
377	37,750	12,468	589.3
384	38,421	12,468	589.8
390	38,993	12,468	590.2
397	39,665	12,468	590.6
402	40,171	12,468	591.2
408	40,817	12,468	591.7
414	41,393	12,468	592.1
420	41,993	12,468	592.7
426	42,566	12,468	593.1
432	43,193	12,468	593.6
438	43,846	12,312	594.2
439	43,943	12,312	595.9
443	44,335	12,312	596.8
450	44,992	12,312	597.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Crowders Creek, cont.			
456	45,576	12,312	598.3
462	46,164	12,312	598.8
468	46,779	12,312	599.4
474	47,374	12,312	600.1
480	47,993	12,312	600.9
486	48,577	12,312	601.6
492	49,193	12,312	602.3
499	49,859	12,312	603.3
504	50,393	12,312	604.0
510	50,993	12,312	604.7
519	51,895	12,312	605.4
524	52,413	12,312	605.7
529	52,906	12,312	606.1
532	53,225	12,312	606.3
533	53,287	12,312	606.8
539	53,914	12,083	608.0
546	54,593	12,083	608.6
552	55,193	12,083	609.2
558	55,793	12,083	610.1
564	56,393	12,083	610.9
570	56,993	12,083	611.8
576	57,593	12,083	612.5
581	58,091	12,083	613.1
590	59,039	12,083	614.3
594	59,393	12,083	614.5
601	60,078	12,083	615.1
606	60,593	11,781	615.8
611	61,144	11,781	616.2
617	61,655	11,781	616.7
623	62,330	11,781	617.3
629	62,928	11,781	617.7
Crowders Creek Tributary 1			
002	175	1,218	615.4
005	475	1,218	615.4
007	740	1,218	615.4
011	1,087	1,218	618.1
013	1,270	1,218	619.8
015	1,507	1,218	621.0
018	1,811	1,218	621.8
Crowders Creek Tributary 2			
019	1,945	1,609	575.9
025	2,500	1,609	575.9
030	3,000	1,609	575.9
035	3,500	1,609	577.5

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Crowders Creek Tributary 2, cont.			
040	4,002	1,609	582.8
045	4,500	1,609	586.8
050	5,000	1,295	589.6
055	5,500	1,295	594.3
061	6,115	1,295	596.9
Crowders Creek Tributary 3			
000	12	1,031	640.1
005	500	1,031	641.6
013	1,258	1,031	648.5
020	2,000	1,031	652.2
025	2,500	1,031	653.9
Diggers Branch			
005	500	1,606	555.9
011	1,108	1,606	555.9
014	1,419	1,606	555.9
020	1,985	1,606	558.2
025	2,520	1,606	560.6
031	3,074	1,606	563.4
035	3,500	1,606	565.8
040	3,950	1,606	567.5
045	4,500	1,606	571.6
050	5,000	1,606	572.4
054	5,444	1,606	574.9
060	5,965	1,606	578.4
064	6,403	1,606	581.2
067	6,730	1,606	584.2
070	7,043	1,278	585.6
071	7,071	1,278	586.7
072	7,163	1,278	586.6
072	7,188	1,278	587.6
072	7,220	1,278	587.6
072	7,243	1,278	589.5
077	7,675	1,278	591.4
078	7,770	1,278	595.1
080	8,000	1,278	595.1
085	8,534	1,278	595.4
089	8,889	1,278	597.3
095	9,538	1,278	601.8
101	10,051	1,278	604.2
105	10,527	1,278	611.0
106	10,594	1,278	617.0
110	10,951	1,278	617.1
115	11,532	1,278	617.2
120	11,997	1,278	617.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Diggers Branch, cont.			
126	12,581	1,278	621.0
129	12,913	1,278	622.5
131	13,119	909	625.1
132	13,206	909	626.3
135	13,547	909	627.9
141	14,063	909	634.1
144	14,426	909	636.5
149	14,920	909	643.1
154	15,409	909	648.6
Dry Fork			
005	490	1,833	482.4
012	1,221	1,833	484.0
014	1,389	1,833	486.1
014	1,402	1,833	486.0
015	1,517	1,833	490.7
022	2,187	1,833	490.9
025	2,500	1,833	491.1
030	3,015	1,093	492.2
035	3,535	1,093	494.6
040	3,993	1,093	497.4
045	4,500	1,093	499.4
050	4,984	1,093	501.4
055	5,545	1,093	504.0
059	5,946	1,093	505.1
065	6,500	1,093	508.9
069	6,889	1,028	510.8
075	7,527	1,028	513.4
080	8,040	1,028	516.0
084	8,448	1,028	518.0
088	8,801	1,028	521.6
Dry Fork Tributary 1			
005	484	1,237	490.8
008	797	1,237	490.8
010	1,000	1,237	491.4
015	1,504	1,237	494.9
017	1,690	1,237	497.4
019	1,924	1,237	503.1
021	2,146	1,237	505.4
023	2,349	1,237	508.0
026	2,554	1,237	510.7
Dye Branch			
020	2,029	3,200	506.9
035	3,459	3,200	506.9
039	3,907	3,200	506.9

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Dye Branch, cont.			
046	4,632	3,200	506.9
056	5,574	3,200	507.9
058	5,800	3,200	515.2
062	6,181	2,074	515.2
069	6,929	2,074	515.2
076	7,588	2,074	515.7
083	8,279	2,074	522.8
089	8,908	2,074	528.2
093	9,282	2,074	529.6
098	9,789	1,501	530.9
Ferry Branch			
018	1,773	2,414	471.9
026	2,574	2,414	471.9
027	2,675	2,414	471.9
034	3,386	2,414	478.4
040	4,000	2,414	482.2
045	4,500	2,414	483.9
050	4,970	2,414	484.8
052	5,225	2,414	495.2
056	5,556	2,414	495.4
060	5,953	2,414	495.6
063	6,258	2,414	495.6
067	6,698	2,414	495.6
070	6,984	2,414	495.6
077	7,656	2,414	495.6
082	8,219	2,414	495.7
084	8,405	2,414	500.9
085	8,525	1,571	501.0
087	8,662	1,571	501.0
088	8,786	1,571	501.0
089	8,894	1,571	501.0
091	9,057	1,571	501.0
092	9,151	1,571	501.1
093	9,343	1,571	501.1
095	9,475	1,571	501.1
097	9,692	1,571	506.7
100	9,958	1,571	506.7
103	10,303	1,571	506.7
104	10,438	1,571	506.7
107	10,674	1,571	506.7
109	10,904	1,571	506.8
112	11,221	1,571	515.3
119	11,932	1,398	515.3
125	12,500	1,398	515.3

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Ferry Branch, cont.			
130	13,000	1,398	515.3
135	13,488	1,398	515.4
138	13,771	1,398	515.6
140	14,008	1,398	525.3
148	14,847	1,398	525.4
154	15,442	1,398	525.5
157	15,714	1,398	525.6
161	16,130	1,398	527.4
167	16,667	1,398	531.2
170	17,000	1,398	532.1
175	17,465	1,051	534.8
181	18,070	1,051	537.2
185	18,484	1,051	538.4
187	18,693	1,051	541.0
194	19,421	1,051	544.4
200	20,000	1,051	548.1
205	20,514	1,051	551.0
210	21,047	1,051	556.8
216	21,633	1,051	563.7
220	22,000	1,051	567.1
226	22,561	646	571.1
232	23,197	646	578.6
233	23,291	646	591.7
238	23,766	646	591.7
244	24,361	646	594.4
248	24,828	646	599.1
252	25,248	646	603.6
259	25,867	646	612.1
Ferry Branch Tributary 2			
001	109	201	533.0
006	633	201	539.2
010	978	201	544.9
013	1,343	201	550.9
015	1,538	201	556.8
Ferry Branch Tributary 3			
001	143	423	567.7
007	724	423	573.1
012	1,205	423	577.7
Fishing Creek			
000	3	19,394	486.8
008	794	19,394	487.2
016	1,566	19,394	488.5
023	2,316	19,394	489.8
031	3,052	19,394	490.9

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Fishing Creek, cont.			
038	3,800	19,394	491.2
046	4,553	19,394	492.0
053	5,313	19,394	492.9
057	5,710	19,394	493.2
066	6,585	19,394	494.4
071	7,108	19,394	494.5
077	7,678	19,394	495.0
083	8,273	19,394	495.6
089	8,884	19,394	496.1
097	9,680	19,394	496.9
104	10,437	18,413	497.2
109	10,863	18,413	497.5
119	11,882	18,413	498.5
123	12,283	18,413	498.7
124	12,385	18,413	499.6
133	13,295	18,413	500.4
139	13,917	18,413	500.9
152	15,235	18,413	501.9
165	16,489	18,413	502.3
172	17,222	18,413	502.5
178	17,799	18,413	502.6
186	18,606	18,413	503.0
194	19,356	18,413	503.7
201	20,106	18,413	504.1
210	21,033	15,203	504.8
217	21,686	15,203	504.9
222	22,165	15,203	505.1
231	23,106	15,203	505.8
245	24,464	15,203	506.1
246	24,646	15,203	506.4
254	25,401	15,203	507.5
260	26,015	15,203	507.6
272	27,180	15,203	508.6
279	27,930	15,203	508.8
290	28,967	15,203	510.0
299	29,856	15,203	510.3
305	30,451	15,203	510.5
312	31,192	15,203	511.6
321	32,106	15,203	512.0
329	32,856	15,203	511.7
340	33,973	15,203	512.8
342	34,213	15,203	514.8
351	35,106	15,203	515.3
360	35,992	15,203	516.7

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Fishing Creek, cont.			
370	37,041	15,203	517.4
376	37,572	15,203	518.4
383	38,344	15,203	518.9
388	38,805	15,203	519.7
397	39,662	15,203	520.1
401	40,066	15,203	521.2
405	40,476	10,232	521.3
415	41,497	10,232	522.3
418	41,791	10,232	522.4
419	41,928	10,232	522.5
420	42,002	10,232	522.5
421	42,086	10,232	522.5
423	42,251	10,232	523.1
428	42,774	10,232	523.5
440	44,044	10,232	523.9
461	46,112	10,232	525.3
469	46,860	10,232	526.0
476	47,621	10,232	526.3
486	48,646	10,232	526.4
489	48,864	10,232	527.9
496	49,558	10,232	528.6
510	50,969	10,232	529.0
514	51,400	10,232	529.1
524	52,356	10,232	529.8
533	53,299	10,232	530.7
535	53,479	10,232	531.5
542	54,194	10,232	532.8
552	55,156	9,965	533.4
559	55,917	9,965	534.2
567	56,688	9,965	535.1
574	57,404	9,965	535.8
582	58,230	9,965	536.7
595	59,467	9,965	537.1
598	59,788	9,965	537.6
604	60,367	9,965	538.2
612	61,248	9,965	538.9
615	61,455	9,965	540.9
618	61,836	9,965	540.9
627	62,655	9,760	541.3
636	63,606	9,760	542.0
640	63,995	9,760	542.1
648	64,752	9,760	543.1
657	65,729	9,760	543.9
666	66,606	9,760	545.4

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Fishing Creek, cont.			
677	67,656	9,760	546.3
680	67,975	9,760	547.3
682	68,207	9,760	547.3
1172	117,171	4,852	611.6
1175	117,540	4,852	613.2
1182	118,157	4,852	613.8
1190	118,997	4,326	614.3
1198	119,804	4,326	615.1
1205	120,531	4,326	616.8
1211	121,068	4,326	618.7
1216	121,596	4,326	622.1
1222	122,238	4,080	623.4
1225	122,534	4,080	641.9
1237	123,660	3,640	641.9
1244	124,356	3,640	641.9
1248	124,801	3,640	641.9
1258	125,823	3,640	641.9
1266	126,606	3,640	641.9
1274	127,356	3,640	641.9
1280	127,961	3,640	642.0
1286	128,615	3,453	642.0
1288	128,812	3,453	643.7
1293	129,327	3,453	643.8
1300	130,006	3,453	644.1
1307	130,750	2,081	644.5
1313	131,337	2,081	644.8
1319	131,856	2,081	645.3
1325	132,505	2,081	648.0
1333	133,294	1,800	653.6
1335	133,522	1,800	654.3
1338	133,844	1,800	655.8
1344	134,363	1,800	656.1
Fishing Creek Tributary			
002	248	862	547.4
008	768	862	547.4
011	1,126	862	547.4
016	1,559	862	547.8
019	1,879	862	549.0
023	2,261	862	550.8
026	2,603	862	554.2
030	2,974	862	558.0
033	3,324	862	560.9
037	3,690	862	563.9
043	4,343	862	568.8

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Fishing Creek Tributary, cont.			
049	4,919	862	571.8
053	5,349	862	574.3
059	5,933	862	578.8
063	6,279	862	583.6
064	6,351	862	586.7
065	6,467	862	586.9
070	6,959	862	587.3
076	7,624	862	588.1
082	8,157	862	594.3
088	8,775	862	600.2
092	9,229	862	604.8
Fishing Creek Tributary 10			
007	704	363	613.8
010	1,000	363	616.8
015	1,500	363	622.5
020	2,000	363	627.7
023	2,277	363	631.5
Fishing Creek Tributary 11			
005	500	1,453	562.4
010	1,000	1,453	562.4
011	1,147	1,453	562.4
013	1,259	1,453	562.4
015	1,500	1,453	562.4
020	2,000	1,453	562.4
022	2,205	1,374	562.4
024	2,381	1,374	579.8
025	2,500	1,374	579.8
030	3,000	1,374	579.8
035	3,500	1,374	579.8
040	4,000	1,374	579.8
045	4,500	1,374	579.8
050	5,000	1,374	579.9
054	5,432	1,374	579.9
055	5,543	1,374	579.9
060	6,000	1,374	579.9
065	6,500	1,149	579.9
070	7,006	984	580.0
075	7,506	984	580.1
080	7,982	984	580.3
Fishing Creek Tributary 12			
012	1,227	464	572.8
015	1,500	464	572.8
020	2,000	464	572.8
025	2,500	464	575.2

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Fishing Creek Tributary 13			
005	500	513	575.1
007	659	513	575.1
008	767	513	575.1
010	1,000	513	575.1
015	1,500	513	575.1
020	2,000	513	576.4
025	2,500	513	580.8
028	2,767	513	583.9
Fishing Creek Tributary 14			
012	1,249	1,124	578.4
015	1,500	1,124	578.4
018	1,829	1,124	578.4
020	2,000	1,124	578.4
025	2,500	1,124	578.4
030	3,000	1,124	578.4
033	3,314	1,124	579.8
035	3,481	1,124	599.5
037	3,706	1,124	599.5
Fishing Creek Tributary 15			
005	500	514	588.3
010	1,000	514	588.3
013	1,274	514	588.3
014	1,401	514	589.4
015	1,500	514	589.4
020	2,000	514	589.4
025	2,500	514	589.7
030	3,000	514	593.8
Fishing Creek Tributary 16			
001	119	404	617.0
004	352	404	619.9
010	988	404	627.8
013	1,345	404	634.9
016	1,609	404	639.9
020	1,954	404	644.9
022	2,234	404	649.2
024	2,445	404	651.2
026	2,645	404	660.9
032	3,153	404	674.6
Fishing Creek Tributary 3			
011	1,099	1,187	644.1
019	1,858	1,187	647.2
023	2,317	1,187	650.1
028	2,850	1,187	654.2
030	2,956	1,187	666.9

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Fishing Creek Tributary 3, cont.			
033	3,330	1,187	666.8
036	3,553	1,187	667.0
038	3,774	1,187	689.1
042	4,207	1,187	689.1
044	4,431	1,187	689.1
049	4,941	1,187	689.1
055	5,527	1,187	689.1
058	5,794	1,187	688.8
061	6,136	1,187	690.2
065	6,547	1,187	693.0
Fishing Creek Tributary 4			
005	500	680	532.9
010	1,000	680	532.9
015	1,500	680	532.9
020	2,000	680	535.9
025	2,500	680	539.4
030	3,000	680	544.0
032	3,186	680	545.5
Fishing Creek Tributary 5			
005	500	954	535.5
010	1,000	954	537.4
015	1,500	954	539.7
020	2,000	954	541.9
025	2,500	954	544.5
030	3,000	954	547.6
033	3,337	954	550.6
034	3,424	954	558.1
036	3,590	954	558.1
040	4,000	954	558.1
045	4,500	954	559.4
050	5,000	954	562.7
055	5,500	437	566.2
060	6,000	437	568.7
065	6,500	437	571.4
070	7,000	363	576.6
075	7,530	363	582.4
080	8,025	363	590.2
085	8,525	363	598.6
Fishing Creek Tributary 6			
002	248	369	563.7
005	500	369	567.9
010	1,000	369	573.9
015	1,500	369	576.7
020	2,000	223	581.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Fishing Creek Tributary 6, cont.			
025	2,500	223	587.1
030	3,000	223	592.3
035	3,500	223	601.1
037	3,684	223	603.9
Fishing Creek Tributary 7			
000	20	129	572.4
002	186	129	576.7
005	500	129	582.5
008	829	129	588.1
010	1,000	129	591.8
012	1,243	129	595.7
Fishing Creek Tributary 8			
001	96	195	579.6
005	500	195	584.1
007	740	195	588.4
009	856	195	596.6
010	1,000	195	596.6
013	1,256	195	596.5
Fishing Creek Tributary 9			
005	500	759	621.4
010	1,000	759	621.4
015	1,500	759	623.1
020	2,000	759	638.4
025	2,500	759	646.0
030	3,000	759	651.5
030	3,044	759	651.6
032	3,167	759	660.1
035	3,500	759	660.1
039	3,908	759	659.8
Gin Branch			
003	336	1,051	598.3
004	420	1,051	598.3
008	846	1,051	600.7
009	914	1,051	601.9
012	1,167	1,051	602.6
013	1,289	1,051	605.0
014	1,418	1,051	606.3
020	2,000	1,051	611.2
025	2,467	1,051	613.8
030	3,000	1,051	617.0
035	3,506	1,051	620.7
036	3,580	1,051	626.0
040	3,999	1,051	626.1
045	4,500	1,051	626.4

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Gin Branch, cont.			
049	4,863	1,051	627.3
050	5,000	1,051	628.8
052	5,244	1,051	630.2
055	5,500	1,051	631.7
060	6,000	798	634.5
066	6,601	798	639.0
Grist Branch			
009	943	1,695	609.1
014	1,353	1,695	610.1
018	1,807	1,695	612.6
021	2,074	1,695	615.8
021	2,143	1,695	620.8
025	2,495	1,695	620.8
028	2,790	1,695	620.9
031	3,136	1,695	621.0
035	3,460	1,695	621.4
037	3,724	1,695	622.0
039	3,945	1,695	622.1
043	4,281	1,695	624.0
046	4,583	1,695	624.7
049	4,940	1,695	625.2
Guyon Moore Creek			
052	5,177	3,199	448.3
057	5,677	3,199	448.3
061	6,101	3,199	448.3
067	6,670	3,199	448.3
071	7,121	3,199	448.3
079	7,853	3,199	448.3
082	8,177	3,199	448.3
087	8,677	2,974	448.3
091	9,063	2,974	448.3
094	9,393	2,974	448.3
095	9,473	2,974	448.3
097	9,677	2,974	448.3
102	10,177	2,974	448.3
107	10,677	2,974	448.9
112	11,177	2,974	451.2
117	11,716	2,681	452.8
120	12,037	2,681	453.1
122	12,177	2,681	454.5
125	12,461	2,681	455.9
127	12,677	2,681	457.4
132	13,169	2,681	458.7
137	13,677	2,681	460.7

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Guyon Moore Creek, cont.			
142	14,177	2,681	462.4
147	14,677	2,681	464.3
152	15,177	2,681	466.4
156	15,636	2,681	468.7
162	16,177	2,681	470.8
167	16,677	2,502	472.8
172	17,152	2,502	474.5
172	17,187	2,502	476.4
176	17,573	2,502	477.3
181	18,054	2,502	481.2
184	18,380	2,502	482.1
188	18,813	2,502	483.8
192	19,177	2,502	486.4
197	19,677	2,502	487.7
202	20,204	2,502	489.8
207	20,677	2,502	491.8
212	21,177	2,502	493.4
215	21,545	2,027	494.5
222	22,177	2,027	498.3
227	22,677	2,027	499.8
232	23,161	2,027	503.6
237	23,677	2,027	504.9
242	24,211	2,027	506.8
243	24,347	2,027	509.4
246	24,578	2,027	510.1
252	25,186	1,877	511.2
257	25,677	1,877	513.3
261	26,093	1,877	515.6
267	26,677	1,877	518.8
272	27,177	1,877	521.2
277	27,677	1,877	524.0
282	28,177	1,877	527.5
286	28,641	1,877	529.8
292	29,177	1,877	533.2
297	29,677	1,521	534.8
302	30,243	1,521	538.5
307	30,677	1,521	540.2
312	31,247	1,521	543.1
317	31,677	1,150	546.6
322	32,177	1,150	548.9
327	32,677	1,150	551.9
330	33,032	1,150	554.3
331	33,105	1,150	555.7
331	33,148	1,150	563.9

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Guyon Moore Creek, cont.			
332	33,208	1,150	573.1
337	33,677	1,150	573.1
340	33,953	1,150	573.1
343	34,267	864	573.1
346	34,612	864	573.2
348	34,831	864	573.4
353	35,251	864	574.4
356	35,573	864	575.5
358	35,810	864	576.9
362	36,152	864	579.8
365	36,502	864	582.9
368	36,769	864	588.1
371	37,109	864	592.7
373	37,309	864	594.9
376	37,568	546	597.5
Guyon Moore Creek Tributary 1			
002	203	449	538.0
006	559	449	540.2
010	981	449	544.6
014	1,357	449	550.4
016	1,589	449	553.3
019	1,949	400	557.6
Haggins Branch			
013	1,296	1,987	480.0
021	2,073	1,987	480.0
025	2,516	1,987	480.0
027	2,688	1,987	480.0
029	2,906	1,987	480.0
034	3,412	1,987	480.0
038	3,828	1,987	480.0
043	4,311	1,987	480.0
047	4,740	1,987	480.0
052	5,234	1,987	481.7
057	5,666	1,987	484.3
059	5,908	1,987	485.3
063	6,331	1,987	488.4
069	6,852	1,987	491.6
073	7,324	1,987	496.0
078	7,773	1,987	498.3
082	8,225	1,987	503.3
086	8,602	1,987	507.6
095	9,550	1,987	512.2
102	10,223	1,987	515.7
109	10,896	1,987	525.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Haggins Branch, cont.			
110	11,038	1,987	532.0
111	11,110	1,987	532.1
118	11,788	1,987	532.7
122	12,223	1,987	536.3
127	12,742	1,987	541.0
134	13,389	1,987	546.3
140	13,989	1,987	550.4
144	14,432	1,987	554.1
147	14,715	1,987	558.4
150	14,976	1,987	559.8
154	15,412	1,987	564.3
Hidden Creek			
004	433	1,895	511.0
009	891	1,895	511.0
013	1,314	1,895	513.3
017	1,653	1,895	523.7
020	1,995	1,895	533.6
024	2,447	1,895	543.1
030	2,981	1,895	548.1
034	3,409	1,895	549.3
039	3,883	1,895	551.3
041	4,133	1,895	553.2
042	4,245	1,895	554.1
045	4,505	1,895	555.8
047	4,743	1,895	558.1
Jennings Branch			
005	500	1,310	673.4
009	935	1,310	673.4
015	1,470	1,310	673.4
020	2,000	1,310	673.4
023	2,296	1,310	673.4
028	2,765	1,184	673.4
031	3,076	1,184	674.4
034	3,447	1,184	676.5
038	3,777	1,184	680.0
042	4,171	1,184	682.8
045	4,510	1,184	684.0
Johnson Branch			
008	816	884	609.4
011	1,130	884	611.7
017	1,675	884	614.1
020	1,957	884	615.5
024	2,351	884	618.2
026	2,602	884	619.2

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Johnson Branch, cont.			
030	2,955	884	621.0
032	3,205	884	623.2
034	3,389	884	624.0
037	3,672	884	626.2
Jones Branch			
004	375	1,649	515.2
007	739	1,649	515.2
009	925	1,649	516.3
016	1,587	1,649	538.1
020	2,011	1,649	541.7
027	2,709	1,649	546.3
036	3,588	1,649	551.5
042	4,233	1,649	554.7
047	4,698	1,649	560.4
051	5,061	1,649	582.1
064	6,375	1,649	582.0
Kings Creek			
006	588	10,468	458.0
010	1,000	10,468	458.0
015	1,481	10,468	458.0
020	2,000	10,468	458.0
023	2,321	10,468	458.0
028	2,762	10,468	458.0
030	3,000	10,468	458.0
033	3,253	10,468	458.0
036	3,589	10,468	458.0
040	3,982	10,468	458.0
043	4,345	10,468	458.0
045	4,542	10,468	458.0
050	5,000	10,202	458.0
055	5,477	10,202	458.0
060	5,958	9,764	458.0
064	6,392	9,764	458.0
067	6,713	9,764	459.0
070	7,000	9,764	460.4
074	7,440	9,764	467.0
080	8,000	9,764	472.4
081	8,107	9,764	472.5
083	8,349	9,764	473.6
085	8,517	9,764	475.9
087	8,675	9,764	480.0
088	8,762	9,764	482.0
089	8,875	9,764	484.5
091	9,121	9,764	485.3

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Kings Creek, cont.			
095	9,500	9,764	487.3
099	9,867	9,764	488.3
101	10,094	9,764	489.4
107	10,679	9,764	490.2
110	11,006	9,764	490.5
114	11,397	9,764	491.0
118	11,776	9,764	491.4
124	12,360	9,764	492.0
129	12,875	9,764	492.2
130	13,048	9,764	492.2
133	13,279	803	492.8
139	13,940	803	492.8
145	14,500	803	493.4
150	15,000	803	496.3
155	15,500	803	501.8
Kirkpatrick Branch			
005	500	2,405	429.7
010	1,000	2,405	429.7
015	1,500	2,405	429.7
020	2,000	2,405	429.7
025	2,500	2,405	430.1
030	3,000	2,405	432.0
036	3,626	2,405	433.8
040	4,000	2,405	435.5
045	4,522	2,405	436.2
047	4,728	2,405	442.8
050	5,000	2,405	442.8
055	5,500	2,221	442.9
060	6,000	2,221	443.0
065	6,500	2,221	443.5
070	7,000	2,221	444.4
075	7,500	2,221	445.5
080	8,000	2,221	447.2
085	8,500	2,221	448.8
090	9,000	2,221	449.1
097	9,710	2,221	451.7
100	10,000	2,221	453.4
107	10,675	1,973	455.1
113	11,290	1,141	455.8
120	12,036	1,141	459.8
127	12,728	1,141	464.0
134	13,420	1,141	468.9
140	13,955	1,141	472.0
145	14,466	1,141	474.5

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Langham Branch			
005	456	3,922	585.7
012	1,241	3,922	585.7
017	1,709	3,922	585.7
024	2,444	3,922	585.7
030	3,000	3,922	585.7
037	3,672	3,922	585.7
039	3,871	3,922	585.7
045	4,538	3,922	585.7
050	4,959	3,922	585.7
057	5,677	3,922	585.7
063	6,281	3,922	586.0
067	6,712	2,213	586.7
071	7,092	2,213	589.3
077	7,737	2,213	592.7
085	8,463	2,213	595.2
090	9,000	2,213	597.0
095	9,544	2,213	598.5
103	10,252	2,213	602.3
108	10,828	2,213	605.2
113	11,317	2,213	607.2
121	12,097	2,213	611.5
126	12,600	2,213	615.5
130	12,987	2,213	617.2
134	13,363	2,213	619.9
140	14,023	1,758	622.2
142	14,164	1,758	636.3
145	14,501	1,758	636.3
147	14,669	1,758	636.4
149	14,925	1,758	645.3
156	15,622	1,758	645.4
160	15,963	1,758	645.4
165	16,536	1,758	645.3
168	16,785	1,758	645.9
169	16,881	1,758	647.2
169	16,909	1,758	647.4
169	16,936	1,758	647.4
171	17,078	1,758	650.2
173	17,344	1,758	650.3
178	17,843	1,758	651.0
182	18,195	1,758	651.1
186	18,647	1,758	652.6
191	19,128	1,758	655.9
199	19,871	1,758	658.1
205	20,463	1,758	663.3

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Langham Branch, cont.			
210	21,000	1,758	665.5
214	21,370	1,758	667.1
Langham Branch Tributary 2			
005	500	551	585.1
010	1,009	551	590.2
015	1,504	551	595.8
019	1,876	551	599.3
Leroy Branch			
001	131	1,792	514.3
009	890	1,792	522.0
016	1,608	1,792	526.9
024	2,357	1,792	535.9
030	2,955	1,792	540.5
034	3,352	1,792	545.2
044	4,354	1,792	552.2
049	4,872	1,792	553.4
053	5,297	1,792	559.5
056	5,559	603	562.0
Leroy Branch Trib 1			
001	52	297	560.9
005	511	297	564.9
011	1,069	297	574.0
Lindsay Creek			
000	30	1,695	496.4
003	251	1,695	497.4
007	719	1,695	499.9
012	1,246	1,695	503.4
018	1,792	1,695	508.4
022	2,237	1,695	511.6
027	2,744	1,695	513.6
033	3,257	1,695	516.2
037	3,678	1,695	518.9
043	4,286	1,695	520.5
048	4,769	1,695	523.9
052	5,184	1,695	526.1
058	5,757	1,695	528.8
062	6,244	1,218	531.3
068	6,784	1,218	532.3
069	6,889	1,218	533.6
071	7,132	1,218	534.3
077	7,671	1,218	539.3
079	7,898	1,218	540.3
083	8,259	1,218	543.4
087	8,661	1,218	548.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Lindsay Creek, cont.			
088	8,790	1,218	552.6
091	9,067	1,218	562.9
093	9,267	1,218	568.8
097	9,708	670	573.4
101	10,134	670	574.3
106	10,577	670	577.9
111	11,059	670	584.1
112	11,191	670	586.4
117	11,713	670	589.8
122	12,195	670	595.6
123	12,268	670	599.2
127	12,747	670	605.1
Lindsay Creek Tributary 1			
000	30	562	572.8
006	551	562	579.8
011	1,084	562	585.1
016	1,584	562	591.4
020	2,010	562	598.4
022	2,171	562	600.5
Little Allison Creek			
316	31,621	2,127	603.7
320	31,985	2,127	603.8
325	32,500	2,127	604.0
330	33,000	2,127	604.2
335	33,500	2,127	604.2
340	34,038	2,127	607.9
345	34,500	2,127	608.9
350	35,000	2,127	609.3
355	35,500	2,127	611.2
359	35,938	2,127	611.6
365	36,479	2,127	613.8
370	36,987	2,127	615.1
375	37,538	2,127	615.9
381	38,124	2,127	617.3
384	38,440	2,127	619.1
391	39,054	1,631	620.5
395	39,479	1,631	621.2
400	40,000	1,631	622.7
404	40,354	1,631	623.8
409	40,913	1,631	626.0
410	41,026	1,631	626.6
415	41,500	1,631	626.9
420	42,013	1,631	631.6
425	42,524	1,631	633.7

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Little Allison Creek, cont.			
431	43,051	1,631	637.3
435	43,456	1,631	640.1
439	43,914	1,631	642.9
443	44,315	1,631	647.3
449	44,858	1,631	651.4
454	45,364	1,631	651.9
460	45,965	1,162	655.9
465	46,500	1,162	657.1
470	46,969	1,162	664.9
476	47,605	1,162	670.9
478	47,753	1,162	672.3
486	48,608	1,162	674.3
491	49,111	1,162	676.8
495	49,544	1,162	678.8
500	50,000	1,162	680.0
505	50,538	731	682.7
510	51,040	731	685.3
515	51,475	731	689.4
522	52,172	731	695.1
526	52,613	731	697.2
531	53,080	731	703.8
533	53,287	731	705.7
539	53,923	731	709.9
545	54,500	731	719.6
Little Allison Creek Tributary 1			
002	221	470	618.9
008	776	470	622.6
014	1,432	470	628.6
019	1,893	470	633.1
024	2,421	470	638.2
029	2,853	470	642.3
031	3,095	205	644.7
038	3,756	205	652.3
Little Allison Creek Tributary 2			
001	92	930	602.2
005	500	930	602.2
010	1,000	930	602.4
015	1,500	930	604.6
020	2,000	930	607.0
025	2,500	930	608.8
030	3,000	930	610.4
035	3,500	930	613.7
040	4,000	930	618.4
045	4,500	811	619.5

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Little Allison Creek Tributary 2, cont.			
050	4,983	811	620.6
Little Dutchman Creek Trib 1a			
040	4,007	457	572.3
041	4,109	457	575.1
043	4,312	457	574.8
045	4,501	457	578.9
046	4,598	457	586.6
047	4,712	457	586.6
Little Turkey Creek			
010	1,000	6,198	419.5
016	1,588	6,198	419.5
020	2,021	6,198	420.2
024	2,433	6,198	421.4
028	2,816	6,198	422.1
035	3,459	6,198	422.8
040	3,970	6,198	423.3
045	4,500	6,198	424.9
052	5,164	6,198	426.1
060	5,976	6,198	428.5
061	6,129	6,198	430.1
065	6,513	6,198	431.4
069	6,870	6,198	431.6
075	7,477	6,198	432.5
079	7,901	6,198	434.0
084	8,424	6,198	434.2
090	9,000	6,198	435.3
095	9,500	6,198	435.7
099	9,928	6,198	436.5
105	10,500	6,198	436.8
110	10,964	5,873	437.5
115	11,500	5,873	438.8
121	12,084	5,873	440.2
126	12,561	5,721	440.7
129	12,947	5,721	441.2
135	13,482	5,721	442.8
140	14,031	5,721	444.2
145	14,505	5,721	444.8
152	15,199	5,721	445.8
155	15,465	5,721	446.2
160	16,025	5,721	447.1
164	16,424	5,721	448.0
169	16,867	5,721	449.3
175	17,546	5,721	450.2
180	18,000	5,721	450.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Little Turkey Creek, cont.			
185	18,500	5,721	451.6
191	19,100	5,721	452.6
195	19,533	5,721	453.5
200	19,991	5,721	454.1
205	20,516	4,153	455.4
210	21,000	4,153	457.6
215	21,500	4,153	459.0
220	21,984	4,153	459.7
225	22,475	4,153	460.7
230	22,956	4,153	460.6
235	23,534	3,251	462.4
240	24,000	3,251	462.3
245	24,519	3,251	465.1
250	24,973	3,251	466.0
255	25,500	3,251	466.4
260	26,000	3,251	469.0
265	26,500	3,251	469.9
270	27,000	3,251	471.3
275	27,479	3,251	472.1
281	28,062	3,251	472.7
285	28,500	3,251	474.1
289	28,940	3,251	475.9
295	29,512	3,065	476.7
299	29,936	3,065	477.0
305	30,500	3,065	479.5
310	30,963	3,065	481.1
315	31,498	3,065	481.4
320	32,024	3,065	482.9
325	32,481	3,065	484.2
330	33,000	3,065	485.3
335	33,503	3,065	488.0
340	34,046	3,001	489.1
345	34,547	3,001	491.4
350	35,000	3,001	492.2
355	35,455	3,001	493.6
360	35,960	3,001	494.7
360	36,040	3,001	495.5
362	36,233	3,001	500.8
365	36,486	3,001	501.0
372	37,219	3,001	501.5
379	37,873	1,440	501.8
385	38,517	1,440	502.5
391	39,117	1,440	505.7
397	39,705	1,440	511.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Little Turkey Creek Tributary 1			
003	256	598	437.0
005	500	598	437.0
010	1,000	598	437.9
015	1,500	598	440.4
020	2,000	598	445.5
025	2,500	598	450.7
Love Creek			
005	500	2,565	533.9
010	1,000	2,565	533.9
015	1,500	2,565	535.3
020	2,000	2,565	536.1
026	2,629	2,565	537.7
030	3,000	2,565	538.1
035	3,500	2,565	539.1
040	4,000	2,565	540.3
046	4,571	2,565	541.6
050	5,000	2,565	542.2
055	5,500	2,385	543.9
060	5,977	2,385	545.8
062	6,161	2,385	547.5
070	7,000	2,385	548.5
075	7,500	2,385	548.8
080	7,976	2,385	549.5
085	8,500	2,385	550.5
089	8,880	2,385	551.1
093	9,293	2,385	551.8
095	9,491	2,261	552.6
098	9,804	2,261	556.0
102	10,234	2,261	556.3
107	10,734	2,261	556.4
112	11,234	2,261	557.5
117	11,734	2,261	558.9
122	12,234	2,261	560.3
127	12,672	2,261	561.0
133	13,314	1,352	562.0
137	13,734	1,352	562.3
143	14,300	1,352	565.2
147	14,734	1,352	567.1
151	15,102	1,352	568.3
157	15,734	1,352	571.0
162	16,234	1,352	573.8
167	16,734	1,352	575.3
172	17,234	1,095	577.0
177	17,734	1,095	580.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Love Creek, cont.			
182	18,234	1,095	583.8
187	18,734	1,095	585.4
192	19,234	1,095	588.1
197	19,734	1,095	591.2
202	20,234	1,095	592.7
205	20,543	1,095	594.3
212	21,234	1,095	597.8
218	21,849	1,095	600.2
222	22,234	1,095	602.8
229	22,902	746	606.9
232	23,159	746	608.7
237	23,734	746	609.3
242	24,153	746	612.8
247	24,734	746	615.7
Love Creek Tributary			
002	214	415	576.0
007	708	415	580.3
014	1,408	415	587.4
021	2,086	415	596.4
Love Creek Tributary 1			
005	500	1,159	560.9
010	1,000	1,159	562.6
015	1,500	1,159	564.2
020	2,000	1,159	565.5
025	2,500	1,159	572.4
027	2,668	1,159	573.2
030	3,000	1,159	573.5
035	3,500	1,159	575.8
040	4,000	1,159	577.9
045	4,500	1,159	580.8
050	5,000	1,159	582.7
052	5,215	1,159	583.7
060	6,000	1,159	588.2
065	6,500	1,159	590.4
071	7,091	759	592.3
072	7,212	759	593.9
075	7,500	759	594.0
080	8,000	759	598.5
085	8,500	759	601.1
090	9,000	759	604.7
095	9,500	759	609.6
100	10,000	759	613.2
104	10,389	759	616.5
			0.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Loves Creek			
004	352	2,164	436.5
012	1,197	2,164	436.5
020	2,000	2,164	438.1
025	2,500	2,164	439.2
030	3,000	2,164	440.1
035	3,500	2,164	440.6
040	4,000	2,164	442.0
045	4,500	2,164	444.0
050	5,000	2,164	444.9
055	5,500	2,164	444.9
058	5,840	2,164	446.7
060	6,028	2,164	447.6
065	6,500	2,164	448.1
070	7,000	2,244	449.2
075	7,500	2,244	451.5
080	8,000	2,244	453.4
085	8,508	2,244	454.5
090	9,000	2,244	455.5
095	9,500	2,244	459.3
100	10,000	2,244	460.0
104	10,449	2,244	460.7
108	10,797	2,244	461.5
115	11,500	2,244	463.8
119	11,926	2,244	465.0
121	12,075	2,244	465.3
122	12,152	2,244	466.3
125	12,500	2,244	467.6
130	13,000	2,082	469.3
135	13,500	2,082	470.7
140	14,019	2,082	473.6
145	14,500	2,082	475.8
150	15,000	2,082	477.8
157	15,707	2,082	480.6
159	15,947	2,082	481.1
165	16,500	2,082	482.5
171	17,060	2,082	484.6
175	17,500	2,082	486.0
180	18,000	2,082	488.5
184	18,419	2,082	491.2
190	19,000	1,937	492.8
195	19,500	1,937	495.6
200	20,000	1,937	498.7
204	20,423	1,937	499.8
211	21,143	1,937	504.8

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Loves Creek, cont.			
215	21,500	1,937	506.3
220	22,000	1,937	508.0
224	22,368	1,937	510.7
230	23,030	1,263	514.1
235	23,500	1,263	515.7
240	24,000	1,263	518.1
245	24,500	1,263	521.6
250	25,000	1,263	523.9
252	25,161	1,263	525.5
253	25,285	1,263	528.5
255	25,500	1,263	529.1
260	26,000	1,263	531.4
265	26,500	1,263	535.9
270	27,000	1,263	540.6
275	27,500	1,263	546.1
279	27,944	1,263	550.0
285	28,500	1,263	555.0
290	29,000	1,263	560.9
295	29,500	1,263	565.9
300	30,000	1,263	569.9
305	30,480	1,263	575.6
310	30,970	1,263	579.2
315	31,543	1,263	588.2
320	32,000	1,263	597.6
325	32,500	1,263	605.2
327	32,702	1,263	609.7
329	32,904	1,263	621.7
Loves Creek Tributary 1			
000	38	820	511.0
010	1,000	820	518.8
015	1,500	820	523.0
020	2,000	820	525.7
025	2,500	820	527.8
030	2,982	820	532.9
036	3,602	820	540.8
040	4,000	820	543.8
045	4,488	820	549.8
046	4,568	820	552.0
046	4,599	820	552.0
Loves Creek Tributary 2			
001	85	796	492.8
004	357	796	493.1
005	459	796	493.9
011	1,121	796	499.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Loves Creek Tributary 2, cont.			
018	1,810	796	506.5
024	2,400	796	511.0
030	3,001	796	516.3
Manchester Creek Tributary 1			
079	7,862	949	548.4
081	8,128	949	551.2
086	8,621	949	556.2
094	9,442	949	561.0
Manchester Creek Tributary 2			
070	7,021	397	609.6
078	7,789	397	611.6
081	8,147	397	616.7
085	8,460	397	627.1
086	8,585	397	628.9
Manchester Creek Tributary 3			
034	3,382	414	604.5
035	3,544	414	604.5
037	3,715	414	605.9
040	3,966	414	606.1
042	4,203	414	609.3
McClures Branch			
007	658	2,776	457.1
010	1,010	2,776	458.5
015	1,466	2,776	459.1
021	2,077	2,776	460.6
025	2,536	2,776	461.9
031	3,081	2,776	463.8
035	3,524	2,776	464.6
039	3,893	2,776	465.3
045	4,460	2,776	466.5
049	4,869	2,776	467.7
055	5,496	2,776	468.1
060	6,012	2,776	469.2
065	6,544	2,776	470.9
071	7,139	2,776	471.8
076	7,578	2,776	472.9
082	8,153	2,776	476.3
086	8,615	2,776	477.0
091	9,139	2,776	477.7
094	9,354	2,776	478.2
099	9,939	2,776	481.1
105	10,500	2,350	482.8
110	11,018	2,350	484.0
112	11,241	2,350	484.9

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
McClures Branch, cont.			
116	11,630	2,350	485.7
120	11,976	2,350	486.8
122	12,150	2,350	487.2
123	12,257	2,350	487.9
128	12,832	2,350	489.0
135	13,500	2,350	490.8
140	14,029	2,350	492.4
145	14,535	2,350	494.2
150	15,000	2,350	495.2
155	15,544	1,932	497.8
159	15,921	1,932	498.8
165	16,512	1,932	500.4
170	17,019	1,932	502.4
175	17,491	1,932	503.6
180	18,027	1,932	505.2
185	18,550	1,932	507.0
191	19,094	1,932	508.5
193	19,308	1,487	509.6
197	19,723	1,487	510.9
201	20,101	1,487	512.4
205	20,480	1,487	513.7
210	20,960	1,487	516.4
213	21,309	1,487	519.9
219	21,855	1,487	526.0
226	22,567	1,487	531.4
230	23,022	1,487	535.8
236	23,564	1,487	542.4
238	23,841	1,487	545.0
McClures Branch Tributary 1			
003	324	632	509.7
009	874	632	514.8
013	1,274	632	518.3
019	1,855	632	522.7
026	2,610	632	527.6
Mill Creek			
078	7,755	3,186	570.0
083	8,277	3,186	570.0
090	9,013	3,186	570.0
103	10,349	3,037	570.0
109	10,860	3,037	570.0
110	11,009	3,037	570.0
117	11,724	3,037	570.0
124	12,360	3,037	570.0
129	12,885	3,037	571.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Mill Creek, cont.			
138	13,808	3,037	572.3
146	14,561	3,037	573.8
154	15,388	3,037	575.4
161	16,121	3,037	577.2
170	16,997	3,037	579.5
173	17,304	3,037	580.4
178	17,823	3,037	582.1
186	18,554	3,037	583.9
188	18,800	3,037	584.2
189	18,886	3,037	584.8
193	19,341	3,037	586.1
197	19,696	3,037	586.7
200	19,959	3,037	587.1
203	20,339	3,037	588.5
208	20,783	3,037	590.6
213	21,336	3,037	591.3
219	21,852	2,272	594.7
224	22,436	2,272	602.3
230	22,951	2,272	611.4
234	23,370	2,272	622.7
238	23,847	2,272	627.5
245	24,511	2,272	630.8
250	25,049	2,272	633.0
256	25,607	2,272	636.2
261	26,088	2,272	638.3
266	26,550	2,272	640.1
271	27,112	2,272	643.0
277	27,698	2,272	647.6
280	28,011	2,272	648.9
286	28,592	1,467	651.4
291	29,080	1,467	652.4
295	29,541	1,467	653.8
296	29,612	1,467	656.3
300	30,001	1,467	656.3
Mill Creek Tributary 1			
000	33	547	578.6
005	527	547	578.8
007	664	547	580.0
007	734	547	580.6
009	890	547	580.9
013	1,265	547	583.4
015	1,500	547	585.7
020	2,000	547	587.9
023	2,327	514	590.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Mill Creek Tributary 1, cont.			
027	2,733	514	592.7
Mill Creek Tributary 2			
000	6	611	593.3
002	250	611	594.1
010	1,000	611	601.6
015	1,500	611	606.7
020	2,000	611	612.1
025	2,500	473	617.9
030	3,000	473	624.4
033	3,346	473	630.6
Mitchell Branch			
010	994	1,917	448.0
015	1,500	1,917	449.2
022	2,185	1,917	451.4
030	3,000	1,917	454.2
035	3,500	1,917	454.7
040	4,000	1,917	456.7
046	4,583	1,917	460.3
050	5,000	1,917	461.9
055	5,500	1,917	464.4
060	6,000	1,917	465.7
065	6,500	1,633	468.8
070	7,000	1,633	470.7
075	7,500	1,633	472.1
080	8,000	1,633	473.6
085	8,500	1,633	475.5
090	9,000	1,633	476.3
094	9,382	1,633	479.1
100	10,049	1,633	482.8
105	10,500	1,633	484.0
110	11,000	1,633	485.3
114	11,377	1,633	490.8
115	11,501	1,633	490.8
116	11,614	1,633	491.5
120	12,000	1,633	492.3
125	12,500	1,633	493.3
129	12,860	1,633	496.6
135	13,500	942	497.6
138	13,759	942	500.1
140	14,000	942	501.1
145	14,500	942	507.0
150	15,000	942	509.3
152	15,187	942	510.2
155	15,500	942	512.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Mitchell Branch, cont.			
160	16,000	942	516.1
163	16,303	942	517.5
165	16,545	942	520.3
166	16,622	942	521.0
168	16,767	942	521.1
169	16,913	942	532.3
175	17,500	757	532.3
180	18,000	757	532.3
185	18,500	757	533.3
190	19,000	757	534.7
197	19,711	431	545.0
204	20,364	431	550.0
210	20,980	431	554.3
215	21,526	431	564.6
222	22,182	431	576.4
229	22,863	431	587.9
Mooneys Hill Branch			
005	485	2,713	500.4
013	1,283	2,713	500.4
017	1,750	2,713	500.4
023	2,254	2,653	500.4
027	2,687	2,653	500.4
031	3,089	2,653	500.4
036	3,600	2,653	500.4
042	4,153	2,653	500.4
046	4,603	2,653	502.1
053	5,260	2,653	506.9
056	5,585	2,653	507.2
062	6,191	2,653	507.9
067	6,743	2,653	514.4
073	7,307	2,653	517.9
079	7,869	2,653	520.2
083	8,324	2,653	521.6
090	9,001	2,022	522.1
095	9,492	2,022	526.2
101	10,110	2,022	530.7
104	10,414	2,022	533.5
107	10,744	2,022	534.5
111	11,111	2,022	534.8
117	11,683	853	535.6
121	12,070	853	537.8
125	12,543	853	541.6
130	13,027	853	544.0
133	13,350	853	552.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Mooneys Hill Branch, cont.			
136	13,591	853	552.1
142	14,186	853	552.7
147	14,699	853	554.8
153	15,251	853	556.8
157	15,717	853	558.5
164	16,387	853	561.3
169	16,851	703	568.9
173	17,262	703	573.5
Mooneys Hill Branch Tributary 1			
001	55	337	500.4
006	579	337	500.4
009	869	337	500.4
011	1,109	337	504.0
015	1,500	260	512.7
020	2,000	260	521.5
025	2,500	260	527.2
030	3,000	260	536.8
Morris Branch			
005	538	1,809	648.0
010	1,000	1,809	646.5
015	1,500	1,809	647.3
020	2,000	1,809	648.8
026	2,582	1,809	650.2
031	3,097	1,809	651.6
036	3,572	1,809	652.9
040	4,000	1,809	654.8
045	4,450	1,809	657.3
051	5,095	1,809	658.8
055	5,500	1,809	660.5
061	6,066	1,809	662.5
065	6,500	1,809	663.8
070	6,962	1,809	664.9
076	7,623	1,726	667.2
078	7,794	1,726	669.5
083	8,320	1,726	671.2
089	8,864	1,726	673.7
095	9,482	1,726	675.3
099	9,949	1,726	677.4
105	10,549	1,726	679.6
110	10,951	1,726	680.8
115	11,549	1,726	687.8
Mud Creek			
004	350	1,358	449.4
009	918	1,358	449.4

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Mud Creek, cont.			
014	1,380	1,358	449.4
018	1,758	1,358	449.4
020	2,005	1,358	449.4
022	2,184	1,358	449.4
026	2,553	1,358	449.4
030	2,966	1,358	449.4
035	3,479	1,358	449.4
039	3,910	1,358	449.4
043	4,341	1,358	449.4
049	4,943	1,153	450.2
055	5,522	1,153	453.0
060	6,022	1,153	457.3
065	6,535	1,153	463.5
070	6,965	1,153	469.0
074	7,393	1,153	473.6
079	7,912	1,153	477.2
084	8,407	1,153	483.5
088	8,796	1,153	487.6
092	9,213	1,153	493.0
097	9,728	1,153	500.1
104	10,352	1,153	505.8
108	10,812	1,153	510.2
114	11,352	1,153	514.1
119	11,852	1,153	517.7
122	12,181	1,153	521.4
123	12,293	1,153	525.4
124	12,359	1,153	526.1
Neelys Creek			
000	12	2,911	506.3
003	312	2,911	506.4
006	626	2,911	506.8
008	808	2,911	507.1
011	1,116	2,911	507.1
016	1,575	2,911	507.2
020	1,984	2,911	507.2
025	2,500	2,911	507.5
027	2,726	2,911	507.8
031	3,054	2,911	508.6
034	3,383	2,911	511.8
035	3,521	2,911	513.3
037	3,714	2,911	514.4
039	3,922	2,911	519.7
042	4,244	2,911	527.2
044	4,384	2,911	530.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Neelys Creek, cont.			
045	4,486	2,911	530.0
047	4,727	2,911	530.8
050	5,039	2,911	530.8
054	5,439	2,911	532.7
060	6,049	2,911	535.4
065	6,471	2,911	536.7
066	6,567	2,911	537.9
070	7,027	2,911	538.1
073	7,324	2,911	540.9
076	7,555	2,911	541.3
077	7,743	2,911	541.5
080	7,963	2,911	541.7
083	8,294	2,911	542.0
085	8,534	2,911	541.9
087	8,721	2,911	542.9
090	9,038	2,911	543.4
095	9,516	2,911	547.0
101	10,093	2,911	549.2
105	10,524	2,911	551.3
109	10,897	2,171	551.5
111	11,079	2,171	551.7
116	11,597	2,171	553.2
122	12,160	2,171	556.6
123	12,331	2,171	557.9
128	12,752	2,171	558.8
129	12,912	2,171	559.7
132	13,236	2,171	560.7
136	13,646	2,171	562.2
142	14,181	2,171	562.9
144	14,361	2,171	568.6
147	14,666	2,171	568.8
149	14,932	2,171	569.0
155	15,500	2,171	571.4
157	15,677	2,171	573.1
158	15,841	2,171	573.0
160	16,000	2,171	573.7
162	16,208	2,171	575.5
165	16,500	2,171	577.0
170	17,000	2,171	578.4
175	17,457	2,171	581.8
178	17,770	2,171	582.2
180	17,966	2,171	582.8
181	18,114	2,171	583.3
185	18,550	2,171	586.8

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Neelys Creek, cont.			
188	18,779	2,171	587.5
190	18,983	2,171	588.9
192	19,199	2,171	589.5
195	19,458	2,171	589.9
199	19,869	2,171	590.4
203	20,341	2,171	591.2
205	20,454	2,171	596.9
207	20,727	2,171	597.0
210	20,993	2,171	597.0
215	21,528	1,293	597.3
219	21,947	1,293	598.0
225	22,468	1,293	601.6
230	23,010	1,293	604.6
234	23,393	1,293	607.4
239	23,937	1,293	610.2
244	24,443	1,293	613.3
249	24,883	1,293	615.0
250	25,033	1,293	621.7
252	25,152	1,293	621.8
258	25,829	1,293	622.4
264	26,388	1,293	626.7
267	26,728	1,293	629.1
Palmer Branch			
005	500	1,192	399.9
010	1,000	1,192	402.5
015	1,500	1,192	404.4
020	2,000	1,192	406.8
025	2,500	1,192	408.7
030	3,000	1,192	410.9
035	3,500	1,192	413.3
040	4,000	1,192	417.0
Plexico Branch			
003	335	1,822	443.9
010	1,000	1,822	443.9
015	1,498	1,822	443.9
019	1,886	1,822	445.0
025	2,500	1,822	446.8
030	3,000	1,822	450.6
035	3,500	1,822	453.4
040	4,000	1,772	454.7
045	4,500	1,772	455.4
050	5,000	1,772	456.1
055	5,500	1,772	458.2
060	6,000	1,772	459.7

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Plexico Branch, cont.			
065	6,538	1,772	461.8
070	7,000	1,772	463.1
075	7,500	1,772	466.7
080	8,000	1,772	471.8
085	8,500	1,772	472.6
090	9,000	1,772	474.2
095	9,523	1,772	478.3
100	10,000	1,772	479.6
105	10,500	1,772	481.6
110	11,000	1,772	483.8
115	11,500	1,491	486.1
117	11,689	1,491	487.8
118	11,763	1,491	490.8
120	12,000	1,491	491.1
125	12,500	1,491	491.4
130	13,000	1,491	491.9
135	13,538	1,491	493.0
140	14,000	1,174	494.5
144	14,406	1,174	496.8
150	15,000	1,174	498.8
155	15,500	1,174	502.1
160	16,000	1,174	506.3
164	16,429	1,174	508.6
170	17,000	822	511.6
175	17,509	822	512.7
Rainey Branch			
000	6	2,407	392.0
006	628	2,407	392.9
011	1,074	2,407	393.5
015	1,460	2,407	394.4
020	2,037	2,407	395.6
024	2,444	1,786	396.6
030	3,024	1,786	398.9
033	3,281	1,786	399.7
039	3,947	1,786	401.5
044	4,400	1,786	402.4
050	5,048	1,670	403.8
055	5,465	1,670	404.4
058	5,761	1,670	404.8
063	6,266	1,670	405.8
070	6,972	1,670	408.6
074	7,443	1,670	410.0
080	8,024	1,670	410.6
087	8,668	1,670	412.7

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Rainey Branch, cont.			
090	8,971	1,670	414.7
093	9,335	1,670	415.9
100	9,989	1,670	419.1
108	10,839	1,035	423.2
115	11,521	1,035	427.0
120	12,036	1,035	430.3
125	12,522	1,035	435.0
130	13,002	1,035	439.3
135	13,521	1,035	446.5
138	13,760	1,035	449.7
140	14,004	1,035	453.8
143	14,332	1,035	459.5
145	14,469	1,035	461.3
148	14,782	1,035	464.7
149	14,934	1,035	467.0
153	15,268	1,035	471.6
154	15,418	1,035	473.8
155	15,511	1,035	474.4
157	15,693	1,035	477.3
159	15,895	1,035	480.8
161	16,131	1,035	483.8
163	16,271	1,035	485.4
Rainey Branch Tributary 1			
001	113	731	416.2
006	579	731	418.4
011	1,107	731	422.7
017	1,670	731	427.1
019	1,877	731	427.5
024	2,376	731	431.2
027	2,674	731	433.4
Rock Branch			
006	606	1,739	595.9
011	1,054	1,739	595.9
015	1,500	1,739	595.9
020	2,000	1,739	596.1
025	2,451	1,739	597.4
029	2,906	1,739	599.0
035	3,453	1,739	601.2
040	4,000	1,739	603.0
045	4,500	1,739	604.7
050	4,966	1,739	606.2
053	5,257	1,739	608.1
058	5,778	1,270	608.7
064	6,353	1,270	610.9

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Rock Branch, cont.			
070	6,952	1,270	612.7
075	7,539	1,270	613.6
081	8,111	1,270	618.2
085	8,500	1,270	619.8
090	9,000	1,270	623.2
095	9,500	1,270	625.7
099	9,934	1,270	628.2
105	10,500	1,270	630.9
110	11,000	1,270	634.7
Rocky Branch			
005	500	1,697	554.7
009	913	1,697	554.8
015	1,479	1,697	554.9
019	1,944	1,697	555.0
023	2,295	1,697	555.0
030	3,000	1,697	555.6
034	3,427	1,697	556.0
036	3,557	1,697	557.1
045	4,528	1,278	558.5
049	4,881	1,278	562.3
055	5,466	1,278	564.5
060	6,000	1,278	567.7
066	6,646	1,246	572.3
070	7,000	1,246	575.3
075	7,500	1,246	576.7
080	8,000	1,246	579.0
085	8,500	1,246	581.4
095	9,494	1,246	586.7
101	10,050	1,246	591.0
105	10,526	1,246	594.1
111	11,093	1,246	599.2
115	11,475	1,246	601.6
121	12,069	1,246	604.1
125	12,500	1,246	606.1
130	13,020	1,246	608.1
138	13,758	1,246	614.1
138	13,828	1,246	618.7
145	14,500	1,246	620.1
153	15,308	867	630.3
160	16,000	867	640.0
165	16,532	867	650.2
170	16,968	867	658.8
174	17,397	867	666.4
180	18,000	867	674.8

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Rocky Branch, cont.			
186	18,632	867	685.8
Rocky Branch Tributary 1			
003	335	792	557.9
005	503	792	560.7
006	607	792	565.7
010	956	792	566.3
014	1,352	792	570.2
017	1,742	792	573.0
020	2,020	731	575.6
024	2,418	731	578.3
028	2,814	731	582.7
033	3,269	657	593.5
036	3,580	657	601.2
Ross Branch			
001	83	2,624	542.3
005	500	2,624	542.8
008	823	2,624	546.9
010	1,033	2,624	549.9
011	1,145	2,624	551.9
014	1,412	2,624	554.5
016	1,636	2,624	557.8
026	2,586	2,624	561.6
030	2,972	2,624	565.1
031	3,063	2,624	566.8
034	3,374	2,624	570.6
035	3,482	2,624	571.2
036	3,596	2,624	572.3
038	3,848	2,624	573.7
040	4,039	2,624	574.6
043	4,275	2,624	579.6
045	4,501	2,624	582.5
047	4,707	2,624	585.6
051	5,075	2,624	589.6
053	5,315	2,624	590.0
056	5,560	2,624	591.0
057	5,727	2,624	591.6
061	6,108	2,624	593.5
067	6,668	2,624	596.3
067	6,719	2,624	597.3
072	7,206	2,624	600.9
079	7,871	2,294	604.8
083	8,269	2,294	605.7
090	8,968	2,238	607.3
091	9,064	2,238	609.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Ross Branch, cont.			
095	9,500	2,238	610.2
100	10,000	2,238	612.4
105	10,500	2,238	613.3
111	11,113	2,238	615.8
117	11,677	1,818	617.0
121	12,148	1,818	618.5
128	12,778	1,801	623.0
129	12,851	1,801	627.0
136	13,613	1,452	627.6
140	14,000	1,452	629.9
144	14,398	1,452	631.5
147	14,682	1,452	632.4
151	15,050	1,452	636.4
189	18,892	854	658.5
190	19,029	854	669.0
192	19,236	854	669.1
194	19,391	854	677.7
195	19,509	854	677.7
200	20,003	854	677.7
203	20,283	854	677.7
205	20,453	854	695.9
205	20,503	854	695.9
210	21,003	854	695.9
215	21,503	854	695.9
220	22,003	854	695.9
225	22,503	854	695.8
227	22,677	854	698.2
228	22,817	854	718.7
230	23,003	854	718.7
235	23,503	854	718.8
240	24,003	854	732.5
241	24,117	854	737.6
Ross Branch Tributary			
002	212	691	601.9
005	522	691	606.1
009	921	691	609.9
015	1,500	691	613.9
020	2,000	691	620.1
025	2,500	691	624.5
030	2,983	691	630.3
035	3,500	691	634.4
039	3,887	691	638.4
045	4,500	691	647.4
047	4,728	691	651.2

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Ross Branch Tributary, cont.			
049	4,865	691	666.2
052	5,160	691	666.7
054	5,418	691	666.7
062	6,222	691	667.3
065	6,548	691	684.7
069	6,901	691	691.6
071	7,054	691	691.6
073	7,337	691	696.3
075	7,522	691	703.2
077	7,722	691	712.0
079	7,878	691	718.8
080	8,029	691	723.9
Ross Branch Tributary 1			
002	243	447	627.2
005	500	447	627.7
010	1,000	447	631.9
015	1,500	447	637.5
019	1,933	447	644.0
Ross Branch Tributary 3			
005	500	904	614.7
010	1,000	904	618.4
015	1,500	904	622.3
020	2,000	904	626.7
025	2,500	904	630.3
028	2,798	904	632.0
029	2,944	904	639.3
030	3,000	904	639.3
035	3,500	904	639.4
040	4,000	904	639.9
045	4,500	904	644.6
050	5,000	904	648.7
055	5,500	654	652.9
060	6,000	654	656.6
065	6,500	654	661.4
066	6,593	654	662.3
068	6,801	654	667.8
070	7,000	654	667.8
075	7,500	654	668.8
080	8,000	654	677.2
085	8,500	654	685.2
088	8,821	654	703.0
Ross Branch Tributary 4			
002	197	287	606.0
002	244	287	606.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Ross Branch Tributary 4, cont.			
003	350	287	610.5
005	500	287	611.3
010	1,000	287	621.3
Rum Branch			
000	24	2,240	508.4
003	350	2,240	508.9
010	979	2,240	509.5
013	1,309	2,240	510.1
019	1,919	2,240	512.4
025	2,500	2,240	515.5
030	3,032	2,240	518.7
035	3,500	2,240	522.9
039	3,893	2,240	531.1
044	4,355	2,240	539.7
049	4,889	2,240	544.4
052	5,210	2,240	545.5
053	5,319	2,240	551.0
057	5,726	1,343	551.1
063	6,271	1,343	551.2
068	6,792	1,343	551.4
072	7,173	1,343	551.5
079	7,878	1,343	555.2
084	8,367	1,343	556.9
085	8,542	1,343	557.6
090	9,048	1,343	559.1
098	9,779	1,343	563.5
105	10,520	1,343	567.6
109	10,917	1,343	570.2
114	11,405	1,343	573.9
116	11,557	1,343	575.1
120	11,971	1,042	576.1
128	12,788	1,042	577.4
134	13,423	1,042	580.4
139	13,949	1,042	583.0
143	14,320	1,042	589.6
Rum Branch Tributary 1			
004	442	1,344	551.0
008	820	1,344	551.0
015	1,463	936	551.0
020	2,030	936	556.1
022	2,227	936	559.8
029	2,851	936	561.0
033	3,338	936	564.0
037	3,680	936	567.2

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Rum Branch Tributary 1, cont.			
038	3,809	936	574.5
044	4,424	936	574.6
050	4,969	936	574.7
055	5,506	936	577.4
060	5,980	936	580.2
063	6,306	936	580.8
065	6,502	936	584.2
066	6,597	936	587.3
067	6,678	936	588.2
068	6,762	936	589.1
069	6,857	936	590.0
069	6,940	936	590.6
072	7,167	936	593.3
074	7,430	936	594.6
077	7,699	936	597.2
Rum Branch Tributary 2			
002	210	804	549.2
004	393	804	550.3
010	1,000	804	555.1
015	1,463	804	559.5
023	2,282	804	568.3
024	2,370	804	578.7
030	2,973	804	579.0
035	3,493	804	580.9
041	4,131	804	589.5
Silver Creek			
000	31	1,834	509.5
004	409	1,834	510.3
005	472	1,834	511.8
010	967	1,834	514.7
015	1,500	1,781	518.7
019	1,878	1,781	521.7
025	2,519	1,495	525.8
030	2,973	1,495	526.4
035	3,526	1,495	528.0
040	3,963	1,495	529.4
042	4,232	1,495	531.3
046	4,578	1,495	535.0
050	4,967	1,495	537.3
053	5,342	1,495	538.9
060	6,050	1,495	540.7
067	6,714	1,495	544.4
070	7,000	1,495	547.5
072	7,161	1,495	550.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Silver Creek, cont.			
073	7,294	1,495	550.6
075	7,535	1,495	552.5
081	8,096	1,495	554.3
086	8,567	1,495	555.9
087	8,730	1,495	557.2
090	9,047	1,495	557.4
094	9,414	1,268	560.6
100	9,988	1,268	562.0
101	10,076	1,268	563.3
106	10,639	1,268	565.6
108	10,835	1,268	566.0
110	11,040	1,268	568.4
112	11,177	1,268	571.1
115	11,500	1,268	573.6
117	11,745	1,268	574.2
120	12,000	1,268	578.4
123	12,270	1,268	580.1
125	12,480	1,268	580.2
129	12,924	1,268	583.5
135	13,500	1,268	589.0
140	13,974	1,268	599.0
141	14,087	1,268	601.0
143	14,310	895	604.2
144	14,443	895	607.4
146	14,586	895	609.1
148	14,767	895	612.7
150	15,025	895	615.7
155	15,500	895	618.8
160	16,028	895	622.7
165	16,500	895	628.4
171	17,108	895	635.8
175	17,500	895	639.8
180	18,026	895	642.7
185	18,500	895	645.6
190	18,960	895	650.0
195	19,467	895	655.5
Six Mile Creek			
005	500	3,801	474.5
011	1,081	3,801	474.5
015	1,538	3,801	474.5
020	2,039	3,801	474.5
025	2,495	3,801	474.5
030	2,992	3,801	474.5
035	3,493	3,801	474.5

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Six Mile Creek, cont.			
040	3,996	3,801	474.5
044	4,398	3,801	474.5
046	4,576	3,801	474.5
053	5,256	3,801	474.5
059	5,910	3,801	474.5
064	6,383	3,801	474.5
073	7,328	3,607	474.5
084	8,410	3,607	474.5
089	8,946	3,607	474.5
097	9,676	3,607	474.5
104	10,410	3,607	474.5
109	10,927	3,607	475.7
113	11,322	3,607	476.6
119	11,946	3,607	478.2
125	12,539	3,607	479.8
127	12,695	3,607	481.5
133	13,287	3,095	482.2
139	13,910	3,095	482.4
144	14,410	3,095	483.4
149	14,910	3,095	484.4
155	15,539	3,095	486.4
159	15,910	3,095	486.9
164	16,410	3,095	487.5
169	16,883	3,095	488.0
174	17,410	3,095	489.7
179	17,926	3,095	492.1
185	18,524	3,095	494.1
Sixmile Creek Tributary 2			
001	122	1,322	481.5
007	686	1,322	481.5
013	1,286	1,322	481.8
018	1,824	1,322	484.9
024	2,433	1,322	487.3
South Fork Crowders Creek			
032	3,238	3,535	665.1
036	3,561	3,535	666.1
042	4,175	3,535	666.4
047	4,745	3,535	667.5
051	5,052	3,535	667.7
059	5,882	3,535	668.6
065	6,487	3,535	671.3
066	6,615	3,535	671.7
071	7,114	3,535	672.5
076	7,571	3,535	674.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
South Fork Crowders Creek, cont.			
080	8,022	3,535	676.6
086	8,562	3,230	677.6
088	8,815	3,230	677.9
092	9,220	3,230	678.9
100	10,002	3,230	680.2
101	10,147	3,230	680.2
108	10,774	3,230	680.7
113	11,341	3,230	682.9
119	11,920	3,230	684.1
125	12,483	3,230	686.5
129	12,852	3,230	687.2
134	13,359	2,917	689.3
139	13,881	2,917	690.4
144	14,422	2,628	691.4
149	14,919	2,628	692.3
157	15,688	2,628	693.7
158	15,843	2,628	695.5
163	16,325	2,628	696.9
170	17,011	2,628	697.9
174	17,402	2,628	699.0
177	17,663	2,628	699.8
180	17,998	2,628	700.3
184	18,385	2,628	701.6
189	18,889	2,628	702.7
193	19,295	2,628	703.8
198	19,758	2,628	705.2
203	20,321	2,022	706.9
211	21,077	2,022	708.2
212	21,188	2,022	708.8
220	21,964	2,022	710.9
225	22,539	2,022	712.6
231	23,084	2,022	714.0
237	23,686	2,022	717.5
241	24,131	2,022	718.5
246	24,591	2,022	720.2
249	24,892	2,022	721.6
254	25,376	2,022	723.4
256	25,582	2,022	724.7
261	26,067	1,032	727.8
265	26,514	1,032	729.0
271	27,130	1,032	733.8
276	27,648	1,032	735.7
280	28,038	1,032	738.0
289	28,855	1,032	743.5

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
South Fork Crowders Creek, cont.			
289	28,934	1,032	750.2
296	29,597	1,032	751.0
300	30,040	1,032	752.3
305	30,480	1,032	756.9
309	30,941	1,032	760.6
315	31,479	839	764.3
319	31,867	839	768.2
325	32,473	839	773.3
325	32,536	839	777.1
329	32,924	839	777.8
South Fork Crowders Creek Trib 1			
001	115	320	676.7
008	777	320	680.6
012	1,153	320	686.7
015	1,500	320	694.6
020	2,000	320	710.3
South Fork Crowders Creek Trib 2			
003	273	892	687.7
006	598	892	687.7
010	1,000	892	691.2
015	1,500	831	697.0
020	2,000	831	700.8
025	2,500	831	704.6
030	3,000	831	707.6
South Fork Fishing Creek			
000	18	4,844	519.4
010	1,014	4,844	521.7
015	1,499	4,844	522.9
019	1,910	4,844	523.6
024	2,388	4,844	524.2
029	2,906	4,844	524.5
035	3,500	4,475	524.8
040	4,000	4,328	525.3
045	4,500	4,328	525.9
050	5,000	4,328	526.3
055	5,500	4,328	526.2
060	6,000	4,328	528.2
065	6,500	4,328	528.4
070	7,000	4,328	529.1
075	7,543	4,265	529.7
077	7,733	4,265	531.8
083	8,327	4,265	532.9
091	9,148	4,265	533.4
101	10,109	2,826	534.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
South Fork Fishing Creek, cont.			
105	10,500	2,826	534.4
110	11,000	2,826	534.9
115	11,500	2,826	535.5
120	12,000	2,826	535.9
123	12,329	2,826	536.1
130	13,000	2,826	536.9
134	13,431	2,826	538.4
143	14,276	2,693	540.4
146	14,622	2,693	543.8
150	15,000	2,693	544.0
154	15,422	2,693	544.3
159	15,931	2,693	544.8
164	16,381	2,693	545.6
170	17,000	2,693	546.5
175	17,500	2,693	547.4
180	18,000	2,693	547.9
185	18,500	2,364	549.0
190	19,000	2,364	549.6
196	19,612	2,364	551.9
202	20,228	2,364	553.4
206	20,641	2,297	554.7
209	20,862	2,297	558.3
214	21,394	2,297	558.7
220	22,000	2,186	559.2
225	22,500	2,186	559.8
229	22,899	2,186	560.5
235	23,500	2,186	561.6
237	23,733	2,122	561.9
239	23,900	2,122	562.9
246	24,595	2,122	563.8
251	25,093	2,122	564.9
255	25,500	2,122	566.2
260	26,000	2,122	568.0
265	26,500	2,122	569.2
272	27,187	2,122	570.1
275	27,500	1,756	570.6
280	28,000	1,756	572.4
285	28,500	1,756	573.3
293	29,268	1,756	575.1
296	29,625	1,426	576.9
298	29,825	1,426	576.9
305	30,500	1,426	578.9
310	31,000	1,426	580.0
315	31,500	1,426	581.5

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
South Fork Fishing Creek, cont.			
320	32,000	1,426	582.4
325	32,500	1,426	582.5
329	32,909	1,144	586.0
332	33,172	1,144	587.3
335	33,500	1,144	587.9
338	33,776	1,144	589.2
345	34,500	1,144	592.1
350	35,000	1,144	593.8
355	35,471	1,144	596.2
360	35,997	1,144	598.8
364	36,448	1,144	600.0
370	36,951	1,144	604.1
375	37,534	755	606.1
382	38,219	755	612.3
388	38,786	755	615.6
395	39,523	755	617.5
402	40,184	342	621.2
409	40,863	342	628.7
414	41,398	342	635.1
South Fork Fishing Creek Trib 1			
005	500	1,156	524.7
010	1,000	1,156	524.7
015	1,500	1,156	524.7
020	2,000	1,156	525.8
025	2,500	1,156	526.6
033	3,290	1,014	528.4
036	3,570	1,014	532.0
040	4,000	1,014	532.0
045	4,500	1,014	532.3
050	5,000	1,014	532.8
055	5,500	1,014	533.7
059	5,876	1,014	535.2
064	6,362	1,014	536.8
068	6,787	1,014	538.4
072	7,229	1,014	540.5
079	7,854	1,014	542.7
South Fork Fishing Creek Trib 2			
006	580	701	525.1
012	1,235	701	526.8
019	1,905	701	529.7
027	2,699	701	531.8
035	3,522	578	536.8
041	4,069	578	541.0
047	4,739	578	544.8

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
South Fork Fishing Creek Trib 3			
003	338	787	548.2
009	868	787	549.5
014	1,369	787	551.0
019	1,857	787	552.4
020	2,031	787	553.6
028	2,766	787	557.0
033	3,290	787	562.1
037	3,748	787	565.2
043	4,345	787	570.7
South Fork Fishing Creek Trib 4			
002	218	381	558.8
008	773	381	563.5
015	1,459	381	572.4
020	2,007	381	580.2
024	2,416	381	583.4
South Fork Fishing Creek Trib 5			
000	23	999	515.7
007	665	999	516.5
013	1,330	999	517.9
South Fork Fishing Creek Trib 6			
000	25	934	513.1
005	490	934	514.8
010	989	934	516.3
017	1,689	934	518.4
023	2,322	934	521.1
028	2,802	934	524.6
Stoney Fork			
002	245	4,730	497.1
005	475	4,730	497.1
007	732	4,730	497.1
015	1,500	4,730	497.1
020	2,000	4,730	497.1
025	2,500	4,730	497.1
030	3,000	4,730	497.1
035	3,500	4,730	497.1
040	4,000	4,730	497.1
046	4,635	4,730	497.1
050	5,000	4,730	497.1
055	5,500	4,730	498.4
060	6,000	4,730	499.3
065	6,500	4,730	499.8
070	7,000	4,730	500.7
075	7,500	4,730	501.1
080	8,000	4,730	501.5

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Stoney Fork, cont.			
084	8,406	4,080	501.9
091	9,104	4,080	502.7
096	9,604	4,080	503.2
101	10,104	4,080	503.7
105	10,529	4,080	504.1
107	10,673	4,080	507.2
111	11,132	4,080	507.9
121	12,104	4,080	508.2
125	12,476	4,080	508.3
131	13,104	4,080	508.8
136	13,604	4,080	509.5
141	14,104	4,080	510.5
146	14,604	4,080	511.9
151	15,104	4,080	513.1
161	16,104	4,080	513.8
166	16,604	4,080	514.1
171	17,104	3,941	514.3
177	17,705	3,941	514.9
179	17,929	3,941	518.3
186	18,604	3,941	518.8
192	19,230	3,941	519.2
196	19,647	3,941	519.4
201	20,104	3,941	519.6
213	21,324	3,941	520.1
219	21,915	3,941	520.6
222	22,195	3,941	522.8
229	22,851	3,941	523.3
236	23,580	3,340	524.3
237	23,699	3,340	524.9
247	24,679	3,340	526.1
251	25,108	3,340	526.3
256	25,608	3,340	526.3
262	26,208	3,340	527.5
268	26,814	3,340	529.1
270	27,033	3,340	532.8
276	27,608	3,340	533.5
281	28,108	3,340	533.6
286	28,608	3,340	534.0
291	29,108	3,340	536.1
296	29,608	3,130	537.5
302	30,171	3,130	539.3
306	30,608	3,130	540.2
311	31,108	3,130	540.9
316	31,608	3,130	541.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Stoney Fork, cont.			
320	31,983	3,130	544.2
326	32,608	3,130	544.5
331	33,108	3,130	544.9
336	33,608	3,130	545.4
341	34,108	3,130	546.0
346	34,608	3,130	546.8
351	35,108	3,130	547.9
356	35,608	3,130	549.3
361	36,108	3,130	550.5
366	36,608	3,130	551.2
373	37,265	2,611	551.9
378	37,765	2,611	552.4
381	38,102	2,611	553.1
389	38,862	2,611	555.7
393	39,265	2,611	557.5
398	39,765	2,611	558.5
402	40,234	2,611	559.4
404	40,396	2,611	562.0
409	40,940	2,611	562.4
416	41,612	2,394	562.8
419	41,947	2,394	563.0
428	42,765	2,394	564.8
433	43,265	2,394	565.7
438	43,765	2,394	566.7
443	44,265	2,394	567.7
448	44,765	2,394	568.8
453	45,265	2,394	569.7
457	45,727	2,394	571.1
460	45,964	2,394	574.6
468	46,765	2,394	575.5
473	47,265	2,394	576.7
478	47,765	2,084	577.6
479	47,939	2,084	581.8
483	48,336	2,084	582.0
488	48,760	2,084	582.0
493	49,260	2,084	582.1
498	49,760	2,084	582.1
503	50,260	2,084	582.9
508	50,760	2,084	583.3
513	51,260	2,084	584.0
518	51,760	2,084	585.7
523	52,260	2,084	587.0
529	52,911	2,084	589.3
533	53,260	2,084	590.2

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Stoney Fork, cont.			
538	53,760	2,084	590.7
543	54,260	2,084	594.0
548	54,760	1,843	595.8
553	55,323	1,843	596.9
555	55,497	1,843	601.5
562	56,193	1,843	602.1
568	56,760	1,843	602.2
573	57,260	1,843	602.4
578	57,760	1,843	602.6
583	58,260	1,843	602.8
588	58,760	1,843	603.8
593	59,260	1,843	605.4
598	59,760	1,843	606.9
603	60,260	1,560	608.5
608	60,760	1,560	609.7
613	61,260	1,560	611.2
618	61,760	1,560	612.3
623	62,260	1,560	613.2
628	62,760	1,560	615.3
633	63,260	1,560	617.3
638	63,760	1,560	619.4
641	64,088	1,265	620.7
642	64,174	1,265	621.1
648	64,760	1,265	622.5
653	65,260	1,265	623.7
658	65,760	1,265	624.8
664	66,394	1,265	626.6
666	66,624	1,265	630.3
673	67,260	1,265	630.8
678	67,760	1,265	632.7
683	68,260	1,265	635.3
687	68,685	1,265	636.2
693	69,260	1,265	638.2
698	69,760	952	641.5
703	70,260	952	643.2
708	70,760	952	655.8
713	71,260	952	655.8
718	71,760	952	655.8
723	72,260	952	655.8
Stoney Fork Tributary 1			
005	500	1,194	501.5
010	1,000	1,194	501.5
015	1,500	1,194	503.0
022	2,227	1,194	505.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Stoney Fork Tributary 1, cont.			
024	2,444	1,194	507.0
030	3,000	1,194	507.3
035	3,500	1,194	508.0
040	4,000	1,194	508.7
045	4,500	1,194	509.3
050	5,000	1,194	510.2
055	5,508	1,194	511.5
061	6,136	951	516.7
063	6,264	951	517.4
070	7,000	951	519.7
075	7,530	951	523.3
076	7,601	951	524.6
080	8,000	951	526.3
085	8,500	951	529.4
090	9,000	951	530.9
095	9,500	951	531.7
100	10,000	951	532.2
105	10,500	951	534.6
Stoney Fork Tributary 2			
002	183	1,295	523.7
003	257	1,295	523.7
003	301	1,295	523.7
005	500	1,295	523.7
010	1,000	1,295	523.7
015	1,500	1,295	523.7
020	2,000	1,295	524.4
025	2,500	1,295	526.1
030	3,000	1,295	527.5
035	3,500	1,295	528.7
040	4,000	1,295	529.3
045	4,500	1,083	533.7
048	4,782	1,083	539.9
057	5,666	1,083	539.9
065	6,475	1,083	545.1
070	7,002	1,083	547.4
074	7,380	1,083	548.9
075	7,548	1,083	550.4
078	7,799	1,083	551.1
079	7,930	421	552.3
081	8,062	421	552.6
085	8,499	421	553.5
091	9,122	421	559.6
096	9,636	421	563.4
			0.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Stoney Fork Tributary 3			
001	137	815	551.5
005	500	815	551.5
010	1,000	815	553.5
015	1,500	815	555.3
020	2,000	815	556.8
024	2,387	815	558.1
030	3,000	815	562.9
035	3,500	815	566.9
040	4,000	815	569.9
045	4,457	502	573.2
054	5,367	502	581.0
Stoney Fork Tributary 4			
006	606	554	562.8
013	1,274	554	568.4
019	1,855	554	574.5
025	2,478	554	579.0
026	2,616	554	586.0
032	3,201	554	586.2
041	4,064	554	596.3
049	4,891	554	606.7
Sugar Creek Tributary 1			
002	207	1,539	488.7
010	962	1,539	488.7
013	1,324	1,539	488.7
018	1,796	1,539	490.1
022	2,249	1,539	491.6
028	2,785	1,539	492.9
035	3,550	1,539	496.2
036	3,649	1,539	497.8
046	4,602	1,539	501.0
052	5,206	1,539	506.0
062	6,168	1,539	512.1
067	6,737	1,241	517.7
075	7,514	1,241	523.6
082	8,192	1,241	531.3
088	8,814	1,241	536.5
094	9,410	1,241	542.2
100	9,992	1,241	546.8
106	10,555	1,241	554.2
111	11,112	1,241	559.2
119	11,858	1,241	568.1
124	12,370	1,241	584.0
129	12,852	1,241	594.2
136	13,551	1,241	609.4

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Sugar Creek Tributary 1, cont.			
141	14,086	1,241	627.4
Susybole Creek			
000	19	3,431	454.6
004	388	3,431	454.8
008	808	3,431	455.4
011	1,142	3,431	455.4
015	1,500	3,386	455.6
020	2,000	3,386	455.7
025	2,528	3,386	455.9
030	2,959	3,386	456.9
033	3,325	3,386	457.5
040	3,986	2,366	458.8
044	4,405	2,366	459.6
050	4,990	2,366	460.0
055	5,500	2,366	462.0
060	6,014	2,366	463.5
065	6,523	2,366	464.9
070	7,000	2,366	465.4
074	7,387	2,366	466.2
080	8,046	2,366	469.5
085	8,500	2,366	470.0
091	9,084	2,366	471.5
096	9,597	2,232	472.9
097	9,696	2,232	474.3
105	10,548	2,232	475.7
110	11,003	2,232	475.9
116	11,639	2,232	475.6
123	12,344	2,232	481.2
130	12,983	2,232	482.9
136	13,621	2,232	482.8
141	14,134	2,232	485.0
145	14,524	2,232	486.7
149	14,930	2,232	488.3
155	15,473	2,232	489.9
160	15,972	1,933	495.8
165	16,500	1,933	498.3
170	17,000	1,933	500.0
174	17,449	1,933	501.8
178	17,802	1,933	503.6
186	18,566	1,933	505.4
188	18,792	1,933	506.7
Taylor's Creek			
006	629	6,473	504.1
011	1,058	6,473	504.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Taylors Creek, cont.			
017	1,723	6,473	504.1
022	2,171	6,473	504.1
026	2,550	6,473	504.1
027	2,728	6,473	504.1
033	3,299	6,473	504.1
036	3,646	6,473	504.1
039	3,865	6,473	504.1
043	4,336	6,473	504.1
051	5,078	6,473	504.5
055	5,546	6,473	505.0
062	6,156	6,473	505.0
069	6,890	6,473	505.3
073	7,259	6,473	505.4
079	7,870	6,473	505.3
080	8,011	6,473	507.5
087	8,709	6,473	509.0
091	9,074	6,473	509.1
095	9,546	6,473	509.4
099	9,946	6,176	509.6
106	10,581	6,176	510.4
114	11,406	6,176	511.4
120	12,001	6,176	511.6
126	12,558	6,176	511.8
134	13,363	6,176	512.4
139	13,943	6,176	513.1
148	14,751	6,176	514.5
150	15,000	6,176	514.8
154	15,442	6,176	515.3
161	16,067	5,859	516.0
165	16,500	5,859	516.4
171	17,117	5,859	517.2
178	17,822	5,859	517.4
346	34,621	2,167	535.3
352	35,214	2,167	535.5
357	35,710	2,167	536.1
358	35,813	2,167	536.2
362	36,215	2,167	544.3
368	36,821	2,167	544.7
372	37,194	2,167	544.7
377	37,690	2,167	545.0
379	37,884	2,167	545.5
383	38,297	2,167	546.7
389	38,896	2,167	546.8
394	39,397	1,365	553.3

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Taylors Creek, cont.			
401	40,133	1,365	559.4
406	40,609	1,365	563.2
410	41,030	1,365	566.2
416	41,626	1,365	569.1
Taylors Creek Tributary 3			
003	326	1,072	551.2
009	887	1,072	555.6
014	1,436	1,072	561.4
018	1,808	1,072	564.9
022	2,204	1,072	566.8
024	2,424	1,072	568.3
027	2,653	1,072	568.8
029	2,916	1,072	568.9
032	3,162	1,072	570.3
035	3,500	1,072	572.5
040	4,000	1,072	574.6
045	4,500	1,072	576.4
050	5,000	1,072	581.7
051	5,103	1,072	582.2
053	5,275	1,072	583.4
057	5,737	1,072	586.4
Thompson Branch			
016	1,642	1,595	465.4
019	1,903	1,595	465.4
024	2,375	1,595	465.4
031	3,051	1,595	465.4
034	3,448	1,546	466.2
038	3,795	1,546	468.1
043	4,313	1,546	468.8
047	4,653	1,546	470.4
050	5,028	1,546	471.9
054	5,356	1,135	474.6
055	5,500	1,135	474.8
056	5,588	1,135	474.5
061	6,057	1,135	475.7
064	6,448	1,135	477.3
070	6,981	1,099	479.7
074	7,448	1,099	484.0
079	7,948	1,099	485.2
084	8,448	1,099	486.2
088	8,840	1,099	488.1
094	9,351	1,099	490.8
100	9,992	1,099	493.4
104	10,448	1,099	495.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Thompson Branch, cont.			
109	10,948	1,099	497.6
112	11,226	1,099	498.9
114	11,381	1,099	500.4
116	11,581	1,099	501.5
119	11,917	1,099	502.3
125	12,473	1,099	507.4
129	12,948	1,099	509.6
133	13,269	1,099	512.2
Thompson Branch Tributary 1			
007	735	750	474.5
010	1,027	750	477.2
015	1,494	750	482.4
020	1,974	750	485.1
022	2,250	750	486.0
026	2,587	750	487.4
030	3,030	750	489.0
Tools Fork Creek			
283	28,332	2,589	583.3
290	29,003	2,589	583.3
295	29,521	2,589	583.5
301	30,101	2,589	583.9
306	30,648	2,589	584.7
310	31,047	2,589	585.5
316	31,626	2,589	586.7
320	32,000	2,589	587.3
329	32,858	2,589	589.5
333	33,302	2,589	590.8
335	33,500	2,589	595.9
339	33,949	2,589	596.1
347	34,733	2,589	596.5
353	35,323	2,234	596.9
357	35,734	2,234	597.2
363	36,300	2,234	598.6
369	36,874	2,234	599.9
375	37,500	2,234	601.9
381	38,103	2,234	602.7
390	38,962	1,597	606.0
394	39,359	1,597	607.5
396	39,612	1,597	610.1
400	40,035	1,597	610.8
405	40,511	1,597	612.0
410	40,984	1,597	613.9
414	41,440	1,597	614.8
			0.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Tools Fork Creek Tributary 1			
008	821	2,252	583.3
012	1,179	2,252	583.3
020	2,000	2,252	583.3
024	2,407	1,558	583.3
029	2,875	1,558	583.3
037	3,680	1,558	584.5
042	4,183	1,558	585.6
047	4,684	1,558	587.8
051	5,116	1,558	589.8
056	5,644	1,558	591.6
061	6,076	1,558	593.3
065	6,500	1,558	594.9
071	7,063	1,558	596.6
075	7,524	1,558	598.3
080	8,021	1,558	600.9
086	8,600	1,558	602.7
092	9,189	1,558	605.2
096	9,633	1,558	610.7
098	9,782	1,558	614.8
103	10,303	1,011	614.9
109	10,939	1,011	615.0
114	11,411	1,011	616.5
118	11,821	1,011	619.5
122	12,190	1,011	621.2
125	12,500	1,011	623.7
130	13,000	1,011	628.1
134	13,352	1,011	631.8
139	13,869	1,011	636.9
Tools Fork Creek Tributary 2			
005	498	714	596.6
010	1,000	714	597.6
015	1,500	714	600.7
020	2,000	714	603.2
025	2,500	714	606.4
030	3,000	714	608.3
Tools Fork Creek Tributary 3			
015	1,459	891	583.3
019	1,920	891	583.8
024	2,371	891	585.1
029	2,912	891	587.2
030	3,028	891	594.9
034	3,365	891	594.9
036	3,585	891	595.2
040	3,984	891	599.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Turkey Creek			
001	71	11,590	396.9
011	1,107	11,590	397.1
020	1,991	11,207	397.2
023	2,322	11,207	397.2
025	2,500	11,207	397.2
030	3,000	11,207	397.3
034	3,373	11,207	397.3
039	3,890	11,207	397.4
045	4,542	11,207	397.5
050	4,986	11,207	397.6
056	5,578	11,207	397.8
060	6,000	11,207	398.0
065	6,451	11,207	398.2
070	7,000	11,207	398.8
074	7,399	11,207	399.2
080	7,972	11,207	399.5
085	8,500	11,207	399.7
090	9,026	11,207	399.8
095	9,500	11,028	400.0
100	10,000	11,028	400.2
105	10,500	11,028	400.5
110	11,000	10,911	400.8
115	11,500	10,911	402.0
120	12,000	10,911	403.1
124	12,392	10,911	403.7
130	13,016	10,911	404.2
136	13,623	10,911	404.3
140	14,046	10,911	404.8
145	14,533	10,911	405.6
150	14,989	10,911	406.2
157	15,676	10,911	406.9
162	16,242	10,585	407.4
164	16,396	10,585	408.3
170	17,002	10,410	409.6
180	18,000	10,410	409.8
185	18,509	10,410	410.4
189	18,901	10,410	410.8
196	19,582	10,410	411.6
200	20,033	10,410	412.2
205	20,535	10,410	412.9
208	20,831	10,410	413.6
212	21,221	10,410	414.2
221	22,051	9,884	415.6
223	22,339	9,884	415.7

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Turkey Creek, cont.			
230	22,961	9,884	416.4
235	23,539	9,884	417.0
241	24,144	9,884	417.5
246	24,570	9,884	418.2
249	24,917	9,884	418.7
265	26,500	6,565	420.9
270	27,026	6,565	421.1
275	27,490	6,565	421.0
280	28,015	6,565	422.8
286	28,642	6,565	423.3
290	29,023	6,565	424.5
295	29,463	6,565	425.3
300	29,976	6,565	426.3
304	30,378	6,565	427.4
310	31,025	6,127	428.0
315	31,497	6,127	429.1
320	31,987	6,127	430.0
321	32,055	6,127	431.0
330	32,965	6,127	433.1
336	33,588	6,127	434.3
340	33,970	6,127	434.6
344	34,381	6,054	434.9
351	35,096	6,054	435.6
358	35,825	6,054	435.9
363	36,305	6,054	436.4
370	36,968	6,054	437.1
374	37,425	6,054	437.7
378	37,840	5,810	438.3
384	38,428	5,810	439.0
390	39,011	5,810	439.6
395	39,467	5,810	441.4
400	40,017	5,810	442.5
405	40,508	5,810	444.1
410	40,991	5,810	445.0
411	41,099	5,810	445.9
418	41,816	5,810	448.0
425	42,530	5,810	448.5
430	42,961	5,810	449.0
435	43,457	5,391	449.6
440	43,990	5,391	450.1
444	44,391	5,391	450.7
451	45,084	5,391	451.4
455	45,500	5,391	452.0
460	45,955	5,391	452.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Turkey Creek, cont.			
465	46,472	5,391	453.3
470	47,003	5,391	454.2
474	47,430	5,391	454.7
480	48,000	5,391	455.5
485	48,531	5,391	456.0
491	49,052	5,391	457.1
496	49,565	5,391	458.3
500	50,021	5,391	458.9
507	50,671	5,391	459.7
511	51,118	5,391	460.5
517	51,711	5,391	461.3
520	52,014	5,391	461.8
525	52,507	5,391	463.0
530	53,000	5,391	463.7
535	53,495	5,391	465.7
540	53,996	5,391	466.5
545	54,539	5,391	468.0
550	54,954	5,391	468.6
555	55,500	5,391	470.0
560	56,023	5,391	470.9
565	56,529	4,852	471.8
571	57,069	4,852	473.0
579	57,853	4,852	475.0
579	57,932	4,852	475.7
585	58,545	4,852	476.5
591	59,093	4,852	477.2
597	59,674	4,615	478.1
600	60,046	4,615	479.1
605	60,538	4,615	480.1
610	60,953	4,615	480.8
616	61,555	4,615	481.6
618	61,836	4,615	482.1
626	62,569	4,135	482.7
630	62,995	4,135	483.7
635	63,526	4,135	485.1
641	64,052	4,135	486.4
644	64,414	4,135	486.8
648	64,772	4,135	487.6
656	65,620	4,135	489.6
660	66,027	4,135	490.9
664	66,431	4,135	492.6
668	66,768	4,135	496.8
670	67,000	4,135	498.6
675	67,500	4,135	500.9

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Turkey Creek, cont.			
680	68,020	4,135	503.5
685	68,547	4,135	505.5
690	69,012	4,135	507.6
695	69,468	4,135	509.1
697	69,745	4,135	510.1
699	69,853	4,135	512.7
702	70,248	4,135	514.2
704	70,447	4,135	514.6
710	71,000	4,135	515.7
715	71,500	3,999	517.1
719	71,871	3,999	517.3
725	72,477	3,999	518.7
730	72,986	3,999	522.7
734	73,389	3,999	524.0
736	73,648	3,999	527.6
741	74,139	3,999	530.3
744	74,398	3,999	532.4
750	75,046	3,999	534.5
755	75,490	3,999	536.5
760	76,015	3,999	537.7
765	76,500	3,999	539.8
770	76,968	3,999	541.4
776	77,552	2,451	543.0
780	78,000	2,451	543.9
785	78,456	2,451	544.5
790	78,995	2,451	545.4
795	79,549	2,451	546.2
801	80,052	2,451	547.3
801	80,134	2,451	548.3
809	80,937	2,451	549.9
815	81,465	2,451	553.1
821	82,079	2,451	553.6
823	82,349	2,451	557.6
825	82,514	2,451	559.6
835	83,453	2,451	565.2
835	83,514	2,451	568.8
840	83,974	2,451	570.5
845	84,497	2,451	573.5
848	84,843	2,451	574.9
852	85,229	2,451	576.6
856	85,633	2,451	578.2
862	86,153	2,518	577.1
865	86,528	2,518	582.4
870	87,015	2,518	584.8

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Turkey Creek, cont.			
871	87,135	2,518	585.1
874	87,426	2,518	616.6
877	87,721	2,518	616.7
881	88,063	2,518	616.7
885	88,500	2,518	616.8
888	88,806	2,518	616.8
895	89,537	2,518	616.9
899	89,948	2,518	617.0
905	90,524	2,518	617.2
911	91,050	2,518	617.3
916	91,631	2,518	617.5
920	92,046	2,406	617.7
925	92,488	2,406	617.9
931	93,109	2,406	618.1
936	93,563	2,080	619.0
940	94,000	2,080	620.2
946	94,649	2,080	622.1
952	95,210	2,080	625.9
953	95,280	2,080	630.4
959	95,949	2,080	633.6
963	96,253	2,080	637.3
965	96,512	2,080	639.5
970	97,020	2,080	642.1
976	97,582	2,080	646.9
980	98,000	2,080	648.0
987	98,682	1,798	651.1
988	98,763	1,798	652.3
995	99,549	1,748	653.4
999	99,925	1,748	654.4
1007	100,655	1,748	656.1
1008	100,768	1,748	657.4
1015	101,499	1,748	662.5
1019	101,927	1,525	664.2
1024	102,445	1,525	664.8
1031	103,052	1,247	666.4
1035	103,500	789	667.9
1039	103,884	789	669.0
1040	103,973	789	674.5
1049	104,877	789	676.2
1056	105,552	789	683.7
1060	106,004	789	687.0
1065	106,453	789	691.2
1067	106,705	789	693.6
			0.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Turkey Creek Tributary 1			
002	200	690	665.9
005	500	690	668.5
010	1,041	690	677.7
Turkey Creek Tributary 10			
002	240	1,421	427.8
005	500	1,421	427.8
010	1,000	1,421	429.4
012	1,199	1,421	431.7
013	1,295	1,421	431.5
015	1,531	1,421	431.9
020	2,020	1,421	435.0
025	2,507	1,421	439.2
028	2,786	1,421	440.6
031	3,081	1,421	441.5
035	3,539	1,421	444.5
037	3,722	1,421	444.6
040	3,992	1,421	445.5
044	4,443	1,232	447.5
046	4,607	1,232	448.0
049	4,947	1,232	450.6
053	5,297	1,232	453.1
054	5,359	1,232	454.4
054	5,445	1,232	455.6
059	5,934	1,232	456.4
062	6,174	819	457.1
064	6,426	819	457.6
069	6,856	819	457.9
074	7,403	819	461.4
076	7,648	819	462.8
079	7,892	819	465.3
084	8,392	819	469.2
089	8,892	819	473.2
094	9,407	819	477.1
099	9,904	660	481.4
Turkey Creek Tributary 11			
005	500	1,086	408.3
010	1,000	1,086	408.3
015	1,500	1,086	408.3
020	2,000	1,086	408.3
025	2,500	1,086	408.3
030	3,000	1,086	409.5
035	3,500	1,086	412.5
041	4,062	1,086	415.3
045	4,500	1,086	417.3

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Turkey Creek Tributary 11, cont.			
050	5,000	921	421.2
055	5,500	921	423.1
060	6,000	921	424.0
065	6,500	921	425.2
070	7,000	921	428.3
075	7,500	757	430.1
080	8,000	757	432.7
085	8,500	757	436.7
090	9,000	757	441.1
095	9,500	388	447.0
Turkey Creek Tributary 12			
001	73	1,340	407.2
003	265	1,340	407.2
004	359	1,340	409.7
005	496	1,340	410.0
010	996	1,340	410.0
015	1,496	1,340	410.2
020	1,982	1,340	411.3
025	2,487	1,340	413.3
030	3,009	1,340	414.6
035	3,479	1,340	415.9
040	3,979	1,340	418.7
045	4,479	1,198	421.7
050	4,979	1,198	423.8
055	5,479	1,198	425.7
060	5,979	1,198	428.0
065	6,479	1,198	430.5
070	6,979	1,198	431.8
075	7,479	1,198	433.4
080	7,979	957	435.2
085	8,479	957	438.6
090	8,983	957	440.4
095	9,482	629	444.6
Turkey Creek Tributary 13			
003	329	856	400.5
009	877	856	400.5
010	1,000	856	417.2
015	1,478	856	417.2
020	1,978	856	417.2
025	2,478	856	417.2
030	2,978	856	417.2
035	3,478	856	418.4
040	3,978	856	419.9
045	4,478	856	422.1

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Turkey Creek Tributary 13, cont.			
050	4,978	512	425.8
055	5,478	512	430.5
060	5,978	512	435.8
067	6,728	512	443.1
Turkey Creek Tributary 14			
005	500	417	399.9
009	922	417	399.9
011	1,083	417	410.9
015	1,500	417	410.9
020	2,000	417	410.9
025	2,500	417	411.5
030	3,000	417	415.7
035	3,500	417	420.8
040	4,000	417	425.9
Turkey Creek Tributary 2			
005	500	841	668.1
006	598	841	669.7
007	694	841	675.6
010	1,000	841	675.9
015	1,500	841	676.2
020	2,000	841	678.4
021	2,125	841	679.9
022	2,238	841	682.2
025	2,500	841	683.5
030	3,000	841	687.0
035	3,500	841	691.0
040	4,000	841	695.8
045	4,500	841	701.9
050	5,000	841	707.8
Turkey Creek Tributary 3			
003	309	500	661.1
007	718	500	666.0
010	1,000	500	669.8
015	1,500	500	676.3
020	1,994	500	679.7
Turkey Creek Tributary 4			
002	227	203	653.0
004	422	203	657.6
005	502	203	666.4
006	591	203	666.4
Turkey Creek Tributary 5			
001	138	355	649.2
003	323	355	650.3
004	379	355	651.0

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Turkey Creek Tributary 5, cont.			
004	435	355	652.8
005	500	355	653.8
006	640	355	657.3
007	719	355	660.4
008	807	355	663.1
009	902	355	669.0
010	1,000	355	670.6
Turkey Creek Tributary 6			
005	500	262	617.4
010	998	262	617.4
015	1,490	262	625.8
016	1,584	262	632.4
017	1,740	262	655.5
020	1,984	262	655.5
023	2,254	262	655.5
Turkey Creek Tributary 7			
001	54	551	477.1
005	500	551	478.6
010	1,000	551	480.6
015	1,500	551	483.3
020	2,000	551	490.9
025	2,500	551	499.3
030	3,000	551	507.7
035	3,500	551	516.3
040	4,000	551	538.3
045	4,500	551	550.8
050	5,000	551	571.6
Turkey Creek Tributary 8			
015	1,494	783	437.9
020	1,999	783	443.7
025	2,500	783	449.9
030	3,000	783	453.1
035	3,500	783	456.4
040	4,000	783	461.2
Turkey Creek Tributary 9			
027	2,740	482	436.4
030	3,000	482	439.8
035	3,500	482	444.4
040	4,000	482	448.6
043	4,321	482	451.7
Walker Branch			
001	89	1,969	636.5
004	434	1,969	636.7
009	876	1,969	639.7

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Walker Branch, cont.			
014	1,449	1,969	642.7
019	1,896	1,969	644.2
024	2,368	1,969	646.5
029	2,876	1,969	649.6
031	3,058	1,969	650.6
032	3,160	1,969	651.4
035	3,455	1,969	653.0
041	4,070	1,969	653.7
045	4,511	1,969	654.5
050	5,000	1,969	658.6
055	5,514	1,969	662.6
060	6,020	1,969	666.4
066	6,608	1,226	698.5
067	6,744	1,226	705.5
069	6,928	1,226	705.6
074	7,384	1,226	706.0
081	8,054	1,226	708.0
082	8,182	1,226	720.2
087	8,703	1,226	720.2
091	9,106	1,226	720.2
097	9,684	1,226	723.3
100	10,023	1,226	727.6
102	10,171	1,226	729.6
Wildcat Creek			
003	323	8,018	521.3
006	613	8,018	521.3
012	1,221	8,018	521.3
018	1,850	8,018	521.3
026	2,587	8,018	521.3
032	3,174	8,018	522.1
033	3,268	8,018	523.2
037	3,664	8,018	524.3
040	3,955	7,988	525.0
044	4,394	7,988	525.4
046	4,628	7,988	525.4
047	4,730	7,988	526.4
053	5,295	7,988	528.0
060	6,006	7,988	530.2
067	6,655	7,988	531.1
071	7,075	7,988	531.5
073	7,294	7,988	531.6
Wildcat Creek Tributary 1			
002	173	2,137	542.8
005	543	2,137	542.8

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Wildcat Creek Tributary 1, cont.			
010	1,030	2,137	542.8
015	1,500	2,137	544.7
020	2,000	2,137	546.1
025	2,500	2,137	547.9
030	3,000	2,137	550.4
035	3,499	2,137	552.9
037	3,682	2,137	556.5
045	4,500	2,137	558.3
050	5,000	2,137	562.3
056	5,564	2,137	565.7
060	6,000	2,137	569.3
064	6,371	2,137	571.2
068	6,809	2,137	574.1
Wildcat Creek Tributary 1A			
001	141	353	574.1
005	500	353	577.3
010	1,000	353	581.3
015	1,500	353	587.0
019	1,902	353	592.5
Wildcat Creek Tributary 2			
002	238	1,150	557.0
005	500	1,150	557.0
009	902	1,150	557.0
013	1,331	1,150	557.0
015	1,461	1,150	557.0
015	1,466	1,150	557.0
020	1,951	1,150	565.5
020	1,954	1,150	565.5
021	2,150	1,150	566.5
025	2,527	1,150	566.5
027	2,737	1,150	566.6
Wildcat Creek Tributary 3			
005	477	484	542.8
007	730	484	542.8
010	958	484	550.8
017	1,658	484	551.6
026	2,647	484	556.0
028	2,815	484	573.0
037	3,724	484	573.4
045	4,502	484	581.5
046	4,637	484	592.2
052	5,235	484	592.2
058	5,758	484	593.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Wildcat Creek Tributary 4			
008	798	1,906	559.1
010	1,000	1,906	559.6
013	1,278	1,906	560.3
018	1,786	1,906	563.6
020	2,000	1,906	564.8
022	2,203	1,906	565.8
024	2,351	1,906	566.3
025	2,500	1,906	568.1
027	2,651	1,906	570.1
028	2,759	1,906	572.5
030	3,000	1,906	572.2
035	3,500	1,906	574.2
040	4,000	1,906	576.2
045	4,500	1,906	579.5
050	5,000	1,165	581.1
055	5,500	1,165	581.9
060	6,000	1,165	587.9
062	6,242	1,165	587.8
065	6,500	1,165	588.8
067	6,746	1,165	590.2
073	7,257	1,165	596.5
074	7,404	1,165	597.5
076	7,643	1,165	601.0
081	8,106	1,165	606.3
Wildcat Creek Tributary 5			
002	164	1,318	576.4
005	516	1,318	577.5
010	1,000	1,318	579.6
015	1,500	1,318	582.4
019	1,872	1,318	584.1
020	2,004	1,318	588.4
021	2,070	1,318	588.4
022	2,162	1,318	588.6
024	2,381	1,318	589.6
030	3,000	1,318	590.3
035	3,500	1,318	593.1
040	4,000	1,318	595.7
045	4,500	1,318	598.9
050	5,000	1,318	603.7
056	5,642	1,318	605.5
061	6,072	1,318	608.3
065	6,500	1,318	609.1
070	7,000	1,318	611.3
075	7,500	1,318	613.9

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Wildcat Creek Tributary 5, cont.			
080	8,000	1,318	617.9
085	8,500	1,318	621.2
089	8,940	1,318	625.0
091	9,136	1,318	630.9
095	9,500	1,318	633.7
Wolf Creek			
005	500	1,882	455.1
008	777	1,882	455.1
010	1,000	1,882	457.0
012	1,201	1,882	460.8
015	1,500	1,882	461.5
017	1,742	1,882	461.7
020	2,000	1,882	463.0
023	2,325	1,882	465.6
025	2,514	1,882	466.3
030	3,000	1,882	471.4
035	3,500	1,882	473.6
040	4,000	1,882	475.3
045	4,500	1,810	479.7
046	4,597	1,810	479.7
050	5,000	1,810	482.4
055	5,500	1,810	483.9
060	6,000	1,810	486.5
065	6,500	1,810	490.3
070	7,000	1,810	493.9
072	7,219	1,810	495.2
075	7,500	1,810	496.2
078	7,766	1,810	497.1
080	8,000	1,810	502.5
082	8,186	1,810	502.0
083	8,283	1,810	504.2
085	8,500	1,810	507.8
085	8,547	1,810	509.7
087	8,701	1,810	510.3
090	9,000	1,810	511.7
095	9,500	1,810	517.3
100	10,000	1,810	521.6
105	10,500	1,810	526.5
110	11,000	1,522	529.1
115	11,500	1,522	532.7
117	11,704	1,522	535.4
120	12,000	1,522	537.9
125	12,500	1,522	541.5
130	13,000	1,522	544.6

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Wolf Creek, cont.			
132	13,245	1,522	546.4
135	13,500	1,522	548.1
138	13,847	1,522	549.8
140	14,000	1,522	551.2
142	14,220	1,522	551.9
145	14,500	1,522	553.6
148	14,810	1,522	555.9
150	15,000	1,522	556.5
155	15,500	1,522	558.2
157	15,717	1,125	559.2
160	16,000	1,125	561.2
165	16,500	1,125	565.5
170	17,000	1,125	567.7
175	17,500	1,125	571.2
180	18,000	1,125	574.9
185	18,500	1,125	578.8
190	18,956	1,125	582.2
195	19,463	1,125	583.7
199	19,862	1,125	584.6
202	20,228	1,125	589.4
205	20,513	1,125	592.1
210	21,013	1,125	596.1
217	21,669	745	601.7
219	21,934	745	608.3
222	22,217	745	611.3
227	22,717	745	614.0
232	23,217	745	620.3
237	23,717	745	625.4
242	24,217	745	629.4
247	24,717	745	635.9
252	25,217	745	640.4
256	25,635	284	647.9
259	25,949	284	652.0
Wrights Creek			
005	519	2,306	461.6
010	988	2,306	462.7
014	1,439	2,306	464.0
020	1,982	2,306	466.8
025	2,470	2,306	467.3
030	2,981	2,306	469.1
035	3,499	2,306	469.9
039	3,912	2,306	471.0
045	4,458	2,306	471.6
050	5,049	2,306	472.4

Table 6: Limited Detailed Base Flood Elevation Data

Cross Section	Stream Station²	Flood Discharge (cfs)	1% Annual Chance Water-Surface Elevation (feet NAVD 88)³
Wrights Creek, cont.			
058	5,781	2,306	474.6
060	5,985	2,306	475.5
065	6,519	2,025	477.9
070	7,019	2,025	479.6
075	7,506	2,025	480.9
079	7,950	2,025	482.2
086	8,561	2,025	483.7
090	9,014	2,025	485.1
096	9,589	2,025	487.2
102	10,224	2,025	489.7
105	10,536	2,025	490.4
109	10,882	2,025	492.2
115	11,468	2,025	494.7
117	11,713	967	496.5
119	11,885	967	496.3

¹This table reflects all modeled cross sections. Some cross sections shown in this table may not appear on the map.

²Feet above mouth.

³Elevation includes backwater effects.